

# DIN EN 15595:2024-01(E)

## Railway applications - Braking - Wheel slide protection (includes Amendment :2023)

---

<b>Contents</b>		<b>Page</b>
European foreword .....		6
Introduction .....		7
<b>1</b>	<b>Scope .....</b>	<b>8</b>
<b>2</b>	<b>Normative references .....</b>	<b>8</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>9</b>
<b>4</b>	<b>Symbols and abbreviations .....</b>	<b>12</b>
<b>5</b>	<b>Requirements .....</b>	<b>12</b>
5.1	Functional requirements .....	12
5.1.1	Objectives of wheel slide protection .....	12
5.1.2	General functional requirements .....	13
5.1.3	Control of the brake force .....	13
5.1.4	Wheel slide protection watchdog (safety timer) .....	14
5.1.5	Air supply .....	14
5.1.6	Wheel diameter differences .....	14
5.1.7	Wheel rotation monitoring (WRM) .....	14
5.1.8	Diagnostics .....	15
5.2	Design requirements .....	16
5.2.1	Environmental specification .....	16
5.2.2	Fire behaviour .....	16
5.2.3	RAMS .....	17
5.2.4	Mechanical construction .....	17
5.2.5	Power management .....	17
5.2.6	Software .....	18
5.2.7	Electronic control unit Input/Output (I/O) .....	18
5.2.8	Sensor - axle speed acquisition .....	18
5.2.9	Actuator - modification of brake force .....	18
5.3	Installation recommendations .....	19
5.3.1	General installation requirements .....	19
5.3.2	Air system .....	19
5.3.3	Power supply and electrical system .....	19
5.4	Performance requirements for WSP .....	20
5.4.1	Performance .....	20
5.4.2	Stopping distance and adhesion improvement .....	21
5.4.3	Wheelset slide limits .....	21
5.4.4	Track damage .....	22
5.4.5	Maximum deceleration .....	22
5.4.6	Air consumption .....	23
5.4.7	Output based on speed information provided by WSP .....	23
<b>6</b>	<b>Range of tests .....</b>	<b>24</b>
6.1	General .....	24
6.1.1	Test classifications .....	24
6.1.2	Assessor .....	24
6.2	Type Test .....	24
6.2.1	General .....	24
6.2.2	Test requirements .....	24

6.2.3	Individual component Type Test .....	25
6.3	Vehicle Implementation Test .....	25
6.3.1	General .....	25
6.3.2	Test requirements .....	26
6.3.3	Conformity of previous vehicle tests .....	26
6.4	List of tests .....	26
6.4.1	Standard tests .....	26
6.4.2	Drag tests .....	27
6.4.3	Test methods for speeds from 160 up to 200 km/h .....	27
6.4.4	Test methods for speeds > 200 km/h .....	27
6.4.5	Supplementary higher deceleration tests .....	27
6.4.6	Supplementary approval tests for WSP acting in vehicles with brakes that are independent of adhesion .....	27
6.4.7	Supplementary approval tests involving tractive units and trainsets having dynamic brakes .....	27
6.4.8	Testing of wheel rotation monitoring (WRM) .....	28
6.5	Re-testing .....	34
6.5.1	General .....	34
6.5.2	Hardware .....	34
6.5.3	Software .....	35
7	Test methods .....	35
7.1	General .....	35
7.2	Measurement .....	36
7.3	Tests on vehicle .....	37
7.3.1	General .....	37
7.3.2	Generation of degraded adhesion .....	38
7.3.3	Environmental conditions .....	38
7.4	Test in simulation environment .....	39
7.4.1	General .....	39
7.4.2	Tests on simulation rig .....	39
7.4.3	Additional specific simulator tests .....	40
7.4.4	Optional tests .....	40
8	Evaluation of test .....	40
8.1	Correcting the stopping distances .....	40
8.2	Number and validity of dry tests .....	40
8.3	Evaluation of slide test .....	40
8.3.1	General .....	40
8.3.2	Evaluation of stopping performance .....	41
8.3.3	Evaluation of test validity .....	42
8.3.4	Evaluation of relative air consumption .....	51
9	Documentation of tests .....	52
9.1	Test Specification .....	52
9.2	Test report .....	53
10	Routine test and inspection .....	54
11	Designation, identification and marking .....	54
Annex A (normative) Tables linking the WSP / WRM Requirements to Tests and Test Criteria .....		55
Annex B (normative) Minimum requirements for a WSP simulator .....		75
B.1	General .....	75
B.1.1	General .....	75
B.1.2	Use of the simulator model .....	75
B.2	Adhesion model .....	80
B.2.1	General .....	80
B.2.2	Constant adhesion condition .....	80
B.2.3	Variable adhesion condition .....	80

B.2.4	Adhesion conditioning factors .....	81
B.3	Test and performance model .....	81
B.3.1	General .....	81
B.3.2	Simulator performance .....	81
B.3.3	Test requirements .....	81
B.3.4	Stopping performance .....	81
B.3.5	Wheel damage .....	82
B.3.6	Air system .....	82
B.3.7	Pass/fail limits .....	82
B.3.8	Fault conditions .....	82
B.3.9	WSP outputs .....	83
B.4	Vehicle performance model .....	83
B.4.1	General .....	83
B.4.2	Friction material .....	83
B.4.3	Pneumatic actuator/brake demand .....	83
B.4.4	Body/Bogie/wheel dynamics .....	83
B.5	Vehicle functional model .....	84
B.5.1	General .....	84
B.5.2	Functional inputs .....	84
B.6	Simulator validation .....	84
B.6.1	General .....	84
B.6.2	Validation of test benches .....	84
B.6.3	Management .....	87
Annex C (informative) Example of customer specific simulator tests .....		88
C.1	Naturally occurring variable adhesion tests .....	88
C.1.1	General .....	88
C.1.2	Sequence .....	88
C.1.3	Measurement and pass/fail criteria .....	90
C.2	Sustained low adhesion track condition (SLAC) Tests .....	91
C.2.1	Sequence .....	91
C.2.2	Measurement/pass fail criteria .....	92
C.2.3	WSP speed reference (vref) .....	92
C.3	Operating speeds above 160 km/h .....	92
C.3.1	Criteria .....	92
C.3.2	Sequence .....	93
C.3.3	Measurement and pass/fail criteria .....	93
Annex D (informative) Optional tests .....		94
D.1	Sander system tests -- Criteria .....	94
D.2	Dynamic braking system tests -- Criteria .....	95
D.3	Peripheral output tests -- Criteria .....	95
Annex E (informative) Typical diagram of a real WSP test .....		97
Annex F (informative) In-service monitoring .....		99
Annex G (informative) Braking configurations .....		100
G.1	Per bogie control .....	100
G.2	Per wagon control .....	100
Bibliography .....		103