DIN EN 15595:2024-01(E)

Railway applications - Braking - Wheel slide protection (includes Amendment :2023)

Contents

Page

European foreword 6

Introduction 7

1 Scope 8

2 Normative references 8

3 Terms and definitions 9

4 Symbols and abbreviations 12

5 Requirements 12
5.1 Functional requirements 12
5.1.1 Objectives of wheel slide protection 12
5.1.2 General functional requirements 13
5.1.3 Control of the brake force 13
5.1.4 Wheel slide protection watchdog (safety timer) 14
5.1.5 Air supply 14
5.1.6 Wheel diameter differences 14
5.1.7 Wheel rotation monitoring (WRM) 14
5.1.8 Diagnostics 15
5.2 Design requirements 16
5.2.1 Environmental specification 16
5.2.2 Fire behaviour 16
5.2.3 RAMS 17
5.2.4 Mechanical construction 17
5.2.5 Power management 17
5.2.6 Software 18
5.2.7 Electronic control unit Input/Output (I/O) 18
5.2.8 Sensor - axle speed acquisition 18
5.2.9 Actuator - modification of brake force 18
5.3 Installation recommendations 19
5.3.1 General installation requirements 19
5.3.2 Air system 19
5.3.3 Power supply and electrical system 19
5.4 Performance requirements for WSP 20
5.4.1 Performance 20
5.4.2 Stopping distance and adhesion improvement 21
5.4.3 Wheelset slide limits 21
5.4.4 Track damage 22
5.4.5 Maximum deceleration 22
5.4.6 Air consumption 23
5.4.7 Output based on speed information provided by WSP 23

6 Range of tests 24
6.1 General 24
6.1.1 Test classifications 24
6.1.2 Assessor 24
6.2 Type Test 24
6.2.1 General 24
6.2.2 Test requirements 24

6.2.3 Individual component Type Test ... 25
6.3 Vehicle Implementation Test ... 25
6.3.1 General ... 25
6.3.2 Test requirements ... 26
6.3.3 Conformity of previous vehicle tests ... 26
6.4 List of tests ... 26
6.4.1 Standard tests ... 26
6.4.2 Drag tests ... 27
6.4.3 Test methods for speeds from 160 up to 200 km/h ... 27
6.4.4 Test methods for speeds > 200 km/h ... 27
6.4.5 Supplementary higher deceleration tests ... 27
6.4.6 Supplementary approval tests for WSP acting in vehicles with brakes that are independent of adhesion ... 27
6.4.7 Supplementary approval tests involving tractive units and trainsets having dynamic brakes ... 27
6.4.8 Testing of wheel rotation monitoring (WRM) ... 28
6.5 Re-testing ... 34
6.5.1 General ... 34
6.5.2 Hardware ... 34
6.5.3 Software ... 35

7 Test methods ... 35
7.1 General ... 35
7.2 Measurement ... 36
7.3 Tests on vehicle ... 37
7.3.1 General ... 37
7.3.2 Generation of degraded adhesion ... 38
7.3.3 Environmental conditions ... 38
7.4 Test in simulation environment ... 39
7.4.1 General ... 39
7.4.2 Tests on simulation rig ... 39
7.4.3 Additional specific simulator tests ... 40
7.4.4 Optional tests ... 40

8 Evaluation of test ... 40
8.1 Correcting the stopping distances ... 40
8.2 Number and validity of dry tests ... 40
8.3 Evaluation of slide test ... 40
8.3.1 General ... 40
8.3.2 Evaluation of stopping performance ... 41
8.3.3 Evaluation of test validity ... 42
8.3.4 Evaluation of relative air consumption ... 51

9 Documentation of tests ... 52
9.1 Test Specification ... 52
9.2 Test report ... 53

10 Routine test and inspection ... 54

11 Designation, identification and marking ... 54

Annex A (normative) Tables linking the WSP / WRM Requirements to Tests and Test Criteria ... 55

Annex B (normative) Minimum requirements for a WSP simulator ... 75

B.1 General ... 75
B.1.1 General ... 75
B.1.2 Use of the simulator model ... 75
B.2 Adhesion model ... 80
B.2.1 General ... 80
B.2.2 Constant adhesion condition ... 80
B.2.3 Variable adhesion condition ... 80

B.2.4 Adhesion conditioning factors 81
B.3 Test and performance model 81
B.3.1 General 81
B.3.2 Simulator performance 81
B.3.3 Test requirements 81
B.3.4 Stopping performance 81
B.3.5 Wheel damage 82
B.3.6 Air system 82
B.3.7 Pass/fail limits 82
B.3.8 Fault conditions 82
B.3.9 WSP outputs 83
B.4 Vehicle performance model 83
B.4.1 General 83
B.4.2 Friction material 83
B.4.3 Pneumatic actuator/brake demand 83
B.4.4 Body/Bogie/wheel dynamics 83
B.5 Vehicle functional model 84
B.5.1 General 84
B.5.2 Functional inputs 84
B.6 Simulator validation 84
B.6.1 General 84
B.6.2 Validation of test benches 84
B.6.3 Management 87

Annex C (informative) Example of customer specific simulator tests 88

C.1 Naturally occurring variable adhesion tests 88
C.1.1 General 88
C.1.2 Sequence 88
C.1.3 Measurement and pass/fail criteria 90
C.2 Sustained low adhesion track condition (SLAC) Tests 91
C.2.1 Sequence 91
C.2.2 Measurement/pass fail criteria 92
C.2.3 WSP speed reference (vref) 92
C.3 Operating speeds above 160 km/h 92
C.3.1 Criteria 92
C.3.2 Sequence 93
C.3.3 Measurement and pass/fail criteria 93

Annex D (informative) Optional tests 94

D.1 Sander system tests -- Criteria 94
D.2 Dynamic braking system tests -- Criteria 95
D.3 Peripheral output tests -- Criteria 95

Annex E (informative) Typical diagram of a real WSP test 97

Annex F (informative) In-service monitoring 99

Annex G (informative) Braking configurations 100

G.1 Per bogie control 100
G.2 Per wagon control 100

Bibliography 103