DIN EN 13749:2024-02 (E)

Railway applications - Wheelsets and bogies - Method of specifying the structural requirements of bogie frames (includes Amendment :2023)

Contents

Page

European foreword 5

1 Scope 5

2 Normative references 6

3 Terms and definitions 6

4 Technical specification 8
4.1 Scope 8
4.2 General requirements 8
4.3 Design load cases 8
4.4 Vehicle conditions and interfaces 9
4.5 Particular requirements 9

5 Verification of the design data 9

6 Validation and acceptance of the design 9
6.1 General 9
6.2 The validation plan 10
6.2.1 Content 10
6.2.2 Structural analysis 11
6.2.3 Static tests 12
6.2.4 Fatigue tests 12
6.2.5 Track tests 13

7 Quality requirements 14

Annex A (informative) Symbols and units used in the informative annexes 15

A.1 Forces 15
A.2 Accelerations 16
A.3 Masses 16
A.4 Other symbols and units 17
A.5 Coordinate system 17
A.6 Bogie classification 19

Annex B (informative) Load cases 20

Annex C (informative) Loads due to bogie running 22

C.1 General 22
C.2 Examples of loads for bogies of passenger rolling stock - categories B-I and B-II 23
C.2.1 Exceptional loads 23
C.2.2 Normal service loads 24
C.3 Examples of loads for freight bogies with a central pivot and two sidebearers - category B-V 24
C.3.1 Bogie types 24
C.3.2 Relationship of vertical forces 24
C.3.3 Exceptional loads 25
C.3.4 Normal service loads 26

C.4 Examples of loads for bogies of locomotives (with two bogies) - category B-VII 27
C.4.1 Exceptional loads 27
C.4.2 Normal service loads 28
C.5 Examples of loads for bogies of metro, rapid transit, light rail vehicles and trams - categories B-III and B-IV 28
C.5.1 Application 28
C.5.2 Load cases 28
C.5.3 General expressions for the basic load cases 29

Annex D (informative) Loads due to components attached to the bogie frame 30

D.1 General 30
D.2 Component inertia loads 30
D.2.1 Derivation 30
D.2.2 Design accelerations for equipment attached to the bogie frame 31
D.2.3 Design accelerations for equipment attached to the axlebox 31
D.3 Loads resulting from viscous dampers 31
D.4 Loads resulting from braking 32
D.5 Loads resulting from traction motors 32
D.6 Forces applied on anti-roll systems 32

Annex E (informative) Analysis methods and acceptance criteria 33

E.1 General 33
E.2 Loads 33
E.3 Analysis and acceptance 33
E.4 Structural acceptance criteria 33
E.4.1 Principle 33
E.4.2 Utilization 34
E.4.3 Safety factor 34
E.4.4 Material strength 35

Annex F (informative) Examples of static test programmes 40

F.1 General 40
F.2 Static test programme for bogies of passenger rolling stock with body supported directly to the sideframe (categories B-I and B-II) 41
F.2.1 Tests under exceptional loads 41
F.2.2 Tests under normal service loads 41
F.3 Static test programme for bogies with central pivot and two sidebearers (category B- V) . 43
F.3.1 Bogie types 43
F.3.2 Tests under exceptional loads 43
F.3.3 Tests under normal service loads 44
F.4 Static test programme for bogies of locomotives 45
F.5 Static test programme for bogies of light rail vehicles and trams 45
F.5.1 General 45
F.5.2 Tests under exceptional loads 45
F.5.3 Tests under normal service loads 46

Annex G (informative) Examples of fatigue test programmes 47

G.1 General 47
G.2 Fatigue test programme for bogies with the body supported directly on the sideframes (categories B-I and B-II) 48
G.3 Fatigue test programme for a freight bogie with a central pivot and two sidebearers (category B-V) 51
G.3.1 General 51
G.3.2 Vertical loads 51
G.3.3 Transverse loads 51
G.4 Fatigue test programme for locomotive bogies (category B-VII) 53

G.5 Fatigue test programme for bogies of light rail vehicles and trams (category B-IV) .53
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2016/797/EU aimed to be covered 54

Bibliography 56