DIN EN 13236:2011-02 (E)

Safety requirements for superabrasive products

Contents

Page

Foreword 4

Introduction 6

1 Scope 7

2 Normative references 7

3 Terms, definitions and symbols 7
3.1 General 7
3.2 Grinding machines 7
3.3 Grinding method 8
3.4 Type of application 8
3.5 Symbols 10
3.6 Other symbols 11

4 List of significant hazards 11

5 Safety requirements 11
5.1 General requirements 11
5.2 Requirements for precision superabrasive grinding and cutting-off wheels 12
5.3 Requirements for non-precision cutting-off wheels 13
5.4 Requirements for diamond wires 20
5.5 Requirements for mounted points 21
5.6 Requirements for other superabrasive products for non-precision grinding 21
5.7 Marking 22

6 Verification of the safety requirements 22
6.1 Verification of the general requirements 22
6.2 Verification of the strength requirements 23
6.3 Verification of marking 28
6.4 Verification of the requirements for blotters 28

7 Information for use 28

Annex A (normative) Marking 30

A.1 Content of the marking 30
A.2 Execution of the marking 33

Annex B (normative) Colour codes 34

Annex C (informative) Mounted points 35

C.1 Example of calculation of the maximum permissible speed of rotation 35
C.2 Example for the application of the calculation method 38

Annex D (normative) Reconditioning of cutting-off wheels according to 5.3.6.4 42

D.1 Preconditions for reconditioning 42
D.2 Additional marking requirements 43

Annex E (informative) Speed conversion table 44

Bibliography 47

Figures Figure 1 -- Position of cuts and openings in steel blanks 17

Figure 2 -- Example of cut-outs and openings 18

Figure 3 -- Segmented cutting-off wheels: Dimensions of segment height X1 23

Figure 4 -- Example of a bending test device for segmented cutting-off wheels 24

Figure 5 -- Cutting-off wheels with continuous rim: Dimensions of segment height X1 25

Figure 6 -- Example of a bending test device for cutting-off wheels with continuous rim 25

Figure 7 -- Example of a shearing force test device 26

Figure 8 -- Example of the test piece 28

Figure 9 -- Example of a tensile test 28

Figure C.1 -- Volume division for mounted points with reduced spindle (ZYA) 36

Tables Table 1 -- Grinding method, type of machine, type of application 9

Table 2 -- Symbols 10

Table 3 -- Other symbols 11

Table 4 -- List of significant hazards 11

Table 5 -- Safety factors for precision superabrasive grinding and cutting-off wheels 12

Table 6 -- Maximum operating speeds as a function of the bond type 13

Table 7 -- Safety factors for non-precision cutting-off wheels 14

Table 8 -- Maximum operating speeds as a function of the bond type 14

Table 9 -- Dimensions of blanks for dry cutting-off 15

Table 10 -- Dimensions of blanks for wet cutting-off 16

Table 11 -- Bending strength b for cutting-off wheels for the use on hand-held cutting-off machines depending on segment height X1 and segment length L2 19

Table 12 -- Minimum bending moment Mb 19

Table 13 -- Safety factors for other superabrasive products for non-precision grinding 21

Table 14 -- Maximum operating speeds as a function of the bond type 22

Table A.1 -- Marking of superabrasive products 30

Table A.2 -- Restrictions of use (RE) 32

Table B.1 -- Colour codes and design of colour codes 34

Table C.1 -- Designation of the calculation quantities 37

Table C.2 -- Designation of mounted points 38

Table C.3 -- Characteristics for the calculation of maximum speeds of rotation 39

Table C.4 -- Mounted points, cylindrical shape, plain spindles (ZYN) vitrified bond (V) 40

Table C.5 -- Mounted points, cylindrical shape, reduced spindles (ZYA), vitrified bond (V) 40

Table C.6 -- Mounted points, cylindrical shape, plain spindle Schaft (ZYN), electroplated bond (G) ..41

Table E.1 -- Speed conversion 44