

ISO/TS 13399-302:2013-10 (E)

Cutting tool data representation and exchange - Part 302: Concept for the design of 3D models based on properties according to ISO/TS 13399-3: Modelling of solid drills and countersinking tools

Contents

| | Page |
|---|------|
| Foreword | v |
| Introduction | vii |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Starting elements, coordinate systems, planes | 1 |
| 3.1 General | 1 |
| 3.2 Reference system | 2 |
| 3.3 Coordinate system at the cutting part | 2 |
| 3.4 MCS coordinate system | 3 |
| 3.5 Planes | 4 |
| 3.6 Cutting reference point (CRP) | 4 |
| 4 Design of the model | 5 |
| 4.1 General | 5 |
| 4.2 Necessary parameters for the connection interface feature | 6 |
| 5 Twist drill | 6 |
| 5.1 General | 6 |
| 5.2 Necessary properties | 7 |
| 5.3 Geometry of the non-cutting part including the connection | 8 |
| 5.4 Geometry of the cutting part | 8 |
| 5.5 Twist drill -- Complete | 9 |
| 6 Step drill | 10 |
| 6.1 General | 10 |
| 6.2 Necessary properties | 10 |
| 6.3 Geometry of the non-cutting part including the connection | 11 |
| 6.4 Geometry of the cutting part | 11 |
| 6.5 Step drill -- Complete | 12 |
| 7 Core drill | 12 |
| 7.1 General | 12 |
| 7.2 Necessary properties | 13 |
| 7.3 Geometry of the non-cutting part including the connection | 14 |
| 7.4 Geometry of the cutting part | 14 |
| 7.5 Core drill -- Complete | 15 |
| 8 Counterbore | 15 |
| 8.1 General | 15 |
| 8.2 Necessary properties | 16 |
| 8.3 Geometry of the non-cutting part including the connection | 16 |
| 8.4 Geometry of the cutting part | 16 |
| 8.5 Counterbore -- Complete | 17 |
| 9 Stepped countersinking tool or tapered countersinking tool | 18 |

| | | |
|------|---|----|
| 9.1 | General | 18 |
| 9.2 | Necessary properties | 19 |
| 9.3 | Geometry of the non-cutting part including the connection | 20 |
| 9.4 | Geometry of the cutting part | 20 |
| 9.5 | Stepped or tapered countersinking tool -- Complete | 22 |
| 10 | Spot drill | 23 |
| 10.1 | General | 23 |
| 10.2 | Necessary properties | 23 |
| 10.3 | Geometry of the non-cutting part including the connection | 24 |
| 10.4 | Geometry of the cutting part | 24 |
| 10.5 | Spot drill -- Complete | 25 |
| 11 | Centre drill | 25 |
| 11.1 | General | 25 |
| 11.2 | Necessary properties | 27 |
| 11.3 | Geometry of the non-cutting part including the connection | 28 |
| 11.4 | Geometry of the cutting part | 28 |
| 11.5 | Centre drill -- Complete | 29 |
| 12 | Shell core drills | 30 |
| 12.1 | General | 30 |
| 12.2 | Necessary properties | 31 |
| 12.3 | Geometry of the non-cutting part | 32 |
| 12.4 | Geometry of the cutting part | 33 |
| 12.5 | Shell core drill -- Complete | 34 |
| 13 | Shell counterbore | 34 |
| 13.1 | General | 34 |
| 13.2 | Necessary properties | 35 |
| 13.3 | Geometry of the non-cutting part | 35 |
| 13.4 | Geometry of the cutting part | 35 |
| 13.5 | Shell counterbore -- Complete | 35 |
| 14 | Tapered shell countersinking tool | 36 |
| 14.1 | General | 36 |
| 14.2 | Necessary properties | 37 |
| 14.3 | Geometry of the non-cutting part | 37 |
| 14.4 | Geometry of the cutting part | 38 |
| 14.5 | Tapered shell countersinking tool | 38 |
| 15 | Stepped shell countersinking tool | 38 |
| 15.1 | General | 38 |
| 15.2 | Necessary properties | 39 |
| 15.3 | Geometry of the non-cutting part | 39 |
| 15.4 | Geometry of the cutting part | 40 |
| 15.5 | Stepped shell countersinking tool complete | 40 |
| 16 | Modelling of guide pilots | 40 |
| 16.1 | General | 40 |
| 16.2 | Necessary properties | 41 |
| 16.3 | Guide pilot | 41 |
| 17 | Design of details | 42 |
| 17.1 | Basis for modelling | 42 |
| 17.2 | Contact/clamping surfaces -- Orientation | 42 |
| 17.3 | Chamfers, roundings, others | 43 |
| 18 | Attributes of surfaces -- Visualization of model features | 43 |
| 19 | Structure of design elements (tree of model) | 43 |

| | | |
|----|--|----|
| 20 | Data exchange model | 44 |
| | Annex A (informative) Information about nominal dimensions | 45 |
| | Bibliography | 46 |