ISO/TS 13399-315:2018 (E)

Cutting tool data representation and exchange — Part 315: Creation and exchange of 3D models — Modelling of machine operated feed out tools

Contents

Foreword

Introduction

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
- 4 Starting elements, coordinate systems, planes
 - 4.1 General
 - 4.2 Reference system (PCS Primary coordinate system)
 - 4.3 Coordinate system at the cutting part
 - 4.4 Planes
 - 4.5 Adjustment coordinate system on workpiece side
 - 4.5.1 General
 - 4.5.2 Designation of the coordinate system workpiece side
- 5 Design of the model
 - 5.1 General
 - 5.2 Necessary parameters for the feed out motion of the slides
- 6 Machine operated feed out tool with one linear slide for internal machining
 - 6.1 General
 - 6.2 Necessary properties
 - 6.3 Location of coordinate systems
 - 6.4 Assembled feed out tool with one linear slide for internal machining
- 7 Machine operated feed out tool with one linear slide for external machining
 - 7.1 General
 - 7.2 Necessary properties
 - 7.3 Location of coordinate systems
 - 7.4 Assembled feed out tool with one linear slide for external machining
- 8 Machine operated feed out tool with two linear slides for internal machining
 - 8.1 General
 - 8.2 Necessary properties
 - 8.3 Location of coordinate systems and assembled feed out tool
- 9 Machine operated feed out tool with two linear slides for external machining
 - 9.1 General
 - 9.2 Necessary properties
 - 9.3 Location of coordinate systems
 - 9.4 Assembled feed out tool with two linear slides for external machining
- 10 Machine operated feed out tool with two linear slides for internal pull back machining
 - 10.1 General
 - 10.2 Necessary properties
 - 10.3 Location of coordinate systems and assembled feed out tool
- 11 Machine operated feed out tool with one linear slide for external pull back machining
 - 11.1 General

- 11.2 Necessary properties
- 11.3 Location of coordinate systems and assembled feed out tool
- 12 Machine operated feed out tool with one inclined slide
 - 12.1 General
 - 12.2 Necessary properties
 - 12.3 Location of coordinate systems and assembled feed out tool
- 13 Machine operated feed out tool with two inclined slides
 - 13.1 General
 - 13.2 Necessary properties
 - 13.3 Location of coordinate systems
 - 13.4 Assembled feed out tool with two inclined slides for internal machining

14 Machine operated feed out tool with one rotatory slide

- 14.1 General
- 14.2 Necessary properties
- 14.3 Location of coordinate systems
- 14.4 Assembled feed out tool with one rotary slide
- 15 Machine operated feed out tool with one swing slide
 - 15.1 General
 - 15.2 Necessary properties
 - 15.3 Location of coordinate systems
 - 15.4 Assembled feed out tool with one swing slide

16 Machine operated feed out tool with one peripheral swivelling slide

- 16.1 General
- 16.2 Necessary properties
- 16.3 Location of coordinate systems
- 16.4 Assembled feed out tool with one peripheral swivelling slide
- 17 Machine operated feed out tool with one central swivelling slide
 - 17.1 General
 - 17.2 Necessary properties
 - 17.3 Location of coordinate systems
 - 17.4 Assembled feed out tool with one central swivelling slide

18 Machine operated feed out tool with multiple slides

- 18.1 General
- 18.2 Necessary properties
- 18.3 Location of coordinate systems
- 18.4 Example of an assembled feed out tool with three slides

19 Components of machine operated feed out tools

- 19.1 Flange adaptor
- 19.1.1 General
- 19.1.2 Necessary properties
- 19.1.3 Example of a model of a flange adaptor
- 19.2 Slide
- 19.2.1 General
- 19.2.2 Necessary properties
- 19.2.3 Example of a model of a slide
- 19.3 Cartridge carrier
- 19.3.1 General
- 19.3.2 Necessary properties
- 19.3.3 Example of a model of a cartridge carrier
- 19.4 Stator
- 19.4.1 General
- 19.4.2 Necessary properties
- 19.4.3 Example of a model of a stator
- 20 Design of details
 - 20.1 Basics for modelling

- 20.2
- Fixing threads for inserts Contact/clamping surfaces Orientation Chamfers and roundings 20.3
- 20.4
- 21 Data exchange model
- Annex A (informative) Information about nominal dimensions

Page count: 40