

# ISO 16000-8:2007-06 (E)

## Indoor air - Part 8: Determination of local mean ages of air in buildings for characterizing ventilation conditions

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		vi
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Principles of tracer gas measurements for determining of ventilation conditions .....	2
4.1	General principles .....	2
4.2	Selected tracer gas methods .....	3
5	Measurement planning .....	3
5.1	General .....	3
5.2	Identification of the ventilated system .....	4
5.3	Identification of zones .....	4
5.4	Choice of measurement method .....	4
5.5	Determination of measurement points .....	5
6	Tracer gases and equipment for determining ventilation conditions .....	6
6.1	Choice of tracer gas .....	6
6.2	Tracer gas concentration standard .....	6
6.3	Equipment for feeding the tracer gas .....	6
6.4	Sampling the tracer gas .....	7
6.5	Determination of tracer gas concentration .....	8
7	Measurement methods .....	8
7.1	Decay method .....	8
7.2	Active homogeneous emission method .....	10
7.3	Passive homogeneous emission method .....	11
8	Application of results .....	12
9	Test report .....	12
Annex A (informative)	Explanation of some terms and definitions .....	13
Annex B (informative)	General requirements of tracer gases, background contents and methods of detection of the most important ones .....	14
Annex C (informative)	Estimation of uncertainty of measured local mean ages of air .....	17
Annex D (informative)	Examples of measurement procedure, calculation and estimation of uncertainty .....	20
Annex E (informative)	Air quality relevance of local mean age of air and expression of results .....	37
Bibliography .....		41