

# ISO 16000-13:2008-11 (E)

Indoor air - Part 13: Determination of total (gas and particle-phase) polychlorinated dioxin-like biphenyls (PCBs) and polychlorinated dibenzo-p-dioxins/dibenzofurans (PCDDs/PCDFs) - Collection on sorbent-backed filters

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		vi
<b>1</b> <b>Scope</b> .....		<b>1</b>
<b>2</b> <b>Normative references</b> .....		<b>1</b>
<b>3</b> <b>Terms and definitions</b> .....		<b>2</b>
<b>4</b> <b>Abbreviated terms</b> .....		<b>3</b>
<b>5</b> <b>Principle</b> .....		<b>4</b>
<b>6</b> <b>Apparatus and materials</b> .....		<b>4</b>
<b>7</b> <b>Preparation of sampling media</b> .....		<b>9</b>
<b>8</b> <b>Sampling</b> .....		<b>10</b>
<b>9</b> <b>Minimum requirements for sampling</b> .....		<b>12</b>
<b>Annex A (informative) Details of samplers</b> .....		<b>13</b>
<b>Annex B (normative) Determination of sampling efficiency or dynamic retention efficiency</b> .....		<b>24</b>
<b>Annex C (informative) Structure, toxicity and calculation of toxicity equivalents</b> .....		<b>25</b>
<b>Bibliography</b> .....		<b>30</b>