DIN EN 14792:2017-05 (E)

Stationary source emissions - Determination of mass concentration of nitrogen oxides - Standard reference method: chemiluminescenc e

Contents

Page

European foreword 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 7

4 Symbols and abbreviations 13
4.1 Symbols 13
4.2 Abbreviated terms 14

5 Principle 14
5.1 General 14
5.2 Measuring principle 14

6 Description of the measuring system 15
6.1 General 15
6.2 Sampling and sample gas conditioning system 16
6.2.1 Sampling probe 16
6.2.2 Filter 17
6.2.3 Sample gas line 17
6.2.4 Sample gas conditioning system 17
6.2.5 Sample gas pump 18
6.2.6 Secondary filter 18
6.2.7 Flow controller and flow meter 18
6.3 Analyser equipment 18
6.3.1 General 18
6.3.2 Converter 19
6.3.3 Ozone generator 19
6.3.4 Reaction chamber 19
6.3.5 Optical filter 19
6.3.6 Photomultiplier tube 20
6.3.7 Ozone removal 20

7 Performance characteristics of the SRM 20

8 Suitability of the measuring system to the measurement task 21

9 Field operation 22
9.1 Measurement planning 22
9.2 Sampling strategy 22
9.2.1 General 22
9.2.2 Measurement section and measurement plane 22
9.2.3 Minimum number and location of measurement points 22
9.2.4 Measurement ports and working platform 22
9.3 Choice of the measuring system 23
9.4 Setting of the measuring system on site 23
9.4.1 General 23
9.4.2 Preliminary zero and span check, and adjustments 23
9.4.3 Zero and span checks after measurement 24

10 Ongoing quality control 25
10.1 General 25
10.2 Frequency of checks 25

11 Expression of results 26

12 Equivalence of an alternative method 27

13 Measurement report 27

Annex A (informative) Validation of the method in the field 28

A.1 General 28
A.2 Characteristics of installations 28
A.3 Repeatability and reproducibility in the field 29
A.3.1 General 29
A.3.2 Repeatability 30
A.3.3 Reproducibility 31

Annex B (informative) Sampling and conditioning configurations 32

Annex C (normative) Determination of conversion efficiency 33

C.1 General 33
C.2 First method: cylinder gases for calibration 33
C.3 Second method: gaseous phase titration 33

Annex D (informative) Examples of different types of converters 35

D.1 Quartz converter 35
D.2 Low temperature converter (molybdenum) 35
D.3 Stainless steel converter 35

Annex E (informative) Calculation of the uncertainty associated with a concentration expressed for dry gas and at an oxygen reference concentration 36

E.1 Uncertainty associated with a concentration expressed on dry gas 36
E.2 Uncertainty associated with a concentration expressed at a oxygen reference concentration 38

Annex F (informative) Example of assessment of compliance of chemiluminescence method for NOx with requirements on emission measurements 40

F.1 General 40
F.2 Elements required for the uncertainty determinations 40
F.2.1 Model equation 40
F.2.2 Combined uncertainty 41
F.2.3 Expanded uncertainty 41
F.2.4 Determination of uncertainty contributions in case of rectangular distributions 43
F.2.5 Determination of uncertainty contributions by use of sensitivity coefficients 44
F.3 Example of an uncertainty calculation 44
F.3.1 Site specific conditions 44
F.3.2 Performance characteristics of the method 45
F.3.3 Calculation of concentration values 46
F.3.4 Determination of the uncertainty contributions 47
F.3.5 Result of uncertainty calculation 50
F.3.5.1 Standard uncertainties 50
F.3.5.2 Combined uncertainty 51
F.3.5.3 Expanded uncertainty 52
F.3.5.4 Evaluation of the compliance with the required measurement quality 52

Annex G (informative) Example of correction of data from drift effect 53

Annex H (informative) Significant technical changes 55

Bibliography 56