

DIN EN 15267-4:2017-05 (E)

Air quality - Certification of automated measuring systems - Part 4: Performance criteria and test procedures for automated measuring systems for periodic measurements of emissions from stationary sources

Contents		Page
	European foreword	5
0	Introduction	6
0.1	General	6
0.2	Legal drivers	6
0.3	Periodic measurements	6
0.4	Relationship to EN 14181	6
0.5	Processes	7
0.6	Performance characteristics	7
0.7	Relationship to EN 15267-3	8
1	Scope	9
2	Normative references	9
3	Terms and definitions	9
4	Symbols and abbreviations	15
4.1	Symbols	15
4.2	Abbreviations	17
5	General requirements	17
5.1	Application of performance criteria	17
5.2	Ranges to be tested	17
5.2.1	Certification range	17
5.2.2	Supplementary ranges	18
5.2.3	Lower limit of ranges	18
5.2.4	Expression of performance criteria with respect to ranges	18
5.2.5	Ranges of optical insitu P-AMS with variable optical length	18
5.3	Performance testing of P-AMS based on certified AMS previously tested according to EN 15267-3	18
5.4	Equivalence with the SRM	18
5.5	Manufacturing consistency and changes to P-AMS design	19
5.6	Qualifications of test laboratories	19
6	Performance criteria common to all P-AMS for laboratory testing	19
6.1	P-AMS for testing	19
6.2	CE labelling	19
6.3	Output ranges and zero-point	19
6.4	Display of operational status signals	20
6.5	Degrees of protection provided by enclosures	20
6.6	Response time	20
6.7	Repeatability standard deviation at zero point	20
6.8	Repeatability standard deviation at span point	20
6.9	Lack of fit	20
6.10	Short-term zero and span drift	20
6.11	Set-up time after transport and influence of ambient temperature	20
6.12	Influence of voltage variations	21
6.13	Influence of vibration	21

6.14	Influence of sample gas flow for extractive P-AMS	21
6.15	Influence of sample gas pressure	21
6.16	Cross-sensitivity	21
6.17	Converter efficiency for P-AMS measuring NOx	21
6.18	Response factors for TOC measuring P-AMS	21
6.19	Influences on P-AMS with in-stack sampling chamber	22
6.20	Influences related to storage and transportation	22
7	Performance criteria common to all P-AMS for field testing	22
7.1	Response time	22
7.2	Short-term zero and span drift	23
7.3	Reproducibility	23
8	Performance criteria specific to measured components	23
8.1	General	23
8.2	Gas monitoring P-AMS	23
8.2.1	Performance criteria	23
8.2.2	P-AMS for total organic carbon	25
8.3	Particulate matter monitoring P-AMS	26
9	General test requirements	27
10	Test procedures for laboratory tests	28
10.1	P-AMS for testing	28
10.2	CE labelling	28
10.3	Output ranges and zero point	28
10.4	Display of operational status signals	29
10.5	Degrees of protection provided by enclosures	29
10.6	Response time	29
10.7	Repeatability standard deviation at zero point	31
10.8	Repeatability standard deviation at span point	31
10.9	Lack of fit	32
10.10	Short-term zero and span drift	33
10.11	Set-up time after transportation and influence of ambient temperature	33
10.12	Influence of voltage variations	34
10.13	Influence of vibration	35
10.14	Influence of sample gas pressure	36
10.15	Influence of the sample gas flow for extractive P-AMS	36
10.16	Cross-sensitivity	37
10.17	Converter efficiency for P-AMS measuring NOx	38
10.18	Response factors	39
10.19	Influences on P-AMS with in-stack sampling chamber	40
10.20	Influences related to storage and transportation	40
11	Requirements for the field test	41
12	Test procedures common to all P-AMS for field tests	41
12.1	Response time	41
12.2	Short-term zero and span drift	41
12.3	Reproducibility	42
13	Equivalence with the SRM	43
14	Measurement uncertainty	43
15	Test report	43
Annex A (normative)	Minimum requirements for a test bench	44
Annex B (normative)	Interferents	45

Annex C (normative) Test of linearity	46
C.1 Description of the test procedure	46
C.2 Establishment of the regression line	46
C.3 Calculation of the residuals of the average concentrations	47
Annex D (normative) Determination of the total uncertainty	48
D.1 Determination of uncertainty contributions	48
D.2 Elements required for the uncertainty determinations	48
D.3 Example of an uncertainty calculation for a CO measuring P-AMS	50
D.4 Determination of uncertainty contributions by use of sensitivity coefficients	52
Annex E (informative) Elements of performance testing report	53
Annex F (informative) European standard reference methods	56
Bibliography	57