ISO 22262-3:2016-10 (E)

Air quality - Bulk materials - Part 3: Quantitative determination of asbestos by X-ray diffraction method

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Range 3

5 Limitofquantification 3

6 Symbols and abbreviated terms 4

7 Requirementsforquantification 4

8 Apparatus and reagents 5
8.1 Apparatus 5
8.2 Reagents 6

9 Quantitative XRD method and principle 7
9.1 Quantitative XRD methods using an external standard 7
9.2 Summary of the quantitative method 7
9.3 Preparation of working curve and measurement 8
9.4 Interference minerals 9

10 Preparation of comminuted sample 9
10.1 Preparation of comminuted sample from original sample 9
10.2 Heat treatment of comminuted samples that contain organic constituents 9
10.3 Pretreatment for preparation of residual samples 10
10.4 Preparation of sub-residual samples 11

11 Diffraction peaks for analysis of asbestos and of interference materials 11
11.1 Diffraction peaks for quantitative analysis of asbestos 11
11.2 Interference minerals 15
11.2.1 Possible interference minerals 15
11.2.2 Mass reduction treatments for dissolving interference minerals 16

12 Quantitative analysis by XRD employing substrate standard mass absorption correction16 12.1 General 16
12.2 Preparation of working curve 17
12.2.1 Preparation of working curve I 17
12.2.2 Preparation of working curve II 17
12.3 Procedure for quantitative analysis 18
12.4 Calculation of asbestos mass fraction 18
12.4.1 Calculation of asbestos mass fraction from a residual sample 18
12.4.2 Calculation of the asbestos mass fraction from a sub-residual sample 19
12.5 Lower limits of detection and quantitative determination for the working curve 19
12.6 Evaluation of uncertainty of XRD measurement 20

13 Test report 20

Annex A (normative) X-ray diffractometer parameters for quantitative analysis of asbestos 22

Annex B (normative) Substrate standard mass absorption correction for asbestosquantification 26

Annex C (informative) Types of commercial asbestos-containing materials and optimum analytical procedures 27

Annex D (informative) Effects of matrix reduction methods 38

Annex E (informative) Range of typical detection limits and evaluation of uncertainty of quantitative XRD measurements by XRD method 41

Bibliography 45