

# DIN ISO 16000-33:2017-12 (E)

## Indoor air - Part 33: Determination of phthalates with gas chromatography/mass spectrometry (GC/MS) (ISO 16000-33:2017)

---

| <b>Contents</b>  | <b>Page</b> |
|--|-------------|
| <b>National foreword</b> .....   | <b>4</b>    |
| <b>National Annex NA (informative) Bibliography</b> .....                              | <b>7</b>    |
| <b>Foreword</b> .....  | <b>10</b>   |
| <b>Introduction</b> .....  | <b>11</b>   |
| <b>1 Scope</b> .....   | <b>12</b>   |
| <b>2 Normative references</b> .....  | <b>12</b>   |
| <b>3 Terms and definitions</b> .....   | <b>12</b>   |
| <b>4 Sampling methods and analytical apparatus</b> .....                               | <b>13</b>   |
| 4.1 General .....  | 13          |
| 4.2 Sampling by adsorption with subsequent thermal desorption .....                    | 13          |
| 4.2.1 Apparatus, operating materials and chemicals .....                               | 13          |
| 4.2.2 Preparation of the thermal desorption tube .....                                 | 14          |
| 4.2.3 Sampling .....   | 14          |
| 4.3 Sampling by adsorption and subsequent solvent extraction .....                     | 15          |
| 4.3.1 Apparatus, operating materials and chemicals .....                               | 15          |
| 4.3.2 Preparation of Florisil® and the adsorption tubes .....                          | 16          |
| 4.3.3 Hints to the application of Florisil® .....                                      | 17          |
| 4.3.4 Sampling .....   | 17          |
| 4.3.5 Sample conditioning .....  | 18          |
| <b>5 Calibration</b> .....   | <b>18</b>   |
| 5.1 General .....  | 18          |
| 5.2 Calibration of the thermal desorption method .....                                 | 19          |
| 5.3 Calibration of the solvent extraction method .....                                 | 19          |
| <b>6 Identification and quantification</b> .....                                       | <b>19</b>   |
| 6.1 Mass spectrometric analysis .....  | 19          |
| <b>7 Establishment of calibration curves and calculation of the analyte mass</b> ..... | <b>25</b>   |
| 7.1 Establishment of calibration curves .....  | 25          |
| 7.2 Calculation of the analyte mass .....  | 25          |
| <b>8 Calculation of indoor air concentrations</b> .....                                | <b>26</b>   |
| <b>9 Performance characteristics</b> .....   | <b>27</b>   |
| 9.1 Detection limit .....  | 27          |
| 9.2 Quantification limit and problems related to the blank values .....                | 27          |
| 9.3 Reproducibility standard deviation and repeatability standard deviation .....      | 28          |
| <b>10 Quality assurance</b> .....  | <b>30</b>   |
| 10.1 Method verification and determination of blanks .....                             | 30          |
| 10.1.1 Field blank value of the indoor air .....                                       | 30          |
| 10.1.2 Analytical laboratory blank value .....   | 30          |
| 10.2 Measures for blank value minimization .....                                       | 30          |
| 10.3 Documents .....   | 31          |
| <b>11 Interferences</b> .....  | <b>31</b>   |

|  |           |
|--|-----------|
| <b>Annex A</b> (informative) <b>General information on phthalates</b> .....  | <b>32</b> |
| <b>Annex B</b> (informative) <b>Screening phthalates in solvent wipe tests</b> .....   | <b>35</b> |
| <b>Annex C</b> (informative) <b>Screening phthalates in house dust</b> .....   | <b>38</b> |
| <b>Annex D</b> (informative) <b>Practical example for the calibration of the thermal desorption method</b> ...                   | <b>42</b> |
| <b>Annex E</b> (informative) <b>Practical example for the calibration of the solvent extraction method using Florisil®</b> ..... | <b>44</b> |
| <b>Annex F</b> (informative) <b>Practical example for the gas chromatography with thermal desorption</b> ...                     | <b>46</b> |
| <b>Annex G</b> (informative) <b>Practical example for the gas chromatography following solvent extraction</b> .....              | <b>47</b> |
| <b>Annex H</b> (informative) <b>Problems related to the blank values</b> .....   | <b>48</b> |
| <b>Annex I</b> (informative) <b>Example of a sampling protocol</b> .....   | <b>49</b> |
| <b>Bibliography</b> .....  | <b>50</b> |