

ISO 16000-3:2022-09 (E)

Indoor air - Part 3: Determination of formaldehyde and other carbonyl compounds in indoor and test chamber air - Active sampling method

Contents	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Limitations and interferences	2
5.1 General	2
5.2 Ozone interference	3
6 Safety measures	4
7 Apparatus	4
7.1 Sampling	4
7.2 Sample preparation	4
7.3 Sample analysis	6
8 Reagents and materials	7
9 Preparation of reagents and cartridges	7
9.1 Purification of 2,4-dinitrophenylhydrazine	7
9.2 Preparation of DNPH formaldehyde derivative	8
9.3 Preparation of DNPH formaldehyde standards	8
9.4 Preparation of DNPH coated silica gel cartridges	9
9.4.1 General	9
9.4.2 DNPH coating solution	9
9.4.3 Coating of silica gel cartridges	9
10 Procedure	10
10.1 Sample collection	10
10.2 Process blanks	12
10.3 Sample analysis	12
10.3.1 Sample preparation	12
10.3.2 Sample desorption	12
10.3.3 HPLC calibration	13
10.3.4 HPLC analysis for formaldehyde	15
10.3.5 HPLC analysis of other aldehydes and ketones	17
11 Calculations	19
12 Performance criteria and quality assurance	20
12.1 General	20
12.2 Standard operating procedures (SOPs)	20
12.3 HPLC system performance	21
12.4 Sample loss	21
12.5 Measurement plan	21
13 Precision and uncertainty	21
14 Test report	22
Annex A (informative) Melting points of DNPH carbonyl derivatives	23
Annex B (informative) Precision and uncertainty	24
Bibliography	26