

DIN EN ISO 16000-9:2024-08 (E)

Indoor air - Part 9: Determination of the emission of volatile organic compounds from samples of building products and furnishing - Emission test chamber method (ISO 16000-9:2024)

Contents		Page
European foreword	3
Foreword	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Symbols and abbreviated terms	8
4.1 Symbols	8
4.2 Abbreviated terms	9
5 Principle	9
6 Emission test chamber system	9
6.1 General	9
6.2 Emission test chamber materials	9
6.3 Air supply and mixing facilities	9
6.4 Air tightness	10
6.5 Air sampling devices	10
6.6 Recovery and sink effects	10
7 Apparatus	10
8 Test conditions	11
8.1 Temperature and relative air humidity	11
8.2 Supply air quality and background concentration	11
8.3 Air velocity	11
8.4 Area specific air flow rate and air change rate	11
9 Verification of the test conditions	12
9.1 General	12
9.2 Temperature and relative air humidity control systems	12
9.3 Air change rate in the emission test chamber	12
9.4 Emission test chamber air tightness	12
9.5 Air velocity in the emission test chamber	12
9.6 Efficiency of the internal emission test chamber air mixing	12
10 Test specimens	13
11 Emission test chamber preparation	13
12 Test method	13
12.1 Background concentrations	13
12.2 Test specimen location in the emission test chamber	13
12.3 Time for measurements of test chamber air concentration	13
13 Calculation of area specific emission rates and expression of results	14
14 Performance characteristics	14
15 Test report	14
Annex A (normative) System for quality assurance and quality control	16
Annex B (informative) Examples of loading factors for a model room	18
Annex C (informative) General description of an emission test chamber	19
Annex D (informative) Determination of the emission rates of seams and cut edges	20
Bibliography	21