

# ISO 16000-3:2001-09 (E)

## Indoor air - Part 3: Determination of formaldehyde and other carbonyl compounds; Active sampling method

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>2</b>
<b>3</b>	<b>Principle .....</b>	<b>2</b>
<b>4</b>	<b>Limitations and interferences .....</b>	<b>3</b>
4.1	General .....	3
4.2	Ozone interference .....	4
<b>5</b>	<b>Safety measures .....</b>	<b>5</b>
<b>6</b>	<b>Apparatus .....</b>	<b>5</b>
<b>7</b>	<b>Reagents .....</b>	<b>7</b>
<b>8</b>	<b>Preparation of reagents and cartridges .....</b>	<b>7</b>
8.1	Purification of 2,4-dinitrophenylhydrazine .....	7
8.2	Preparation of DNPH-formaldehyde derivative .....	8
8.3	Preparation of DNPH-formaldehyde standards .....	8
8.4	Preparation of DNPH-coated silica gel cartridges .....	9
<b>9</b>	<b>Procedure .....</b>	<b>10</b>
9.1	Sample collection .....	10
9.2	Process blanks .....	11
9.3	Sample analysis .....	12
<b>10</b>	<b>Calculations .....</b>	<b>19</b>
<b>11</b>	<b>Performance criteria and quality assurance .....</b>	<b>20</b>
11.1	General .....	20
11.2	Standard Operating Procedures (SOPs) .....	20
11.3	HPLC system performance .....	21
11.4	Sample loss .....	21
<b>12</b>	<b>Precision and uncertainty .....</b>	<b>21</b>
<b>Annex A (informative) Precision and uncertainty .....</b>		<b>22</b>
<b>Annex B (informative) Melting points of DNPH-carbonyl derivatives .....</b>		<b>24</b>
<b>Bibliography .....</b>		<b>25</b>