

# ISO 16017-2:2003-05 (E)

**Indoor, ambient and workplace air - Sampling and analysis of volatile organic compounds by sorbent tube/thermal desorption/capillary gas chromatography - Part 2: Diffusive sampling**

---

## Contents

	Page
<b>Foreword .....</b>	<b>iv</b>
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Principle .....</b>	<b>2</b>
<b>4 Reagents and materials .....</b>	<b>2</b>
<b>5 Apparatus .....</b>	<b>4</b>
<b>6 Sample tube conditioning .....</b>	<b>5</b>
<b>7 Sampling .....</b>	<b>5</b>
<b>8 Procedure .....</b>	<b>6</b>
<b>8.1 Safety precautions .....</b>	<b>6</b>
<b>8.2 Desorption and analysis .....</b>	<b>6</b>
<b>8.3 Calibration .....</b>	<b>8</b>
<b>8.4 Determination of sample concentration .....</b>	<b>8</b>
<b>8.5 Determination of desorption efficiency .....</b>	<b>8</b>
<b>8.6 Calibration of uptake rate .....</b>	<b>8</b>
<b>9 Calculations .....</b>	<b>9</b>
<b>9.1 Mass concentration of analyte .....</b>	<b>9</b>
<b>9.2 Volume concentration of analyte .....</b>	<b>9</b>
<b>9.3 Uptake rates .....</b>	<b>10</b>
<b>10 Interferences .....</b>	<b>10</b>
<b>11 Performance characteristics .....</b>	<b>11</b>
<b>12 Test report .....</b>	<b>11</b>
<b>13 Quality control .....</b>	<b>11</b>
<b>Annex A (informative) Operating principles of diffusive sampling .....</b>	<b>22</b>
<b>Annex B (informative) Description of sorbent types .....</b>	<b>28</b>
<b>Annex C (informative) Guidance on sorbent selection .....</b>	<b>29</b>
<b>Annex D (informative) Guidance on sorbent use .....</b>	<b>30</b>
<b>Annex E (informative) Summary of data on overall uncertainty, precision, bias and storage .....</b>	<b>31</b>
<b>Bibliography .....</b>	<b>33</b>