

DIN EN 1111:2017-10 (E)

Sanitary tapware - Thermostatic mixing valves (PN 10) - General technical specification

Contents		Page
European foreword		6
Introduction		7
1	Scope	8
2	Normative references	8
3	Terms and definitions	9
4	Symbols and units	10
5	Classification	11
6	Designation	11
7	Marking/identification	12
7.1	Marking	12
7.2	Identification	12
8	Materials	12
8.1	Chemical and hygiene requirements	12
8.2	Exposed surface condition and quality of coating	12
9	Dimensional characteristics	13
9.1	General remarks	13
9.2	Inlet dimensions	13
9.3	Outlet dimensions	15
9.4	Mounting dimensions	17
9.5	Special cases	20
9.6	Flexible hoses for outlet 2	20
9.7	Outlet 2	20
10	Backflow protection	20
11	Test sequence	21
12	Leaktightness	21
12.1	General	21
12.1.1	Principle	21
12.1.2	Apparatus	21
12.2	Leaktightness of the obturator and upstream thereof	21
12.2.1	General	21
12.2.2	Procedure	21
12.2.3	Requirements	21
12.3	Cross-flow between inlets	22
12.3.1	General	22
12.3.2	Procedure	22
12.3.3	Requirements	22
12.4	Leaktightness downstream of the obturator	22
12.4.1	Procedure	22

12.4.2	Requirements	22
12.5	Leaktightness of manually operated diverter	22
12.5.1	Procedure	22
12.5.2	Requirement	23
12.6	Leaktightness of diverters with automatic return	23
12.6.1	Procedure	23
12.6.2	Requirement	23
13	Performance	23
13.1	General	23
13.1.1	Initial settings	23
13.1.2	Apparatus	24
13.1.3	Procedure	24
13.2	Determination of flow rate	25
13.2.1	Principle	25
13.2.2	Procedure	25
13.2.3	Evaluation of the results	26
13.2.4	Requirements	26
13.3	Sensitivity	26
13.3.1	General	26
13.3.2	Principle	26
13.3.3	Procedure	26
13.3.4	Evaluation of results	27
13.3.5	Requirements	27
13.4	Fidelity	28
13.4.1	General	28
13.4.2	Principle	28
13.4.3	Procedure	28
13.4.4	Evaluation of results	28
13.4.5	Requirements	28
13.5	Temperature stability	29
13.5.1	Temperature control operation	29
13.5.2	Flow rate reduction	29
13.5.3	Cold supply failure and restoration	30
13.5.4	Supply pressure variation	31
13.5.5	Supply temperature variation	32
13.5.6	Temperature Override Stops	32
14	Pressure resistance	33
14.1	General	33
14.2	Apparatus	33
14.3	Testing of mechanical performance of the thermostatic mixing valve upstream of the obturator in the closed position	33
14.3.1	Procedure	33
14.3.2	Requirement	33
14.4	Mechanical behaviour downstream of the obturator - Obturator in the open position	33
14.4.1	Procedure	33
14.4.2	Requirement	34
15	Torsional resistance of the operating controls	34
15.1	General	34
15.2	Test method	34
15.2.1	Principle of the test	34
15.2.2	Apparatus	34
15.2.3	Procedure	34
16	Mechanical endurance characteristics	35
16.1	General	35
16.2	Endurance test for single sequential control device	35
16.2.1	Principle	35
16.2.2	Apparatus	35
16.2.3	Procedure	35

16.2.4	Requirement	36
16.3	Endurance test for on/off flow control device operated by rotating the control handle	36
16.3.1	Principle	36
16.3.2	General	36
16.4	Endurance test for on/off flow control device, combined with diverter mechanism	36
16.4.1	Principle	36
16.4.2	Apparatus	36
16.4.3	Procedure	36
16.4.4	Requirement	37
16.5	Endurance test for other on-off flow control device	37
16.5.1	Principle	37
16.5.2	Apparatus	37
16.5.3	Procedure	37
16.5.4	Requirement	37
16.6	Mechanical endurance of diverters of thermostatic mixing valves	38
16.6.1	General	38
16.6.2	Test method	38
16.6.3	Requirements	39
16.7	Mechanical endurance of swivel spouts	39
16.7.1	General	39
16.7.2	Test method	39
16.7.3	Requirements	40
16.8	Thermal Element	40
16.8.1	Principle	40
16.8.2	Temperature adjustable valves (Type 1, 2, 4)	40
16.8.3	Temperature set valves (Type 5)	41
16.8.4	Other valves with special control devices (Type 6)	41
17	Acoustic characteristics	42
17.1	General	42
17.2	Procedure	42
17.2.1	Fitting and operating conditions for thermostatic mixing valves	42
17.2.2	Test method	42
17.3	Requirements	42
17.3.1	Expression of results	42
17.3.2	Determination of acoustic groups	42
17.3.3	Flow rate classes (thermostatic mixing valves Type 1, 2, 3)	42
Annex A (normative) Test Set-up Descriptions		44
A.1	General	44
A.2	Inlet pipework	44
A.2.1	Thermostat endurance	44
A.2.2	Performance	45
A.3	Outlet pipework	45
A.3.1	General	45
A.3.2	Outlet for valves without integral atmospheric discharge spouts	46
A.3.3	Outlet for valves with atmospheric discharge nozzles	48
Annex B (normative) Measurements		49
B.1	Pressure	49
B.2	Flow	49
B.3	Temperature	49
B.3.1	Mounting	49
B.3.2	Accuracy	49
B.3.3	Response time	49
B.4	Angular position	49
B.5	Duration of transients	49
Annex C (informative) Temperature transient		52

C.1	Positive temperature transient	52
C.2	Negative temperature transient	53
Annex D (informative) Acoustic classification (example)		54
D.1	Thermostatic mixing valve with nozzle	54
D.2	Thermostatic mixing valves with shower or shower head outlet	54
D.3	Thermostatic mixing valves with nozzle and shower or shower head outlet	54
Bibliography		56