

DIN 32676:2022-10 (E)

Stainless steel components for hygienic and aseptic applications in the food, the chemical and the pharmaceutical industries - Clamp connections with molded seals

Contents		Page
Foreword		5
1	Scope	7
2	Normative references	7
3	Terms and definitions	8
4	Symbols and abbreviations	8
5	Ordering details	9
5.1	Clamp ferrules	9
5.1.1	Required details	9
5.1.2	Optional details	9
5.1.3	Designation	9
5.1.4	Examples of orders	9
5.2	Solid end caps	9
5.2.1	Required details	9
5.2.2	Optional details	10
5.2.3	Designation	10
5.2.4	Examples of orders	10
5.3	Gaskets	10
5.3.1	Required details	10
5.3.2	Optional details	10
5.3.3	Designation	11
5.3.4	Examples of orders	11
5.4	Clamp connection	11
5.4.1	General	11
5.4.2	Required details	11
5.4.3	Optional details	11
5.4.4	Designation	11
5.4.5	Examples of orders	12
6	Dimensions	12
6.1	General	12
6.2	Clamp ferrules	13
6.3	Gaskets	14
6.4	Solid end caps	15
6.5	Clamp connection	16
7	Material	21
7.1	Metallic materials	21
7.2	Gasket materials	21
8	Tolerances	22
9	Surfaces	22
9.1	Internal and external surface finish	22
9.2	Acceptance criteria for visual testing	23
10	Marking	25

11	Testing and documentation	25
11.1	Testing	25
11.2	Documentation	26
12	Packaging	26
Annex A (normative) Information on the requirements on elastomer gaskets		27
A.1	Additional approvals/conformities	27
A.2	Hardness measurement	27
A.3	Further physical characteristics	27
A.4	Storage conditions	27
Annex B (informative) Information on the requirements on PTFE gaskets		29
B.1	Additional approvals/conformities	29
B.2	Physical characteristics	29
B.3	Storage conditions	30
Annex C (informative) ferrite content		31
Bibliography		32
Figures Figure 1 -- Type A clamp ferrule		13
Figure 2 -- Type B clamp ferrule		14
Figure 3 -- Type A gasket		14
Figure 4 -- Type B gasket		15
Figure 5 -- Type A solid end cap		15
Figure 6 -- Type B solid end cap		16
Figure 7 -- Type A clamp connection, design KK		16
Figure 8 -- Type B clamp connection, design KL		17
Figure 9 -- Assembled clamp connections		17
Figure 10 -- Surfaces for the visual check of the gasket		22
Tables Table 1 -- Symbols		8
Table 2 -- Indices		8
Table 3 -- Dimensions for clamp connections for series A tubes as in DIN 11866 and series A as in DIN EN 10357		18
Table 4 -- Dimensions of clamp connections for series B tubes as in DIN 11866		19
Table 5 -- Dimensions for clamp connections for series C tubes as in DIN 11866 and series C as in DIN EN 10357		20
Table 6 -- Steel grades		21
Table 7 -- Gasket materials		21
Table 8 -- Internal and external surface finish of clamp ferrules and solid end caps		23

Table 9 -- Acceptance criteria for visual testing of the internal surface	24
Table 10 -- Additional acceptance criteria for visual testing of electropolished internal surfaces	24
Table 11 -- Marking of clamp connection components	25
Table 12 -- Scope of testing per test unit	26
Table A.1 -- Storage times for elastomer gaskets as in ISO 2230 Rubber products	28
Table B.1 -- Physical characteristics of various PTFE materials	29
Table B.2 -- Typical characteristic values of suitable PTFE materials	30
Table C.1 -- Typical areas for the formation of ferrite and martensite	31
Table C.2 -- ferrite classes for materials 1.4404 and 1.4435 (DF classes)	31