

# DIN EN 200:2024-05 (E)

## Sanitary tapware - Single taps and combination taps for water supply systems of type 1 and type 2 - General technical specification

---

<b>Contents</b>	<b>Page</b>
European foreword .....	7
Introduction .....	8
1 Scope.....	9
2 Normative references.....	11
3 Terms and definitions.....	12
4 Designation .....	15
5 Marking and identification.....	16
5.1 Marking .....	16
5.2 Identification.....	16
5.2.1 Identification of inlets.....	16
5.2.2 Identification of flow controls equipment.....	16
6 Materials .....	17
6.1 Chemical and hygiene requirements.....	17
6.2 Exposed surface condition and quality of coating .....	17
7 Backflow protection.....	17
8 Sequence of testing.....	17
9 Dimensional characteristics .....	17
9.1 General remarks .....	17
9.2 Inlet dimensions.....	18
9.3 Outlet dimensions.....	20
9.4 Mounting dimensions.....	24
9.5 Special cases .....	26
10 Leaktightness characteristics.....	27
10.1 Principle.....	27
10.2 Apparatus .....	27
10.3 Leaktightness of the obturator and of the tap upstream of the obturator(s) with the obturator in the closed position.....	27
10.3.1 Procedure .....	27
10.3.2 Requirements.....	27
10.4 Leaktightness downstream of the obturator .....	27
10.4.1 General.....	27
10.4.2 Procedure .....	27
10.4.3 Requirements.....	28
10.5 Leaktightness of manually operated diverters.....	28
10.5.1 General.....	28
10.5.2 Procedure .....	28
10.5.3 Procedure where an outlet(s) cannot be artificially closed – products for type 1 systems	28
10.5.4 Procedure where an outlet(s) cannot be artificially closed – products for type 2 systems	29
10.5.5 Requirements.....	29
10.6 Leaktightness and operation of diverters with automatic return (and semi-automatic type diverters).....	29
10.6.1 General.....	29
10.6.2 Procedure – products for Type 1 systems.....	29

10.6.3	Procedure – products for Type 2 systems .....	30
10.6.4	Requirements.....	31
11	Pressure resistance.....	33
11.1	Principle.....	33
11.2	Apparatus .....	33
11.3	Mechanical behaviour upstream of the obturator – obturator in the closed position.....	33
11.3.1	Procedure .....	33
11.3.2	Requirement.....	33
11.4	Mechanical behaviour downstream of the obturator – obturator in the open position.....	33
11.4.1	Procedure for products for type 1 systems.....	33
11.4.2	Procedure for products for type 2 systems.....	33
11.4.3	Requirement.....	34
12	Hydraulic performance .....	34
12.1	General .....	34
12.2	Determination of flow rate – products for type 1 systems .....	35
12.2.1	Principle.....	35
12.2.2	Apparatus .....	35
12.2.3	Procedure .....	35
12.2.4	Requirements.....	35
12.3	Determination of flow rate – products for type 2 systems .....	36
12.3.1	Principle.....	36
12.3.2	Apparatus .....	36
12.3.3	Procedure .....	37
12.3.4	Requirements.....	37
13	Mechanical strength/torsional resistance .....	38
13.1	Principle.....	38
13.2	Apparatus .....	38
13.3	Test piece.....	38
13.4	Procedure .....	38
13.5	Requirements.....	38
14	Mechanical endurance .....	38
14.1	General .....	38
14.2	Endurance test for on/off flow control devices operated by rotating the control handle.....	39
14.2.1	Principle.....	39
14.2.2	Apparatus .....	39
14.2.3	Procedure .....	39
14.2.4	Requirement.....	41
14.3	Endurance test for other on/off flow control devices .....	42
14.3.1	Principle.....	42
14.3.2	Apparatus .....	42
14.3.3	Procedure .....	42
14.3.4	Requirement.....	42
14.4	Endurance of manually operated diverters .....	42
14.4.1	Principle.....	42
14.4.2	Apparatus .....	43
14.4.3	Procedure .....	43
14.4.4	Requirement.....	43
14.5	Endurance of diverters with automatic return.....	43
14.5.1	Principle.....	43
14.5.2	Apparatus .....	43
14.5.3	Procedure .....	44

14.5.4 Requirement.....	44
14.6 Endurance test for swivel spouts .....	45
14.6.1 Principle.....	45
14.6.2 Apparatus .....	45
14.6.3 Procedure for single outlet type.....	45
14.6.4 Procedure for divided outlet type.....	45
14.6.5 Requirements.....	46
15 Acoustic characteristics — products for type 1 systems only .....	47
15.1 General.....	47
15.2 Procedure .....	47
15.2.1 Flow rate class of sanitary tapware products (with appropriate acoustic information) ..	47
15.2.2 Flow rate class of sanitary tapware products (without appropriate acoustic information)	47
15.3 Expression of results .....	47
15.3.1 Determination of acoustic group .....	48
15.3.2 Correspondence between flow rate classes and measurements.....	48
Annex A (informative) Pressure take-off tee .....	49
Annex B (informative) Minimum flow rates and test pressures according to application .....	52
Annex C (informative) Product components (detailed by other standards).....	53
Bibliography .....	54

## Figures

Figure 1 — Supply system of Type 1 with a pressure range of (0,05 to 1,0) MPa [(0,5 to 10) bar] .....	10
Figure 2 — Supply system of Type 2 with a pressure range of (0,01 to 1,0) MPa [(0,1 to 10) bar] .....	11
Figure 3 — Bib taps 1/2 and 3/4 - single hole taps.....	19
Figure 4 — Multi hole combination taps .....	20
Figure 5 — Supply connections for taps and remote outlets .....	20
Figure 6 — Pillar and bib taps.....	22
Figure 7 — Remote outlet .....	22
Figure 8 — Single hole combination tap/remote outlet.....	23
Figure 9 — Bath/shower combination tap/remote outlet .....	23
Figure 10 — Single hole taps.....	25
Figure 11 — Two-hole tap (fixed centres).....	26
Figure 12 — Three-hole tap (adjustable centres).....	26
Figure 13 — Clamping Arrangement for use with ceramic sanitaryware.....	26
Figure 14 — Apparatus for testing the leaktightness of automatic diverters for taps for supply system of Type 2.....	31
Figure 15 — Flow rate test apparatus for sanitary tapware for Type 2 systems.....	37
Figure 16 — Life test -closing torque vs time.....	41
Figure 17 — Endurance test rig for divided-outlet swivel spout.....	46
Figure A.1 — Pressure take-off tee (test rig Type 1 taps) .....	49
Figure A.2 — Schematic examples of pressure take-off tees (test rig Type 1 taps) .....	51

**Tables**

<b>Table 1 — Conditions of use</b> .....	<b>9</b>
<b>Table 2 — Designation</b> .....	<b>15</b>
<b>Table 3 — Sequence of testing</b> .....	<b>17</b>
<b>Table 4 — Inlet dimensions sanitary tapware</b> .....	<b>18</b>
<b>Table 5 — Outlet dimensions</b> .....	<b>21</b>
<b>Table 6 — Mounting dimensions</b> .....	<b>24</b>
<b>Table 7 — Informative summary of leaktightness tests</b> .....	<b>32</b>
<b>Table 8 — Informative summary of pressure resistance tests</b> .....	<b>34</b>
<b>Table 9 — Informative summary of test conditions for on/off flow control devices</b> .....	<b>40</b>
<b>Table 10 — Informative summary of test conditions for diverters</b> .....	<b>44</b>
<b>Table 11 — Informative summary of test conditions for swivel spout</b> .....	<b>47</b>
<b>Table 12 — Acoustic group</b> .....	<b>48</b>
<b>Table 13 — Flow rate classes (EN ISO 3822-4)</b> .....	<b>48</b>
<b>Table A.1 — Dimensions of the pressure take-off tee</b> .....	<b>50</b>
<b>Table B.1 — Recommended flow rates for domestic use</b> .....	<b>52</b>