DIN EN 817:2026-01 (E)

Sanitary tapware - Mechanical mixing valves (PN 10) - General technical specifications (includes Corrigendum :2025)

Contents

Page

European foreword 5

Introduction 6

1 Scope 7

2 Normative references 8

3 Terms and definitions 9

4 Designation 11

5 Marking and identification 12
5.1 Marking 12
5.2 Identification 12

6 Materials 13
6.1 Chemical and hygiene requirements 13
6.2 Exposed surface condition and quality of coating 13

7 Backflow protection 13

8 Sequence of testing 13

9 Dimensional characteristics 13
9.1 General remarks 13
9.2 Inlet dimensions 14
9.3 Outlet dimensions 15
9.4 Mounting dimensions 18
9.5 Special cases 19

10 Leaktightness characteristics 19
10.1 Principle 19
10.2 Apparatus 20
10.3 Leaktightness of the obturator and of the tap upstream of the obturator(s) with the obturator in the closed position 20
10.4 Leaktightness downstream of the obturator 20
10.5 Leaktightness of manually operated diverters 21
10.6 Leaktightness and operation of diverters with automatic return (and semi-automatic type diverters) 22
10.7 Cross flow between inlets 23

11 Pressure resistance 24
11.1 Principle 24
11.2 Apparatus 24
11.3 Mechanical behaviour upstream of the obturator – obturator in the closed position 24
11.4 Mechanical behaviour downstream of the obturator – obturator in the open position 25

12 Hydraulic Performance 25
12.1 General 25
12.2 Initial setting 26
12.3 Determination of flow rate 26
12.4 Determination of sensitivity 27

13 Mechanical strength/torsional resistance 29
13.1 Principle 29
13.2 Apparatus 29
13.3 Procedure 29
13.4 Requirements 30
14 Mechanical endurance 30
14.1 General 30
14.2 Endurance test of conventional control devices 30
14.3 Endurance test of joystick control devices 32
14.4 Endurance test of Single sequential control devices 34
14.5 Endurance test of separate controls 36
14.6 Endurance test of diverter mechanisms 38
14.7 Endurance test for swivel spouts 40
15 Acoustic characteristics 41
15.1 General 41
15.2 Procedure 42
15.3 Expression of results 42
Annex A (normative) Apparatus 44
A.1 General 44
A.2 Supply circuits 44
A.3 Test circuit 45
A.4 Pressure take off tees 47
A.5 Mounting of the mixing valve 47
Annex B (informative) Pressure take-off tee 48
Annex C (informative) Recommended flow rates 51
Annex D (informative) Product components (detailed by other standards) 52
Bibliography 53

Figures

Figure 1 — Supply system of Type 1 with a pressure range of (0,05 to 1,0) MPa [(0,5 to 10) bar] 8
Figure 2 — single hole taps 15
Figure 3 — Multi hole taps 15
Figure 4 — Remote outlet 16
Figure 5 — Single hole/remote outlet 17
Figure 6 — Bath/shower /remote outlet 17
Figure 7 — Single hole taps 19
Figure 8 — Clamping Arrangement for use with ceramic sanitaryware 19
Figure 9 — Sensitivity curve 28
Figure 10 — Radius (r) for the determination of sensitivity 29
Figure 11 — Rectangular movement (One cycle 0 to 11) 31
Figure 12 — Test bench adjustment torque for conventional mixing valve 32
Figure 13 — Triangular movement (One cycle 0 to 8) 33
Figure 14 — Test bench adjustment torque for joystick mixing valve 34
Figure 15 — linear movement (One cycle 0 to 6) 35
Figure 16 — Test bench adjustment torque for single sequential mixing valve 36
Figure A.1 — Supply circuits 44

Figure A.2 — Test circuit 46
Figure A.3 — Mounting of the mixing valve 47
Figure B.1 — Pressure take-off tee (test rig Type 1 taps) 48
Figure B.2 — Schematic examples of pressure take-off tees (test rig Type 1 taps) 49

Tables

Table 1 — Conditions of use 7
Table 2 — Designation index 11
Table 3 — Sequence of testing 13
Table 4 — Inlet dimensions sanitary tapware 14
Table 5 — Outlet dimensions 16
Table 6 — Mounting dimensions<Tbl_-></Tbl_-> 18
Table 7 — Informative summary of leaktightness tests 23
Table 8 — Informative summary of pressure resistance tests 25
Table 9 — Initial settings 26
Table 10 — Performance levels 28
Table 11 —Summary of test conditions for cartridges 38
Table 12 —Summary of test conditions for diverters 40
Table 13 —Summary of test conditions for swivel spout 41
Table 14 — Acoustic group 42
Table 15 — Flow rate classes (EN ISO 3822-4:1997, Annex A) 43
Table A.1 — Connecting dimensions 46
Table B.1 —Dimensions of the pressure take-off tee 48
Table C.1 — Recommended flow rates 51