

# DIN EN 817:2026-01 (E)

## Sanitary tapware - Mechanical mixing valves (PN 10) - General technical specifications (includes Corrigendum :2025)

---

<b>Contents</b>	<b>Page</b>
European foreword .....	5
Introduction .....	6
1 Scope.....	7
2 Normative references.....	8
3 Terms and definitions.....	9
4 Designation .....	11
5 Marking and identification.....	12
5.1 Marking .....	12
5.2 Identification .....	12
6 Materials .....	13
6.1 Chemical and hygiene requirements .....	13
6.2 Exposed surface condition and quality of coating .....	13
7 Backflow protection.....	13
8 Sequence of testing.....	13
9 Dimensional characteristics .....	13
9.1 General remarks .....	13
9.2 Inlet dimensions.....	14
9.3 Outlet dimensions.....	15
9.4 Mounting dimensions.....	18
9.5 Special cases .....	19
10 Leaktightness characteristics.....	19
10.1 Principle .....	19
10.2 Apparatus .....	20
10.3 Leaktightness of the obturator and of the tap upstream of the obturator(s) with the obturator in the closed position.....	20
10.4 Leaktightness downstream of the obturator.....	20
10.5 Leaktightness of manually operated diverters.....	21
10.6 Leaktightness and operation of diverters with automatic return (and semi-automatic type diverters) .....	22
10.7 Cross flow between inlets .....	23
11 Pressure resistance.....	24
11.1 Principle .....	24
11.2 Apparatus .....	24
11.3 Mechanical behaviour upstream of the obturator - obturator in the closed position .....	24
11.4 Mechanical behaviour downstream of the obturator - obturator in the open position.....	25
12 Hydraulic Performance .....	25
12.1 General.....	25
12.2 Initial setting .....	26
12.3 Determination of flow rate .....	26
12.4 Determination of sensitivity.....	27

<b>13</b>	<b>Mechanical strength/torsional resistance .....</b>	<b>29</b>
<b>13.1</b>	<b>Principle.....</b>	<b>29</b>
<b>13.2</b>	<b>Apparatus .....</b>	<b>29</b>
<b>13.3</b>	<b>Procedure .....</b>	<b>29</b>
<b>13.4</b>	<b>Requirements.....</b>	<b>30</b>
<b>14</b>	<b>Mechanical endurance.....</b>	<b>30</b>
<b>14.1</b>	<b>General .....</b>	<b>30</b>
<b>14.2</b>	<b>Endurance test of conventional control devices .....</b>	<b>30</b>
<b>14.3</b>	<b>Endurance test of joystick control devices.....</b>	<b>32</b>
<b>14.4</b>	<b>Endurance test of Single sequential control devices .....</b>	<b>34</b>
<b>14.5</b>	<b>Endurance test of separate controls .....</b>	<b>36</b>
<b>14.6</b>	<b>Endurance test of diverter mechanisms .....</b>	<b>38</b>
<b>14.7</b>	<b>Endurance test for swivel spouts.....</b>	<b>40</b>
<b>15</b>	<b>Acoustic characteristics .....</b>	<b>41</b>
<b>15.1</b>	<b>General .....</b>	<b>41</b>
<b>15.2</b>	<b>Procedure .....</b>	<b>42</b>
<b>15.3</b>	<b>Expression of results .....</b>	<b>42</b>
	<b>Annex A (normative) Apparatus.....</b>	<b>44</b>
<b>A.1</b>	<b>General .....</b>	<b>44</b>
<b>A.2</b>	<b>Supply circuits .....</b>	<b>44</b>
<b>A.3</b>	<b>Test circuit .....</b>	<b>45</b>
<b>A.4</b>	<b>Pressure take off tees.....</b>	<b>47</b>
<b>A.5</b>	<b>Mounting of the mixing valve .....</b>	<b>47</b>
	<b>Annex B (informative) Pressure take-off tee.....</b>	<b>48</b>
	<b>Annex C (informative) Recommended flow rates .....</b>	<b>51</b>
	<b>Annex D (informative) Product components (detailed by other standards).....</b>	<b>52</b>
	<b>Bibliography .....</b>	<b>53</b>

## **Figures**

Figure 1	— Supply system of Type 1 with a pressure range of (0,05 to 1,0) MPa [(0,5 to 10) bar].....	8
Figure 2	— single hole taps.....	15
Figure 3	— Multi hole taps.....	15
Figure 4	— Remote outlet .....	16
Figure 5	— Single hole/remote outlet .....	17
Figure 6	— Bath/shower /remote outlet.....	17
Figure 7	— Single hole taps .....	19
Figure 8	— Clamping Arrangement for use with ceramic sanitaryware .....	19
Figure 9	— Sensitivity curve .....	28
Figure 10	— Radius (r) for the determination of sensitivity.....	29
Figure 11	— Rectangular movement (One cycle 0 to 11) .....	31
Figure 12	— Test bench adjustment torque for conventional mixing valve.....	32
Figure 13	— Triangular movement (One cycle 0 to 8).....	33
Figure 14	— Test bench adjustment torque for joystick mixing valve.....	34
Figure 15	— linear movement (One cycle 0 to 6) .....	35
Figure 16	— Test bench adjustment torque for single sequential mixing valve.....	36
Figure A.1	— Supply circuits.....	44

Figure A.2 — Test circuit.....	46
Figure A.3 — Mounting of the mixing valve.....	47
Figure B.1 — Pressure take-off tee (test rig Type 1 taps).....	48
Figure B.2 — Schematic examples of pressure take-off tees (test rig Type 1 taps).....	49

**Tables**

Table 1 — Conditions of use.....	7
Table 2 — Designation index.....	11
Table 3 — Sequence of testing.....	13
Table 4 — Inlet dimensions sanitary tapware.....	14
Table 5 — Outlet dimensions.....	16
Table 6 — Mounting dimensions<Tbl_-></Tbl_->.....	18
Table 7 — Informative summary of leaktightness tests.....	23
Table 8 — Informative summary of pressure resistance tests.....	25
Table 9 — Initial settings.....	26
Table 10 — Performance levels.....	28
Table 11 — Summary of test conditions for cartridges.....	38
Table 12 — Summary of test conditions for diverters.....	40
Table 13 — Summary of test conditions for swivel spout.....	41
Table 14 — Acoustic group.....	42
Table 15 — Flow rate classes (EN ISO 3822-4:1997, Annex A).....	43
Table A.1 — Connecting dimensions.....	46
Table B.1 — Dimensions of the pressure take-off tee.....	48
Table C.1 — Recommended flow rates.....	51