

# DIN EN ISO 15118-2:2022-11 (E)

Erscheinungsdatum: 2022-10-21

Road vehicles - Vehicle-to-Grid Communication Interface - Part 2: Network and application protocol requirements (ISO/DIS 15118-2:2022); English version prEN ISO 15118-2:2022, only on CD-ROM

---

<b>Contents</b>	<b>Page</b>
Foreword.....	vii
Introduction.....	viii
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	3
4 Symbols and abbreviated terms.....	6
5 Conventions.....	7
5.1 Definition of OSI based services.....	7
5.2 Requirement structure.....	8
5.3 Usage of RFC references.....	8
5.4 Notation used for XML schema diagrams.....	8
6 Document overview.....	8
7 Basic requirements for V2G communication.....	9
7.1 General information.....	9
7.2 Service primitive concept of OSI layered architecture.....	10
7.2.1 Overview.....	10
7.2.2 Syntax of service primitives.....	10
7.3 Security concept.....	11
7.3.1 Call flows (flow charts).....	11
7.3.2 Certificate and key management.....	15
7.3.3 Number of root certificates and root validity, certificate depth and size.....	17
7.3.4 Support and application of TLS.....	18
7.4 V2G communication states and data link handling.....	20
7.5 Data link layer.....	25
7.6 Network layer.....	25
7.6.1 General.....	25
7.6.2 Applicable RFCs and limitations and protocol parameter settings.....	25
7.6.3 IP addressing.....	26
7.7 Transport layer.....	27
7.7.1 Transmission control protocol (TCP).....	27
7.7.2 User datagram protocol (UDP).....	28
7.7.3 Transport layer security (TLS).....	28
7.8 V2G transfer protocol.....	31
7.8.1 General.....	31
7.8.2 Supported ports.....	31
7.8.3 Protocol data unit.....	33
7.9 Presentation layer.....	36
7.9.1 XML and efficient XML interchange (EXI).....	36
7.9.2 Message security.....	39
7.10 Application layer.....	46
7.10.1 SECC discovery protocol.....	46
7.10.2 Vehicle to grid application layer messages.....	51
7.10.3 Application layer service primitives.....	51
8 Application layer messages.....	55
8.1 General.....	55
8.2 Protocol handshake definition.....	56
8.2.1 Handshake sequence.....	56

8.2.2	Message definition supportedAppProtocolReq and supportedAppProtocolRes .....	57
8.2.3	Semantics description supportedAppProtocol messages .....	57
8.2.4	Message examples.....	58
8.3	V2G message definition.....	60
8.3.1	General.....	60
8.3.2	Message definition.....	60
8.3.3	Message header definition.....	61
8.3.4	Message body definition .....	62
8.4	V2G communication session and BodyElement definitions .....	63
8.4.1	General.....	63
8.4.2	Session handling.....	63
8.4.3	Common messages.....	66
8.4.4	AC messages .....	96
8.4.5	DC messages.....	98
8.5	Complex data types.....	107
8.5.1	Overview .....	107
8.5.2	Common.....	107
8.5.3	AC .....	132
8.5.4	DC.....	136
8.6	Identification modes and message set definitions .....	142
8.6.1	Overview .....	142
8.6.2	Supported message sets.....	145
8.6.3	Selection of message sets .....	172
8.7	V2G communication timing .....	177
8.7.1	Overview .....	177
8.7.2	Message sequence and communication session .....	178
8.7.3	Session setup and ready to charge.....	183
8.7.4	V2G message synchronization with IEC 61851-1 signalling.....	186
8.8	Message sequencing and error handling.....	191
8.8.1	Overview .....	191
8.8.2	Basic Definitions for Error Handling.....	192
8.8.3	ResponseCode handling.....	192
8.8.4	Request-response message sequence requirements.....	196
8.9	Request-response message sequence examples.....	215
8.9.1	AC .....	215
8.9.2	DC.....	218
Annex A (normative) Schema definition.....		223
A.1	Overview.....	223
A.2	V2G_CI_AppProtocol.xsd .....	224
A.3	V2G_CI_MsgDef.xsd.....	224
A.4	V2G_CI_MsgHeader.xsd.....	225
A.5	V2G_CI_MsgBody.xsd .....	225
A.6	V2G_CI_MsgDataTypes.xsd .....	232
A.7	xmldsig-core-schema.xsd .....	242
Annex B (normative) Certificate profiles.....		247
B.1	Overview.....	247
Annex C (normative) Specification of identifiers.....		253
C.1	e-Mobility account identifier (EMAID) .....	253

C.1.1	EMAID syntax .....	253
C.1.2	EMAID Semantics .....	253
C.1.3	Calculation of the check digit .....	254
C.2	Electric vehicle supply equipment ID (EVSEID).....	254
C.2.1	EVSEID syntax .....	254
C.2.2	EVSEID semantics .....	254
Annex D (informative)	Mapping of ISO 15118-1 use case elements .....	256
D.1	Relation of identification modes and use case elements.....	256
Annex E (informative)	Mapping of ISO 15118 message element names to SAE J2847/2 terms .....	309
E.1	SAE J2847/2 status codes.....	309
E.2	SAE J2847/2 energy transfer types .....	310
E.3	SAE J2847/2 signals .....	311
Annex F (informative)	Message examples .....	313
F.1	Value added service selection .....	313
F.2	EXI encoded message examples.....	315
F.2.1	SessionSetupRes message .....	315
F.2.2	ChargeParameterDiscoveryReq message (AC-based).....	315
F.2.3	CurrentDemandReq message.....	316
F.3	Schedules and tariff information .....	317
F.3.1	Overview.....	317
F.3.2	Dynamic GridSchedule w/o SalesTariff over ISO 15118 V2G CI.....	317
F.3.3	“Time Of Use”-based SalesTariff with constant value for GridSchedule.....	319
F.3.4	“Time Of Use”-based SalesTariff with dynamic GridSchedule.....	320
F.3.5	“Consumption”-based SalesTariff with constant value for GridSchedule .....	322
F.3.6	Multiple SalesTariffs with different demand Limits in GridSchedule .....	323
F.3.7	Time of Use-based SalesTariffs including relativePricePercentage .....	325
Annex G (informative)	Application of certificates .....	333
G.1	General information .....	333
G.1.1	Overview.....	333
G.1.2	Demands of the OEM.....	334
G.1.3	Demands of the secondary actors.....	334
G.1.4	Rationale for decisions in this document .....	335
G.1.5	Overview of the resulting certificate structure .....	337
G.2	Simplified certificate management in private environment.....	338
G.2.1	Overview (motivation) .....	338
G.2.2	Solution for private environments.....	338

<b>G.2.2.1 General</b> .....	<b>338</b>
<b>G.2.2.2 Installation of a private root certificate into a vehicle</b> .....	<b>339</b>
<b>G.2.2.3 Charging in a private environment</b> .....	<b>339</b>
<b>G.2.2.4 Compromised certificate of a wall box</b> .....	<b>339</b>
<b>G.3 Use of OEM provisioning certificates</b> .....	<b>340</b>
<b>G.3.1 Introduction</b> .....	<b>340</b>
<b>G.3.2 Processes</b> .....	<b>341</b>
<b>G.3.2.1 Vehicle production</b> .....	<b>341</b>
<b>G.3.2.2 Vehicle Hand-Over</b> .....	<b>341</b>
<b>G.3.2.3 Contract Conclusion</b> .....	<b>342</b>
<b>G.3.2.4 Certificate installation</b> .....	<b>342</b>
<b>G.3.2.5 Certificate update</b> .....	<b>342</b>
<b>G.3.2.6 Component replacement</b> .....	<b>342</b>
<b>G.4 Security appliances and their associated certificates</b> .....	<b>343</b>
<b>Annex H (informative) Encryption for the distribution of secret keys</b> .....	<b>346</b>
<b>H.1 Overview</b> .....	<b>346</b>
<b>H.2 Ephemeral-static Diffie-Hellman key agreement</b> .....	<b>346</b>
<b>H.3 Key pairs</b> .....	<b>347</b>
<b>Annex I (informative) Message sequencing for renegotiation</b> .....	<b>348</b>
<b>I.1 Overview</b> .....	<b>348</b>
<b>I.2 Renegotiation after resuming a V2G communication session</b> .....	<b>351</b>
<b>Annex J (informative) Overview on XML signatures</b> .....	<b>352</b>
<b>J.1 Overview</b> .....	<b>352</b>
<b>J.2 Signature generation</b> .....	<b>352</b>
<b>J.3 Signature generation for secondary actors</b> .....	<b>355</b>
<b>J.4 Signature validation</b> .....	<b>355</b>
<b>Annex K (informative) Summary of requirements</b> .....	<b>356</b>
<b>Bibliography</b> .....	<b>362</b>