

# E DIN EN ISO 15118-2:2025-10 (E)

Erscheinungsdatum: 2025-09-19

Road vehicles - Vehicle-to-Grid Communication Interface - Part 2: Network and application protocol requirements (ISO/DIS 15118-2:2025); English version prEN ISO 15118-2:2025, only on CD-ROM

---

<b>Contents</b>	<b>Page</b>
Foreword.....	vii
Introduction.....	ix
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	3
4 Abbreviated terms.....	7
5 Conventions.....	8
5.1 Definition of OSI based services.....	8
5.2 Requirement structure.....	8
5.3 Usage of RFC references.....	9
5.4 Notation used for XML schema diagrams.....	9
6 Document overview.....	9
7 Basic requirements for V2G communication.....	11
7.1 General information.....	11
7.2 Service primitive concept of OSI layered architecture.....	11
7.2.1 Overview.....	11
7.2.2 Syntax of service primitives.....	12
7.3 Security concept.....	12
7.3.1 Call flows (flow charts).....	12
7.3.2 Certificate and key management.....	16
7.3.3 Number of root certificates and root validity, certificate depth and size.....	18
7.3.4 Support and application of TLS.....	19
7.4 V2G communication states and data link handling.....	21
7.5 Data link layer.....	26
7.6 Network layer.....	26
7.6.1 General.....	26
7.6.2 Applicable RFCs and limitations and protocol parameter settings.....	26
7.6.3 IP addressing.....	27
7.7 Transport layer.....	28
7.7.1 Transmission control protocol (TCP).....	28
7.7.2 User datagram protocol (UDP).....	29
7.7.3 Transport layer security (TLS).....	29
7.8 V2G transfer protocol.....	32
7.8.1 General.....	32
7.8.2 Supported ports.....	33
7.8.3 Protocol data unit.....	34
7.9 Presentation layer.....	37
7.9.1 XML and efficient XML interchange (EXI).....	37
7.9.2 Message security.....	40
7.10 Application layer.....	47
7.10.1 SECC discovery protocol.....	47
7.10.2 Vehicle to grid application layer messages.....	52
7.10.3 Application layer service primitives.....	52

<b>8</b>	<b>Application layer messages</b>	<b>56</b>
8.1	General	56
8.2	Protocol handshake definition	57
8.2.1	Handshake sequence	57
8.2.2	Message definition supportedAppProtocolReq and supportedAppProtocolRes	58
8.2.3	Semantics description supportedAppProtocol messages	59
8.2.4	Message examples	60
8.3	V2G message definition	61
8.3.1	General	61
8.3.2	Message definition	61
8.3.3	Message header definition	62
8.3.4	Message body definition	63
8.4	V2G communication session and BodyElement definitions	64
8.4.1	General	64
8.4.2	Session handling	65
8.4.3	Common messages	68
8.4.4	AC messages	99
8.4.5	DC messages	102
8.5	Complex data types	111
8.5.1	Overview	111
8.5.2	Common	111
8.5.3	AC	140
8.5.4	DC	144
8.6	Identification modes and message set definitions	152
8.6.1	Overview	152
8.6.2	Supported message sets	154
8.6.3	Selection of message sets	180
8.7	V2G communication timing	185
8.7.1	Overview	185
8.7.2	Message sequence and communication session	186
8.7.3	Session setup and ready to charge	191
8.7.4	V2G message synchronization with IEC 61851-1 signalling	200
8.8	Message sequencing and error handling	220
8.8.1	Overview	220
8.8.2	Basic Definitions for Error Handling	221
8.8.3	ResponseCode handling	222
8.8.4	Request-response message sequence requirements	227
8.9	Request-response message sequence examples	276
8.9.1	AC	276
8.9.2	DC	279
	<b>Annex A (normative) Schema definition</b>	<b>286</b>
A.1	Overview	286
A.2	V2G_CI_AppProtocol.xsd	287
A.3	V2G_CI_MsgDef.xsd	287
A.4	V2G_CI_MsgHeader.xsd	288
A.5	V2G_CI_MsgBody.xsd	288
A.6	V2G_CI_MsgDataTypes.xsd	296
A.7	xmlsig-core-schema.xsd	305
	<b>Annex B (normative) Certificate profiles</b>	<b>310</b>
	<b>Annex C (normative) Specification of identifiers</b>	<b>318</b>

<b>C.1 e-Mobility authentication identifier (EMAID)</b> .....	<b>318</b>
<b>C.1.1 EMAID syntax</b> .....	<b>318</b>
<b>C.1.2 EMAID Semantics</b> .....	<b>318</b>
<b>C.1.3 Calculation of the check digit</b> .....	<b>319</b>
<b>C.2 Electric vehicle supply equipment ID (EVSEID)</b> .....	<b>319</b>
<b>C.2.1 EVSEID syntax</b> .....	<b>319</b>
<b>C.2.2 EVSEID semantics</b> .....	<b>320</b>
<b>Annex D (informative) Mapping of ISO 15118-1 use case elements</b> .....	<b>321</b>
<b>D.1 Relation of identification modes and use case elements</b> .....	<b>321</b>
<b>Annex E (informative) Message examples</b> .....	<b>376</b>
<b>E.1 Value added service selection</b> .....	<b>376</b>
<b>E.2 EXI encoded message examples</b> .....	<b>378</b>
<b>E.2.1 SessionSetupRes message</b> .....	<b>378</b>
<b>E.2.2 ChargeParameterDiscoveryReq message (AC-based)</b> .....	<b>379</b>
<b>E.2.3 CurrentDemandReq message</b> .....	<b>379</b>
<b>E.3 Schedules and tariff information</b> .....	<b>380</b>
<b>E.3.1 Overview</b> .....	<b>380</b>
<b>E.3.2 Dynamic GridSchedule w/o SalesTariff over ISO 15118 V2G CI</b> .....	<b>380</b>
<b>E.3.3 “Time Of Use”-based SalesTariff with constant value for GridSchedule</b> .....	<b>382</b>
<b>E.3.4 “Time Of Use”-based SalesTariff with dynamic GridSchedule</b> .....	<b>383</b>
<b>E.3.5 “Consumption”-based SalesTariff with constant value for GridSchedule</b> .....	<b>385</b>
<b>E.3.6 Multiple SalesTariffs with different demand Limits in GridSchedule</b> .....	<b>386</b>
<b>E.3.7 Time of Use-based SalesTariffs including relativePricePercentage</b> .....	<b>388</b>
<b>Annex F (informative) Application of certificates</b> .....	<b>397</b>
<b>F.1 General information</b> .....	<b>397</b>
<b>F.1.1 Overview</b> .....	<b>397</b>
<b>F.1.2 Demands of the OEM</b> .....	<b>398</b>
<b>F.1.3 Demands of the secondary actors</b> .....	<b>398</b>
<b>F.1.4 Rationale for decisions in this document</b> .....	<b>399</b>
<b>F.1.5 Overview of the resulting certificate structure</b> .....	<b>401</b>
<b>F.2 Simplified certificate management in private environment</b> .....	<b>402</b>
<b>F.2.1 Overview (motivation)</b> .....	<b>402</b>
<b>F.2.2 Solution for private environments</b> .....	<b>402</b>
<b>F.2.2.1 General</b> .....	<b>402</b>
<b>F.2.2.2 Installation of a private root certificate into a vehicle</b> .....	<b>403</b>
<b>F.2.2.3 Charging in a private environment</b> .....	<b>403</b>
<b>F.2.2.4 Compromised certificate of a wall box</b> .....	<b>403</b>
<b>F.3 Use of OEM provisioning certificates</b> .....	<b>404</b>

**F.3.1 Introduction ..... 404**

**F.3.2 Processes..... 405**

**F.3.2.1 Vehicle production ..... 405**

**F.3.2.2 Vehicle Hand-Over ..... 406**

**F.3.2.3 Contract Conclusion ..... 406**

**F.3.2.4 Certificate installation..... 406**

**F.3.2.5 Certificate update..... 406**

**F.3.2.6 Component replacement ..... 406**

**F.4 Security appliances and their associated certificates ..... 407**

**Annex G (informative) Encryption for the distribution of secret keys ..... 410**

**G.1 Overview..... 410**

**G.2 Ephemeral-static Diffie-Hellman key agreement ..... 410**

**G.3 Key pairs..... 411**

**Annex H (informative) Message sequencing for renegotiation ..... 412**

**H.1 Overview..... 412**

**Annex I (informative) Overview on XML signatures ..... 419**

**I.1 Overview..... 419**

**I.2 Signature generation..... 419**

**I.3 Signature generation for secondary actors..... 422**

**I.4 Signature validation ..... 422**

**Annex J (informative) Summary of requirements..... 424**

**Annex K (informative) Use of Multiple Contracts in ISO 15118-2 ..... 432**

**Bibliography..... 434**