

E DIN EN ISO 15118-2:2025-10 (E)

Erscheinungsdatum: 2025-09-19

Road vehicles - Vehicle-to-Grid Communication Interface - Part 2: Network and application protocol requirements (ISO/DIS 15118-2:2025); English version prEN ISO 15118-2:2025, only on CD-ROM

Contents	Page
Foreword.....	vii
Introduction.....	ix
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	3
4 Abbreviated terms.....	7
5 Conventions.....	8
5.1 Definition of OSI based services.....	8
5.2 Requirement structure.....	8
5.3 Usage of RFC references.....	9
5.4 Notation used for XML schema diagrams.....	9
6 Document overview.....	9
7 Basic requirements for V2G communication.....	11
7.1 General information.....	11
7.2 Service primitive concept of OSI layered architecture.....	11
7.2.1 Overview.....	11
7.2.2 Syntax of service primitives.....	12
7.3 Security concept.....	12
7.3.1 Call flows (flow charts).....	12
7.3.2 Certificate and key management.....	16
7.3.3 Number of root certificates and root validity, certificate depth and size.....	18
7.3.4 Support and application of TLS.....	19
7.4 V2G communication states and data link handling.....	21
7.5 Data link layer.....	26
7.6 Network layer.....	26
7.6.1 General.....	26
7.6.2 Applicable RFCs and limitations and protocol parameter settings.....	26
7.6.3 IP addressing.....	27
7.7 Transport layer.....	28
7.7.1 Transmission control protocol (TCP).....	28
7.7.2 User datagram protocol (UDP).....	29
7.7.3 Transport layer security (TLS).....	29
7.8 V2G transfer protocol.....	32
7.8.1 General.....	32
7.8.2 Supported ports.....	33
7.8.3 Protocol data unit.....	34
7.9 Presentation layer.....	37
7.9.1 XML and efficient XML interchange (EXI).....	37
7.9.2 Message security.....	40
7.10 Application layer.....	47
7.10.1 SECC discovery protocol.....	47
7.10.2 Vehicle to grid application layer messages.....	52
7.10.3 Application layer service primitives.....	52

8 Application layer messages	56
8.1 General.....	56
8.2 Protocol handshake definition	57
8.2.1 Handshake sequence.....	57
8.2.2 Message definition supportedAppProtocolReq and supportedAppProtocolRes	58
8.2.3 Semantics description supportedAppProtocol messages.....	59
8.2.4 Message examples.....	60
8.3 V2G message definition.....	61
8.3.1 General.....	61
8.3.2 Message definition.....	61
8.3.3 Message header definition.....	62
8.3.4 Message body definition.....	63
8.4 V2G communication session and BodyElement definitions	64
8.4.1 General.....	64
8.4.2 Session handling.....	65
8.4.3 Common messages.....	68
8.4.4 AC messages	99
8.4.5 DC messages.....	102
8.5 Complex data types.....	111
8.5.1 Overview	111
8.5.2 Common.....	111
8.5.3 AC.....	140
8.5.4 DC.....	144
8.6 Identification modes and message set definitions	152
8.6.1 Overview	152
8.6.2 Supported message sets.....	154
8.6.3 Selection of message sets	180
8.7 V2G communication timing	185
8.7.1 Overview	185
8.7.2 Message sequence and communication session	186
8.7.3 Session setup and ready to charge.....	191
8.7.4 V2G message synchronization with IEC 61851-1 signalling.....	200
8.8 Message sequencing and error handling.....	220
8.8.1 Overview	220
8.8.2 Basic Definitions for Error Handling.....	221
8.8.3 ResponseCode handling.....	222
8.8.4 Request-response message sequence requirements.....	227
8.9 Request-response message sequence examples.....	276
8.9.1 AC.....	276
8.9.2 DC.....	279
Annex A (normative) Schema definition	286
A.1 Overview.....	286
A.2 V2G_CI_AppProtocol.xsd	287
A.3 V2G_CI_MsgDef.xsd.....	287
A.4 V2G_CI_MsgHeader.xsd.....	288
A.5 V2G_CI_MsgBody.xsd	288
A.6 V2G_CI_MsgDataTypes.xsd	296
A.7 xmldsig-core-schema.xsd	305
Annex B (normative) Certificate profiles	310
Annex C (normative) Specification of identifiers	318

C.1 e-Mobility authentication identifier (EMAID)	318
C.1.1 EMAID syntax	318
C.1.2 EMAID Semantics	318
C.1.3 Calculation of the check digit	319
C.2 Electric vehicle supply equipment ID (EVSEID)	319
C.2.1 EVSEID syntax	319
C.2.2 EVSEID semantics	320
Annex D (informative) Mapping of ISO 15118-1 use case elements	321
D.1 Relation of identification modes and use case elements	321
Annex E (informative) Message examples	376
E.1 Value added service selection	376
E.2 EXI encoded message examples	378
E.2.1 SessionSetupRes message	378
E.2.2 ChargeParameterDiscoveryReq message (AC-based)	379
E.2.3 CurrentDemandReq message	379
E.3 Schedules and tariff information	380
E.3.1 Overview	380
E.3.2 Dynamic GridSchedule w/o SalesTariff over ISO 15118 V2G CI	380
E.3.3 “Time Of Use”-based SalesTariff with constant value for GridSchedule	382
E.3.4 “Time Of Use”-based SalesTariff with dynamic GridSchedule	383
E.3.5 “Consumption”-based SalesTariff with constant value for GridSchedule	385
E.3.6 Multiple SalesTariffs with different demand Limits in GridSchedule	386
E.3.7 Time of Use-based SalesTariffs including relativePricePercentage	388
Annex F (informative) Application of certificates	397
F.1 General information	397
F.1.1 Overview	397
F.1.2 Demands of the OEM	398
F.1.3 Demands of the secondary actors	398
F.1.4 Rationale for decisions in this document	399
F.1.5 Overview of the resulting certificate structure	401
F.2 Simplified certificate management in private environment	402
F.2.1 Overview (motivation)	402
F.2.2 Solution for private environments	402
F.2.2.1 General	402
F.2.2.2 Installation of a private root certificate into a vehicle	403
F.2.2.3 Charging in a private environment	403
F.2.2.4 Compromised certificate of a wall box	403
F.3 Use of OEM provisioning certificates	404

F.3.1 Introduction 404

F.3.2 Processes..... 405

F.3.2.1 Vehicle production 405

F.3.2.2 Vehicle Hand-Over 406

F.3.2.3 Contract Conclusion 406

F.3.2.4 Certificate installation..... 406

F.3.2.5 Certificate update..... 406

F.3.2.6 Component replacement 406

F.4 Security appliances and their associated certificates 407

Annex G (informative) Encryption for the distribution of secret keys 410

G.1 Overview..... 410

G.2 Ephemeral-static Diffie-Hellman key agreement 410

G.3 Key pairs..... 411

Annex H (informative) Message sequencing for renegotiation 412

H.1 Overview..... 412

Annex I (informative) Overview on XML signatures 419

I.1 Overview..... 419

I.2 Signature generation..... 419

I.3 Signature generation for secondary actors..... 422

I.4 Signature validation 422

Annex J (informative) Summary of requirements..... 424

Annex K (informative) Use of Multiple Contracts in ISO 15118-2 432

Bibliography..... 434