

# E DIN EN ISO 15118-2:2025-10 (E)

Erscheinungsdatum: 2025-09-19

Road vehicles - Vehicle-to-Grid Communication Interface - Part 2: Network and application protocol requirements (ISO/DIS 15118-2:2025); English version prEN ISO 15118-2:2025, only on CD-ROM

---

| <b>Contents</b>  | <b>Page</b> |
|--|-------------|
| Foreword.....  | vii         |
| Introduction.....  | ix          |
| 1 Scope.....   | 1           |
| 2 Normative references.....  | 1           |
| 3 Terms and definitions.....   | 3           |
| 4 Abbreviated terms.....   | 7           |
| 5 Conventions.....   | 8           |
| 5.1 Definition of OSI based services.....  | 8           |
| 5.2 Requirement structure.....   | 8           |
| 5.3 Usage of RFC references.....   | 9           |
| 5.4 Notation used for XML schema diagrams.....                                       | 9           |
| 6 Document overview.....   | 9           |
| 7 Basic requirements for V2G communication.....                                      | 11          |
| 7.1 General information.....   | 11          |
| 7.2 Service primitive concept of OSI layered architecture.....                       | 11          |
| 7.2.1 Overview.....  | 11          |
| 7.2.2 Syntax of service primitives.....  | 12          |
| 7.3 Security concept.....  | 12          |
| 7.3.1 Call flows (flow charts).....  | 12          |
| 7.3.2 Certificate and key management.....  | 16          |
| 7.3.3 Number of root certificates and root validity, certificate depth and size..... | 18          |
| 7.3.4 Support and application of TLS.....  | 19          |
| 7.4 V2G communication states and data link handling.....                             | 21          |
| 7.5 Data link layer.....   | 26          |
| 7.6 Network layer.....   | 26          |
| 7.6.1 General.....   | 26          |
| 7.6.2 Applicable RFCs and limitations and protocol parameter settings.....           | 26          |
| 7.6.3 IP addressing.....   | 27          |
| 7.7 Transport layer.....   | 28          |
| 7.7.1 Transmission control protocol (TCP).....                                       | 28          |
| 7.7.2 User datagram protocol (UDP).....  | 29          |
| 7.7.3 Transport layer security (TLS).....  | 29          |
| 7.8 V2G transfer protocol.....   | 32          |
| 7.8.1 General.....   | 32          |
| 7.8.2 Supported ports.....   | 33          |
| 7.8.3 Protocol data unit.....  | 34          |
| 7.9 Presentation layer.....  | 37          |
| 7.9.1 XML and efficient XML interchange (EXI).....                                   | 37          |
| 7.9.2 Message security.....  | 40          |
| 7.10 Application layer.....  | 47          |
| 7.10.1 SECC discovery protocol.....  | 47          |
| 7.10.2 Vehicle to grid application layer messages.....                               | 52          |
| 7.10.3 Application layer service primitives.....                                     | 52          |

|  |            |
|--|------------|
| <b>8 Application layer messages</b> .....  | <b>56</b>  |
| 8.1 General.....   | 56         |
| 8.2 Protocol handshake definition .....  | 57         |
| 8.2.1 Handshake sequence.....  | 57         |
| 8.2.2 Message definition supportedAppProtocolReq and supportedAppProtocolRes ..... | 58         |
| 8.2.3 Semantics description supportedAppProtocol messages.....                     | 59         |
| 8.2.4 Message examples.....  | 60         |
| 8.3 V2G message definition.....  | 61         |
| 8.3.1 General.....   | 61         |
| 8.3.2 Message definition.....  | 61         |
| 8.3.3 Message header definition.....   | 62         |
| 8.3.4 Message body definition.....   | 63         |
| 8.4 V2G communication session and BodyElement definitions .....                    | 64         |
| 8.4.1 General.....   | 64         |
| 8.4.2 Session handling.....  | 65         |
| 8.4.3 Common messages.....   | 68         |
| 8.4.4 AC messages .....  | 99         |
| 8.4.5 DC messages.....   | 102        |
| 8.5 Complex data types.....  | 111        |
| 8.5.1 Overview .....   | 111        |
| 8.5.2 Common.....  | 111        |
| 8.5.3 AC.....  | 140        |
| 8.5.4 DC.....  | 144        |
| 8.6 Identification modes and message set definitions .....                         | 152        |
| 8.6.1 Overview .....   | 152        |
| 8.6.2 Supported message sets.....  | 154        |
| 8.6.3 Selection of message sets .....  | 180        |
| 8.7 V2G communication timing .....   | 185        |
| 8.7.1 Overview .....   | 185        |
| 8.7.2 Message sequence and communication session .....                             | 186        |
| 8.7.3 Session setup and ready to charge.....                                       | 191        |
| 8.7.4 V2G message synchronization with IEC 61851-1 signalling.....                 | 200        |
| 8.8 Message sequencing and error handling.....                                     | 220        |
| 8.8.1 Overview .....   | 220        |
| 8.8.2 Basic Definitions for Error Handling.....                                    | 221        |
| 8.8.3 ResponseCode handling.....   | 222        |
| 8.8.4 Request-response message sequence requirements.....                          | 227        |
| 8.9 Request-response message sequence examples.....                                | 276        |
| 8.9.1 AC.....  | 276        |
| 8.9.2 DC.....  | 279        |
| <b>Annex A (normative) Schema definition</b> .....                                 | <b>286</b> |
| A.1 Overview.....  | 286        |
| A.2 V2G_CI_AppProtocol.xsd .....   | 287        |
| A.3 V2G_CI_MsgDef.xsd.....   | 287        |
| A.4 V2G_CI_MsgHeader.xsd.....  | 288        |
| A.5 V2G_CI_MsgBody.xsd .....   | 288        |
| A.6 V2G_CI_MsgDataTypes.xsd .....  | 296        |
| A.7 xmldsig-core-schema.xsd .....  | 305        |
| <b>Annex B (normative) Certificate profiles</b> .....                              | <b>310</b> |
| <b>Annex C (normative) Specification of identifiers</b> .....                      | <b>318</b> |

|   |            |
|---|------------|
| <b>C.1 e-Mobility authentication identifier (EMAID)</b> .....                           | <b>318</b> |
| <b>C.1.1 EMAID syntax</b> .....   | <b>318</b> |
| <b>C.1.2 EMAID Semantics</b> .....  | <b>318</b> |
| <b>C.1.3 Calculation of the check digit</b> .....                                       | <b>319</b> |
| <b>C.2 Electric vehicle supply equipment ID (EVSEID)</b> .....                          | <b>319</b> |
| <b>C.2.1 EVSEID syntax</b> .....  | <b>319</b> |
| <b>C.2.2 EVSEID semantics</b> .....   | <b>320</b> |
| <b>Annex D (informative) Mapping of ISO 15118-1 use case elements</b> .....             | <b>321</b> |
| <b>D.1 Relation of identification modes and use case elements</b> .....                 | <b>321</b> |
| <b>Annex E (informative) Message examples</b> .....                                     | <b>376</b> |
| <b>E.1 Value added service selection</b> .....  | <b>376</b> |
| <b>E.2 EXI encoded message examples</b> .....   | <b>378</b> |
| <b>E.2.1 SessionSetupRes message</b> .....  | <b>378</b> |
| <b>E.2.2 ChargeParameterDiscoveryReq message (AC-based)</b> .....                       | <b>379</b> |
| <b>E.2.3 CurrentDemandReq message</b> .....   | <b>379</b> |
| <b>E.3 Schedules and tariff information</b> .....                                       | <b>380</b> |
| <b>E.3.1 Overview</b> .....   | <b>380</b> |
| <b>E.3.2 Dynamic GridSchedule w/o SalesTariff over ISO 15118 V2G CI</b> .....           | <b>380</b> |
| <b>E.3.3 “Time Of Use”-based SalesTariff with constant value for GridSchedule</b> ..... | <b>382</b> |
| <b>E.3.4 “Time Of Use”-based SalesTariff with dynamic GridSchedule</b> .....            | <b>383</b> |
| <b>E.3.5 “Consumption”-based SalesTariff with constant value for GridSchedule</b> ..... | <b>385</b> |
| <b>E.3.6 Multiple SalesTariffs with different demand Limits in GridSchedule</b> .....   | <b>386</b> |
| <b>E.3.7 Time of Use-based SalesTariffs including relativePricePercentage</b> .....     | <b>388</b> |
| <b>Annex F (informative) Application of certificates</b> .....                          | <b>397</b> |
| <b>F.1 General information</b> .....  | <b>397</b> |
| <b>F.1.1 Overview</b> .....   | <b>397</b> |
| <b>F.1.2 Demands of the OEM</b> .....   | <b>398</b> |
| <b>F.1.3 Demands of the secondary actors</b> .....                                      | <b>398</b> |
| <b>F.1.4 Rationale for decisions in this document</b> .....                             | <b>399</b> |
| <b>F.1.5 Overview of the resulting certificate structure</b> .....                      | <b>401</b> |
| <b>F.2 Simplified certificate management in private environment</b> .....               | <b>402</b> |
| <b>F.2.1 Overview (motivation)</b> .....  | <b>402</b> |
| <b>F.2.2 Solution for private environments</b> .....                                    | <b>402</b> |
| <b>F.2.2.1 General</b> .....  | <b>402</b> |
| <b>F.2.2.2 Installation of a private root certificate into a vehicle</b> .....          | <b>403</b> |
| <b>F.2.2.3 Charging in a private environment</b> .....                                  | <b>403</b> |
| <b>F.2.2.4 Compromised certificate of a wall box</b> .....                              | <b>403</b> |
| <b>F.3 Use of OEM provisioning certificates</b> .....                                   | <b>404</b> |

**F.3.1 Introduction ..... 404**

**F.3.2 Processes..... 405**

**F.3.2.1 Vehicle production ..... 405**

**F.3.2.2 Vehicle Hand-Over ..... 406**

**F.3.2.3 Contract Conclusion ..... 406**

**F.3.2.4 Certificate installation..... 406**

**F.3.2.5 Certificate update..... 406**

**F.3.2.6 Component replacement ..... 406**

**F.4 Security appliances and their associated certificates ..... 407**

**Annex G (informative) Encryption for the distribution of secret keys ..... 410**

**G.1 Overview..... 410**

**G.2 Ephemeral-static Diffie-Hellman key agreement ..... 410**

**G.3 Key pairs..... 411**

**Annex H (informative) Message sequencing for renegotiation ..... 412**

**H.1 Overview..... 412**

**Annex I (informative) Overview on XML signatures ..... 419**

**I.1 Overview..... 419**

**I.2 Signature generation..... 419**

**I.3 Signature generation for secondary actors..... 422**

**I.4 Signature validation ..... 422**

**Annex J (informative) Summary of requirements..... 424**

**Annex K (informative) Use of Multiple Contracts in ISO 15118-2 ..... 432**

**Bibliography..... 434**