

# ISO 24102:2010-11 (E)

## Intelligent transport systems - Communications access for land mobiles (CALM) - Management

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	2
4	Abbreviated terms .....	2
5	Requirements .....	3
6	Inter-ITS-SCU communication .....	5
6.1	Basics .....	5
6.2	Procedures .....	7
6.2.1	PDU-Counter .....	7
6.2.2	ITS-SCU-ID assignment .....	7
6.2.3	Maintenance of ITS-SCU-ID .....	8
6.2.4	Deletion of ITS-SCU-ID .....	8
6.2.5	Shut-down of ITS-SCU .....	8
7	CI basic management .....	9
7.1	General .....	9
7.2	CI status .....	9
7.2.1	CI state machine .....	9
7.2.2	Registration .....	10
7.2.3	VCI creation .....	10
7.2.4	Deregistration .....	11
7.2.5	Inactivation .....	12
7.2.6	Activation .....	12
7.2.7	Suspension of a CI .....	12
7.2.8	Resuming .....	13
7.2.9	Connection .....	13
7.2.10	Disconnection .....	14
7.2.11	Deletion of a VCI .....	14
7.3	Cross-CI prioritization .....	14
7.3.1	General .....	14
7.3.2	Registration of CI for prioritization request .....	15
7.3.3	Prioritization request .....	15
7.3.4	Prioritization release .....	16
7.4	VCI MIB .....	16
7.4.1	Basics .....	16
7.4.2	Setting of parameter values .....	16
7.4.3	Retrieval of parameter values .....	16
7.4.4	Monitoring of parameters .....	16
7.4.5	Access to other ITS-SCUs .....	17
7.5	Regulatory information management .....	18
7.6	Manufacturer access .....	18

8	Groupcast management .....	18
8.1	Architecture .....	18
8.2	Groupcast manager .....	18
9	FAST service provision .....	19
9.1	FAST services .....	19
9.2	Frame flow .....	19
9.2.1	Overview .....	19
9.2.2	Service advertisement frame .....	21
9.2.3	Service context frame .....	22
9.2.4	Service identifier .....	23
9.2.5	Service operation phase .....	24
9.3	FAST service initialization phase .....	24
9.3.1	Service provider .....	24
9.3.2	Service user .....	25
9.4	FAST service operation phase .....	25
9.5	FAST initialization of IPv6 based services .....	25
9.6	Service termination .....	25
9.7	Duplicate services .....	25
10	Congestion control .....	26
11	Radar view .....	27
12	CI selection management .....	27
13	Legacy CI .....	29
13.1	Registration .....	29
13.2	CI states .....	29
14	Management data elements .....	29
14.1	ITS-SCU list .....	29
14.2	VCI list .....	30
14.3	VCI performance parameter list .....	30
14.4	Cross-CI prioritization list .....	31
14.5	Application requirement list .....	33
15	MN-SAP .....	33
15.1	General .....	33
15.2	MN-COMMAND .....	34
15.2.1	MN-COMMANDs .....	34
15.2.2	MN-COMMAND.request .....	34
15.2.3	MN-COMMAND.confirm .....	34
15.3	MN-REQUEST .....	35
15.3.1	MN-REQUESTs .....	35
15.3.2	MN-REQUEST.request .....	35
15.3.3	MN-REQUEST.confirm .....	36
16	MF-SAP .....	37
16.1	General .....	37
16.2	MF-COMMAND .....	37
16.2.1	MF-COMMANDs .....	37
16.2.2	MF-COMMAND.request .....	37
16.2.3	MF-COMMAND.confirm .....	38
16.3	MF-REQUEST .....	39
16.3.1	MF-REQUESTs .....	39
16.3.2	MF-REQUEST.request .....	39
16.3.3	MF-REQUEST.confirm .....	40
17	Conformance .....	40
18	Test methods .....	40

**Annex A (normative) Management parameters ..... 41**

**Annex B (normative) ASN.1 definitions ..... 48**

**Annex C (normative) Inter-ITS-SCU communication ..... 62**

**Annex D (normative) MF-COMMANDs ..... 70**

**Annex E (normative) MF-REQUESTs ..... 75**

**Annex F (normative) MN-COMMANDs ..... 82**

**Annex G (normative) MN-REQUESTs ..... 85**

**Bibliography ..... 89**