

DIN EN 16102:2012-03 (E)

Intelligent transport systems - eCall - Operating requirements for third party support

Contents	Page
FOREWORD	4
INTRODUCTION	5
1 SCOPE	6
2 NORMATIVE REFERENCES	6
3 TERMS AND DEFINITIONS	6
4 SYMBOLS AND ABBREVIATED TERMS	10
5 HIGH LEVEL FUNCTIONAL REQUIREMENTS	11
5.1 General high level functional requirements	11
5.2 TPS-eCall generic architecture	12
5.3 TPS-eCall operation sequence	12
5.4 Privacy aspects	13
6 TRANSMISSION FROM VEHICLE ASPECTS	13
6.1 General requirements for the transmission from vehicle	13
6.2 Dual-channel transmission	14
6.3 Performance of the transmission	14
6.3.1 Performance criteria for the TPS-eCall service chain	14
6.3.2 Performance criteria for additional data	14
6.4 Routing of a TPS-eCall	14
6.5 Call back to vehicle	14
6.6 Termination of the voice call	14
6.7 Prioritisation of a TPS-eCall	14
6.8 Failure situations	15
7 DATA	15
7.1 Generic requirements for TPS-eCall data	15
7.2 Location data	15
7.2.1 Generic requirements for location data	15
7.2.2 Insufficient data provided by the GNSS system	15
7.2.3 Vehicle location	16
7.3 Optional additional data	16
7.4 Data to transmit to PSAP: TPS-eCall set of data	16
7.4.1 General	16
7.4.2 TPS-eCall-UID definition	17
7.4.3 TPS-eCall-SID definition	17
8 TPS IN-VEHICLE SYSTEM REQUIREMENTS	17
8.1 General TPS-IVS requirements	17
8.2 Modes of operation	17
8.3 Triggering	18
8.3.1 Triggering overview	18
8.3.2 Automatic triggering strategy	18
8.3.3 Manual triggering strategy	18
8.4 Termination of an in progress TPS-eCall	18
8.5 Set-up of the voice call	18
8.6 Call back function	19

8.7	Automatic voice call retry	19
8.8	Post crash performance of TPS in-vehicle equipment	19
8.9	Energy supply	20
8.10	In-vehicle Human Machine Interface (HMI) aspects	20
8.10.1	General	20
8.10.2	HMI aspects in the case of manual triggering	20
8.10.3	Alert of the vehicle occupants (automatically or manually triggered)	20
8.11	Antenna	20
 9	 SERVICE PROVIDER	 21
9.1	Generic TPSP requirements	21
9.2	Operators	21
9.3	Automatic Call Distribution	21
9.4	Map accuracy at TPSP	21
9.5	Test of the data link between the carrier delivering the 'IVS dataset' and the 'TPSP eCall receiver'	21
9.6	Answering time	21
9.7	Reception of data without voice call	21
9.8	Procedures for answering the voice calls	22
9.9	Notifying the emergency services for their intervention	22
9.10	Linguistic aspects	22
9.11	TPSP call back number	22
9.12	Filing	23
9.13	Backup systems	23
9.14	Availability of the technical chain	23
9.15	Technical quality management procedures	23
 10	 TRANSMISSION OF THE EMERGENCY TO THE PSAPS	 23
10.1	General requirements	23
10.2	Relevant contact details	24
10.3	Voice communication	24
10.4	Push transfer of a TPS-eCall set of data (TSD)	24
10.5	Transitional arrangements	25
 11	 TEST AND CONFORMANCE REQUIREMENTS	 26
 12	 MARKING, LABELLING AND PACKAGING	 26
 ANNEX A (NORMATIVE) STANDARDISED DATA INTERFACE BETWEEN TPSP AND PSAP	 27
 A.2	 FUNCTIONALITIES	 27
A.2.1	The application acknowledgement (ack)	28
A.2.2	Authorization	29
A.2.3	The TPS-eCall messages	31
A.2.3.1	Push-INITIATION	31
A.2.3.2	Request emergency data	31
A.2.3.3	Push emergency data	32
A.2.3.4	Clear down	32
A.2.3.5	Communication control (Ping)	32
A.2.4	The PSAP web server wsdl file reference implementation	33
A.2.5	The TPSP web server wsdl file as reference implementation	37
A.2.6	XML codes of the TPS-eCall set of data for the TPSP/PSAP transmission	40
A.3	EUECALL_TPSECALL.XSD	41
 ANNEX B (INFORMATIVE) TRANSITIONAL ARRANGEMENTS	 44
 ANNEX C (INFORMATIVE) XML CODE FOR ADDITIONAL INFORMATION	 48
 BIBLIOGRAPHY	 53