

DIN SPEC 70121:2012-08 (E)

Electromobility - Digital communication between a d.c. EV charging station and an electric vehicle for control of d.c. charging in the Combined Charging System

Inhalt	Seite
Nationales Vorwort.....	3
Introduction.....	4
1 Scope	5
2 Normative References.....	5
3 Terms and definitions	7
4 Symbols and abbreviated terms	12
5 Relation to other standards.....	14
6 Conventions	14
6.1 Definition of OSI based services	14
6.2 Requirement structure	14
6.3 Notation used for XML schema diagrams.....	15
7 DC Charging System Architecture	16
7.1 DC Charging Use Case	16
7.2 System Schematics of DC charging system	23
7.3 Pilot Function.....	23
7.4 Communication Stack.....	23
8 EV-EVSE Communication.....	24
8.1 Basic requirements for V2G Communication.....	24
8.2 Service primitive concept of OSI layered architecture.....	24
8.3 Physical and Data Link Layer.....	25
8.4 V2G communication states	53
8.5 Network Layer.....	56
8.6 Transport Layer	59
8.7 V2G Transfer Protocol	60
8.8 Presentation Layer	65
8.9 Application Layer	68
9 Application Layer messages.....	75
9.1 General information and definitions.....	75
9.2 Protocol Handshake.....	75
9.3 Message Structure	80
9.4 BodyElement Definitions	83
9.5 Complex Data Types	106
9.6 Session Timing and Error handling.....	125
9.7 Message Sequences	134
Annex A (normative) XML Schema Application Layer Messages.....	153
Bibliography.....	184