

ISO 14229-2:2013-02 (E)

Road vehicles - Unified diagnostic services (UDS) - Part 2: Session layer services

Contents		Page
1	Scope	1
2	Normative references	1
3	Terms, definitions and abbreviated terms	1
3.1	Terms and definitions	1
3.2	Abbreviated terms	2
4	Conventions	2
5	Document overview	3
6	Session layer services	4
6.1	General	4
6.2	Specification of session layer service primitives	6
6.3	Session data unit specification	7
7	Timing parameter definition	9
7.1	General application timing considerations	9
7.2	Application timing parameter definitions - defaultSession	10
7.3	Example for P4Server without enhanced response timing	15
7.4	Example for P4Server with enhanced response timing	16
7.5	Session timing parameter definitions for the non-default session	17
7.6	Client and server timer resource requirements	19
7.7	Error handling	20
8	Timing handling during communication	21
8.1	Physical communication	21
8.2	Functional communication	29
8.3	Minimum time between client request messages	36
Annex A (normative) T_PDU interface		43
Annex B (informative) Vehicle diagnostic OSI layer architecture examples		44
B.1	Vehicle diagnostic OSI layer gateway example	44
B.2	Vehicle diagnostic OSI layer CAN router example	45
B.3	Vehicle diagnostic OSI layer CAN switch example	46
Bibliography		47