ISO 15638-3:2013-06 (E)

Intelligent transport systems - Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) - Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services

Contents

Page

Foreword ix

Introduction xi

1 Scope 1

2 Conformance 1

3 Normative references 2

4 Terms and definitions 2

5 Symbols (and abbreviated terms) 5

6 General overview and framework 6

7 Requirements 8

8 DEFINITION OF THE ROLES AND RESPONSIBILITIES OF KEY ACTORS 8
8.1 Generic service requirements 8
8.2 User 9
8.2.1 User specification US1: `Prime User' 9
8.2.2 User specification US2: `Secondary User' 9
8.2.3 User specification US3: Mandatory application service enrolment 9
8.2.4 User specification US4: Voluntary application service enrolment 10
8.2.5 User specification US5: Service provider engagement 10
8.3 Service provider 10
8.3.1 Service provider specification SP1 : Service provider definition 10
8.3.2 Service provider specification SP2: Service provider `Approval Authority' requirement 10
8.3.3 Regimes for regulated application service provision 10
8.3.4 Service provider specification SP3: Application service definition 11
8.3.5 Service provider specification SP4: Service provision 11
8.3.6 Service provider specification SP5: Service provider charging 11
8.3.7 Service provider specification SP6: Service provider charging fees on behalf of jurisdiction regulator 11
8.3.8 Service provider specification SP7: Service provider transmission of data to the jurisdiction and/or its agents 11
8.3.9 Service provider specification SP8: Provision of non-regulated commercial services 12
8.4 Wireless communications service provider 12
8.4.1 Service provider specification SP9: Wireless communications service provision 12
8.4.2 Service provider specification SP10: Responsibility for wireless communications service provision 12
8.5 IVS installer 12
8.5.1 Original equipment manufacturer specification OEM1: Responsibility where IVS is installed at time of vehicle manufacture 13
8.5.2 Service provider specification SP11: Responsibility where IVS is installed post manufacture of the vehicle 13
8.6 IVS maintainer 13

8.6.1 User responsibility US6: Responsibility to maintain the IVS 13
8.6.2 Service provider specification SP12: Responsibility of the service provider contracted to maintain an IVS 14
8.7 Jurisdiction 15
8.7.1 Jurisdiction specification JS1: Definition of regulated application services for TARV 15
8.7.2 Jurisdiction specification JS2: Definition of status of regulated application services for TARV 15
8.7.3 Jurisdiction specification JS3: Obtain supporting legislation/regulation for a regulated application service for TARV 15
8.7.4 Jurisdiction specification JS4: Manage and regulate the provision of the regulated application services 15
8.8 `Approval Authority' 15
8.8.1 Jurisdiction specification JS5: create or appoint a `Approval Authority' 16
8.8.2 `Approval Authority' specification AA1: Consider and appoint candidates to be service providers 16
8.8.3 `Approval Authority' specification AA2: Test and approve service providers 16
8.8.4 `Approval Authority' specification AA3: Audit service providers 16
8.8.5 `Approval Authority' specification AA4: Type approve IVS 17
8.8.6 `Approval Authority' specification AA5: Test IVS functionality 17
8.9 Contract options 17
8.9.1 User requirement US6 : `Service Provider - User Contract" 17

9 IVS REQUIREMENTS 18
9.1 Physical 18
9.1.1 IVS functional description 18
9.1.2 HMI aspects 18
9.2 Data 18
9.2.1 IVS essential data collection 18
9.2.2 IVS essential data processing 18
9.2.3 IVS identification 19
9.3 IVS specification IVS1: Robustness and suitability 19
9.3.1 Robustness 19
9.3.2 Suitability for use 19
9.4 IVS specification IVS2: Availability 20
9.5 IVS specification IVS3: Environmental 20
9.6 IVS specification IVS4: Secure data storage 20
9.7 IVS specification IVS5: Data storage means 21
9.8 IVS specification IVS6: Data input means 21
9.9 IVS specification IVS7: Central processing unit 21
9.10 IVS specification IVS8: Secure data processing 22
9.11 IVS specification IVS9: Connectivity means to/from auxiliary equipment 22
9.12 IVS specification IVS11: Communications means 22
9.13 IVS Classification 22
9.13.1 IVS specification IVS12: CLASS A - able to communicate with its attached trailers 22
9.13.2 IVS specification IVS13: CLASS B - not able to communicate with its attached trailers 23
9.14 IVS specification IVS14: IVS identification of attached trailers 23
9.15 IVS specification IVS15: Physical trailer marking 23
9.16 IVS specification IVS16: Equipped trailer identification (trailer ID) 23
9.17 IVS specification IVS17: Freight land conveyance content identification and communication 23
9.18 Equipped trailer identification devices 23
9.18.1 IVS specification IVS18: Equipped trailer identification devices 23
9.18.2 IVS specification IVS19: Trailer identification device requirements 24
9.18.3 IVS specification IVS20: Integrity of trailer identification 24
9.19 IVS specification IVS21: Power supply 24
9.20 IVS specification IVS 22: external power supply failure/shut down 25
9.21 IVS specification IVS23: Security seals 25
9.22 IVS specification IVS24: GNSS capability 25
9.23 IVS specification IVS25: Accelerometer capability 25
9.24 IVS specification IVS26: Gyroscope capability 26
9.25 IVS specification IVS27: Still camera data 26
9.26 IVS specification IVS28: Video data 26

9.27 Alarm status data and records 26
9.27.1 IVS specification IVS29: Alarm types and data 26
9.27.2 IVS specification IVS30: Independent movement sensing 27
9.28 IVS specification IVS31: Vehicle location 27

10 PROCEDURES FOLLOWING POWER-UP OF THE VEHICLE 28
10.1 IVS specification IVS32: When vehicle is powered up (ignition status ON) 28
10.2 IVS specification IVS33: Communication set-up 28
10.2.1 Application service provider generates request for `Core Application Data' 29
10.2.2 IVS generates send of `Core Application Data' (CAD) 29
10.2.3 Data compression 29
10.2.4 Data acknowledgement 29
10.2.5 In the event of failure to receive the `DATA-ACK' 29
10.3 IVS specification IVS34: Communication session clear-down 29
10.4 CAD not received correctly 30

11 RECORDS TRANSFER AND BACKUP PROCEDURES 30
11.1 Periodicity determined by the jurisdiction 30
11.2 Frequency of records transfer 30
11.3 Records to be transferred 30
11.4 Procedures for transfer of `stored data' 30
11.4.1 IVS specification IVS35: `stored data' Communication set-up 30
11.4.2 IVS generates send of `stored data' 30
11.4.3 Data compression 31
11.4.4 Stored data acknowledgement 31
11.4.5 In the event of failure to receive the `SD-ACK' 31
11.5 Deletion of data stored in the non-volatile memory of the IVS 31
11.5.1 IVS data records deleted only after fulfilment of conditions 31
11.6 Data testing 31
11.7 Data backup and archiving 32

12 IVS - VEHICLE 32
12.1 `Core Application Data' 32
12.1.1 Jurisdiction specification JS6: `Core Application Data' 33
12.2 `Basic Vehicle Data' 33
12.2.1 Jurisdiction specification JS7: `Basic Vehicle Data' 33
12.3 OEM installed IVS 34
12.3.1 Regulation regime 34
12.3.2 Physical installation aspects 34
12.3.3 Vehicle data bus 34
12.3.4 Initial set-up 34
12.4 Aftermarket installed IVS 35
12.4.1 Regulation regime 35
12.4.2 Physical installation aspects 35
12.4.3 Vehicle data bus 36
12.4.4 Initial set-up 36
12.5 Interoperability certificate 37
12.6 Non-TARV functionality in IVS 37
12.6.1 Complementary access and use 37
12.6.2 Reporting to jurisdiction regulator 37
12.6.3 IVS specification IVS36: Shall not interfere with TARV application service provision 37
12.6.4 IVS specification IVS37: Shall demonstrate complementariness 37
12.7 Post installation events 37
12.7.1 Service provider requirement SP23: Replacement of IVS 37
12.7.2 Service provider requirement SP24: Upgrade of the IVS 38
12.7.3 Service provider requirement SP25: Repair of the IVS 38
12.7.4 Service provider requirement SP26: Service of the IVS 38
12.8 Change of regulated commercial freight vehicle properties 38
12.8.1 User responsibility US7: Change of regulated commercial freight vehicle properties 38
12.8.2 Service provider responsibility SP27: Change of regulated commercial freight vehicle properties 38
12.9 Activation 39

12.9.1 Service provider responsibility SP28: IVS activation 39
12.10 Maintenance and continuity of application service provider systems 39
12.10.1 Update and installation of applications 39
12.10.2 Introduction of new applications 39
12.10.3 Service provider responsibility SP29: System modifications, upgrades and changes 39
12.10.4 Service provider responsibility SP30: Minimisation of on board processing and memory demands 39
12.10.5 Service provider responsibility SP31: Responsibility for design, development, testing 40
12.10.6 `Approval Authority' specification AA8: Approve new applications 40
12.11 Deactivation 40
12.12 End of life provisions 40
12.12.1 User responsibility US8: End of life notification 40
12.12.2 Service provider responsibility SP32: End of life notification 40

13 PROVISIONS TO ENABLE MONITORING AND ENFORCEMENT OF REGULATED COMMERCIAL FREIGHT VEHICLES 41
13.1 Jurisdiction specification JS8: Definition of regulated commercial freight vehicle 41
13.2 Jurisdiction specification JS9: Provision of regulations to monitor and enforce 41

14 `Approval Authority' PROCEDURES 41
14.1 General `Approval Authority' process 41
14.2 Jurisdiction specification JS10: Provision of `Approval Authority' test regime 42
14.3 Jurisdiction specification JS11: Provision of `Approval Authority' test suites 42
14.4 IVS `Approval Authority' 43
14.4.1 IVS specification IVS1: Robustness and suitability 43
14.4.2 IVS specification IVS2: Availability 44
14.4.3 IVS specification IVS3: Environmental 44
14.4.4 IVS specification IVS4: Secure data storage 44
14.4.5 IVS specification IVS6: Data input means 44
14.4.6 IVS specification IVS7: Central processing unit 44
14.4.7 IVS specification IVS8: Secure data processing 45
14.4.8 IVS specification IVS9: Connectivity means to/from auxiliary equipment 45
14.4.9 IVS specification 10: IVS clock 45
14.4.10 IVS specification IVS11: Communications means 45
14.4.11 IVS Classification (IVS12, IVS13, IVS 14) 46
14.4.12 IVS specification IVS21: Power supply 46
14.4.13 IVS specification IVS 22: external power supply failure/shut down 46
14.4.14 IVS specification IVS24: GNSS capability 46
14.4.15 IVS specification IVS25: Accelerometer capability 46
14.4.16 IVS specification IVS26: Gyroscope capability 46
14.4.17 IVS specification IVS27: Still camera data 46
14.4.18 IVS specification IVS28: Video data 46
14.4.19 IVS specification IVS29: Alarm types and data 46
14.4.20 IVS specification IVS30: Independent movement sensing 47
14.4.21 IVS specification IVS31: Vehicle location 47
14.4.22 IVS specification IVS32: When vehicle is powered up (ignition status ON) 47
14.4.23 IVS specification IVS33: Communication set-up (1) 48
14.4.24 IVS specification IVS33: Communication set-up (2) SEND `Core Application Data' 48
14.4.25 IVS specification IVS34: Communication session clear-down 48
14.4.26 IVS specification IVS35: Communication set-up : transfer of `stored data' 49
14.4.27 IVS data records deleted only after fulfilment of conditions 49
14.4.28 IVS unique identification 49
14.4.29 Identification code of the registered commercial freight vehicle 49
14.4.30 Non-TARV functionality in IVS: Complementary access and use 49
14.4.31 Change of regulated commercial freight vehicle properties 50
14.5 IVS `Approval Authority' 50
14.5.1 Unique unambiguous identifier (IVS ID) 50
14.5.2 Affixation 50
14.5.3 Test mechanical capability 50
14.5.4 Test connection to prime mover/rigid truck 50
14.5.5 Test durability 50
14.5.6 Test vibration 51

14.5.7 Test bump/impact/shock 51
14.5.8 Test fall 51
14.5.9 Test humidity 51
14.5.10 Test temperature 51
14.5.11 Test dust and water ingress protection (1) 51
14.5.12 Test dust and water ingress protection (2) 51
14.5.13 Test radio frequency and electrical interference 51
14.5.14 Electromagnetic emissions 51
14.5.15 IVS specification IVS9: Connectivity means to/from auxiliary equipment 51
14.5.16 Equipped trailer identification devices 52
14.5.17 IVS specification IVS23: Security seals 53
14.6 Application service provider `Approval Authority' 53
14.6.1 General requirements 53
14.6.2 In the event of malfunction 54
14.6.3 Service provider specification SP4: Service provision 54
14.6.4 Service provider specification SP5: Service provider charging regime 55
14.6.5 Service provider specification SP6: Service provider charging fees on behalf of jurisdiction regulator 55
14.6.6 Service provider specification SP7: Service provider transmission of data to the jurisdiction and/or its agents 55
14.6.7 Service provider specification SP8: Provision of non-regulated commercial services 55
14.6.8 Service provider specification SP9: Wireless communications service provision 55
14.6.9 Service provider specification SP12/SP18/SP19/SP20/SP23/SP24/SP25/SP26/SP28: Responsibility of the service provider contracted to maintain an IVS 55
14.6.11 Service provider specification SP17/SP22: `Core Application Data' 55
14.6.13 Service provider responsibility SP27: Change of regulated commercial freight vehicle properties 56
14.7 Application service `Approval Authority' 56
14.7.1 General requirements 56
14.7.2 Application service `Approval Authority' tests 56
14.7.2 Service provider specification SP3: Application service definition 57
14.7.3 HMI aspects 57
14.7.4 Documentation 57
14.7.4 Service provider specification SP5: Service provider charging regime 57
14.8 Maintenance and continuity of application service provider systems 57
14.8.1 Service provider responsibility SP30: Minimisation of on-board processing and memory demands 58
14.8.2 Service provider responsibility SP31: Responsibility for design, development, testing (continued monitoring of the IVS performance) 58

15 Auditing 58

16 Privacy 58
16.1 Business privacy 58
16.1.1 General 58
16.1.2 Explicit and legitimate and must be determined at the time of collection of the data 58
16.1.3 Not further processed in a way incompatible with the purposes for which it was originally collected 59
16.1.4 Not be disclosed without the consent of the data subject 59
16.2 Driver privacy 59

17 Interoperability 59

18 Legal, regulatory and enforcement aspects 60

19 Quality of service requirements 60
19.1 General 60
19.2 IVS and TID type approvals and monitoring 60
19.3 Application service provider system specifications 61

20 Marking, labelling and packaging 61

21 Declaration of patents and intellectual property 61

A.1 General 62
A.2 Jurisdiction 62
A.3 `Approval Authority' 62
A.4 Service provider 62
A.5 IVS 63
A.6 User 64
A.7 OEM 64

B.1 General 65
B.2 Countries with existing unambiguous vehicle identification schema 65
B.3 Countries without an existing unambiguous vehicle identification schema 65

Bibliography 67