

# ISO 15638-5:2013-06 (E)

## Intelligent transport systems - Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) - Part 5: Generic vehicle information

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vi
1	Scope .....	1
2	Conformance .....	1
3	Normative references .....	2
4	Terms and definitions .....	3
5	Symbols (and abbreviated terms) .....	5
6	General overview and framework .....	6
6.1	General overview .....	6
6.1.1	Context .....	6
6.1.2	ROAM .....	11
7	System requirements .....	18
7.1	Communications requirements .....	18
7.2	TARV-ROAM Security requirements .....	18
7.3	TARV-ROAM facilities layer requirements .....	18
7.4	7Host management centre (HMC) requirements .....	19
8	Generic vehicle data requirements .....	19
8.1	Data provision .....	19
8.1.1	Location of on-board data .....	19
8.1.2	Naming of `Apps' .....	19
8.1.3	Local data trees .....	20
8.1.4	C-ITS LDT .....	20
8.1.5	TARV LDT .....	20
8.1.6	Recent data archive .....	21
8.2	Commands for vehicle data .....	21
8.2.1	GET TARV LDT data .....	21
8.2.2	GET C-ITS LDT data .....	22
8.2.3	CREATE core application data .....	22
8.2.4	GET core application data .....	24
8.2.5	GET Archive .....	24
8.3	Presentation of the `basic vehicle data' concept .....	24
8.3.1	Data format version .....	24
8.3.2	Message identifier .....	25
8.3.3	8.3.3 Prime service provider identifier .....	25
8.3.4	Application service provider identifier .....	25
8.3.5	Session control data .....	26
8.3.6	Vehicle unique identifier .....	27
8.3.7	Vehicle class identification .....	27
8.3.8	VIN number .....	27
8.3.9	Propulsion storage type .....	27

8.3.10	Time and timestamp (UTC sec) .....	28
8.3.11	Location .....	28
8.3.12	Error estimation (covariance matrix) .....	30
8.3.13	Direction of travel .....	31
8.3.14	Ignition status .....	32
8.3.15	Other movement sensors .....	32
8.3.16	IVS identification .....	32
8.3.17	Manufacturer identification .....	33
8.3.18	Driver(s) identification .....	34
8.3.19	Trailer identification .....	35
8.3.20	Load data .....	35
8.4	Organisation of the TARV LDT .....	35
9	Additional data provision options for 'core application data' and regulated applications .	37
9.1	General .....	37
9.2	Additional data options for 'core application data' .....	39
9.2.1	Accelerometer data .....	39
9.2.2	Gyroscope data .....	40
9.2.3	Camera/video data .....	40
9.2.4	Vehicle speed data .....	40
9.2.5	Alarm status data and records .....	41
9.3	Distributed directory service (DDS) requirements .....	42
10	Test requirements .....	42
11	Marking, labelling and packaging .....	43
12	Declaration of patents and intellectual property .....	44
Annex A (informative)	Registration provisions of ISO 14816 .....	45
A.1	General rules .....	45
A.1.1	Registration hierarchy .....	45
A.1.2	Definition of actors .....	46
12.1.1	Issuer: .....	46
12.1.2	Issuer register: .....	46
A.1.3	Central registration administrator (CRA) .....	46
12.1.3	General .....	46
12.1.4	Responsibilities .....	46
A.2	Application and registration procedures FOR CS1: Issuers .....	47
A.2.1	Issuer .....	47
A.2.2	National registration administrator (NRA/I) .....	48
A.3	Application and registration procedures for CS8: Tax codes .....	49
A.4	Application and registration procedures for CS2: Manufacturers .....	49
A.4.1	Application procedure for assignment of a manufacturer Identifier .....	49
A.4.2	Criteria for approval of an application for an manufacturer identifier .....	49
A.4.3	Responsibilities of the manufacturer .....	50
A.4.4	Responsibilities CRA for manufacturer register .....	50
A.4.5	Register of manufacturers .....	50
A.5	Costs aspects .....	51
A.6	Disclaimer .....	51
Annex B (normative)	CVIS 3.4 System Specifications .....	52
B.1	CVIS Architecture and system specifications Section 3.1 .....	52
B.1.1	CVIS 3.1 OSGiTMframework & lifecycle management .....	52
12.1.5	CVIS 3.1.2 Application programming interface .....	54

<b>B.1.2</b>	<b>CVIS 3.2 Distributed directory service .....</b>	<b>56</b>
<b>C.1</b>	<b>Objectives .....</b>	<b>64</b>
<b>C.2</b>	<b>Test script 1 LDT Service : Local Data Tree .....</b>	<b>66</b>
<b>CTP 1.1.1</b>	<b>Instigated LDT using 2G .....</b>	<b>66</b>
<b>CTP 1.1.2</b>	<b>Interrogated LDT using 2G .....</b>	<b>68</b>
<b>CTP 1.1.3</b>	<b>Interrogated LDT using 5.9GHz and responding using 2G or 3G .....</b>	<b>70</b>
<b>CTP 1.2.1</b>	<b>Instigated LDT using 3G .....</b>	<b>72</b>
<b>CTP 1.2.2</b>	<b>Interrogated at 5.9 GHz and send of LDT using 3G .....</b>	<b>74</b>
<b>CTP 1.3.1</b>	<b>Instigated LDT using 802.11p (WAVE) 5.9 GHz .....</b>	<b>76</b>
<b>CTP 1.3.2</b>	<b>Interrogated LDT using 802.11p (WAVE) 5.9 GHz .....</b>	<b>78</b>
<b>CTP 1.4.1</b>	<b>Instigated LDT using Mesh WiFi .....</b>	<b>80</b>
<b>CTP 1.4.2</b>	<b>Interrogated LDT using Mesh WiFi .....</b>	<b>82</b>
<b>C.3</b>	<b>Test script 2 Service : Core Data .....</b>	<b>84</b>
<b>CTP 2.1.1</b>	<b>Instigated Core Data using 2G .....</b>	<b>85</b>
<b>CTP 2.1.2</b>	<b>Interrogated Core Data using 2G .....</b>	<b>87</b>
<b>CTP 2.1.3</b>	<b>Interrogated Core Data using 5.9GHz and responding using 2G or 3G .....</b>	<b>89</b>
<b>CTP 2.2.1</b>	<b>Instigated Core Data using 3G .....</b>	<b>91</b>
<b>CTP 2.2.2</b>	<b>Interrogated at 5.9 GHz and send of Core Data using 3G .....</b>	<b>93</b>
<b>CTP 2.3.1</b>	<b>Instigated Core Data using 802.11p (WAVE) 5.9 GHz .....</b>	<b>95</b>
<b>CTP 2.3.2</b>	<b>Interrogated Core Data using 802.11p (WAVE) 5.9 GHz .....</b>	<b>97</b>
<b>CTP 2.4.1</b>	<b>Instigated Core Data using Mesh WiFi .....</b>	<b>99</b>
<b>CTP 2.4.2</b>	<b>Interrogated Core Data using Mesh WiFi .....</b>	<b>101</b>
	<b>Bibliography .....</b>	<b>103</b>