

DIN EN ISO 14819-1:2014-03 (E)

Intelligent transport systems - Traffic and travel information messages via traffic message coding - Part 1: Coding protocol for Radio Data System - Traffic Message Channel (RDS-TMC) using ALERT-C (ISO 14819-1:2013); English version EN ISO 14819-1:2013

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | v |
| Introduction | | vii |
| 1 | Scope | 1 |
| 1.1 | General scope | 1 |
| 1.2 | Content | 1 |
| 1.3 | Message management | 2 |
| 1.4 | Transmission | 2 |
| 1.5 | Event list | 2 |
| 2 | Normative references | 2 |
| 3 | Terms, definitions and abbreviated terms | 2 |
| 3.1 | Terms and definitions | 2 |
| 3.2 | Abbreviated terms | 5 |
| 4 | Application | 7 |
| 4.1 | General | 7 |
| 4.2 | Definition of the TMC "travel service" | 7 |
| 4.3 | TMC virtual terminal | 8 |
| 4.4 | Event-oriented end-user information messages | 8 |
| 4.5 | Strategic and tactical information | 8 |
| 4.6 | Geographic relevance | 9 |
| 4.7 | Transmitted message priority | 9 |
| 4.8 | Event List | 10 |
| 4.9 | Future extensions | 10 |
| 5 | Presentation | 10 |
| 5.1 | General | 10 |
| 5.2 | TMC virtual language | 10 |
| 5.3 | Message content | 11 |
| 5.3.1 | General | 11 |
| 5.3.2 | Event Description (11 bits) | 11 |
| 5.3.3 | Primary Location (16 bits) | 11 |
| 5.3.4 | Direction and Extent (4 bits) | 12 |
| 5.3.5 | Duration (3 bits) | 13 |
| 5.3.6 | Diversion Advice (1 bit) | 14 |
| 5.4 | Implicit information | 15 |
| 5.4.1 | Road class and road number | 15 |
| 5.4.2 | Road segment | 15 |
| 5.4.3 | Area, region and country | 15 |
| 5.4.4 | Pre-assigned diversion advice | 15 |
| 5.4.5 | Urgency within the terminal | 15 |
| 5.4.6 | Directionality | 15 |
| 5.4.7 | Duration type | 16 |
| 5.4.8 | Nature | 16 |
| 5.4.9 | Update class | 16 |

| | | |
|---------------------------|---|----|
| 5.4.10 | Quantifier type | 16 |
| 5.5 | Optional message content | 16 |
| 5.5.1 | General | 16 |
| 5.5.2 | Combination of additional information | 17 |
| 5.5.3 | Control codes (label 1) | 18 |
| 5.5.4 | Length of route affected (label 2) | 18 |
| 5.5.5 | Speed limit (label 3) | 18 |
| ISO 14819-1:2013(E) 5.5.6 | Additional quantifiers (labels 4 and 5) | 19 |
| 5.5.7 | Supplementary information (label 6) | 19 |
| 5.5.8 | Start and stop times (labels 7 and 8) | 19 |
| 5.5.9 | Multi-event messages (label 9) | 19 |
| 5.5.10 | Detailed diversion instructions (label 10) | 20 |
| 5.5.11 | Destinations (label 11) | 20 |
| 5.5.12 | Precise location reference (label 12) | 20 |
| 5.5.13 | Cross linkage to source of problem (label 13) | 21 |
| 5.5.14 | Separator (label 14) | 22 |
| 5.5.15 | Other information as defined by sub-labels (label 15) | 22 |
| 5.5.16 | Reference to telephone services (label 15, sub-label 1-2) | 22 |
| 6 | Message management | 25 |
| 6.1 | General | 25 |
| 6.2 | System messages | 26 |
| 6.2.1 | General | 26 |
| 6.2.2 | Location table | 26 |
| 6.2.3 | Terminal requirements | 26 |
| 6.2.4 | Change of database numbers | 27 |
| 6.3 | Message repetition | 27 |
| 6.4 | Message updating | 28 |
| 6.5 | Message deletion | 28 |
| 6.5.1 | General | 28 |
| 6.5.2 | Message persistence | 28 |
| 6.5.3 | Detailed stop-time | 29 |
| 6.5.4 | Silent cancellation message | 29 |
| 6.5.5 | Null message | 29 |
| 6.6 | Message presentation | 30 |
| 6.7 | Out of area referencing | 30 |
| 6.7.1 | Structure of the INTER-ROAD concept | 30 |
| 6.7.2 | INTER-ROAD messages | 31 |
| 6.7.3 | Updating and cancellation of INTER-ROAD messages | 31 |
| 7 | Transmission | 32 |
| 7.1 | General | 32 |
| 7.2 | Format of type 8A groups | 32 |
| 7.3 | Immediate repetition | 32 |
| 7.4 | Single-group user messages | 33 |
| 7.5 | System messages | 34 |
| 7.5.1 | General | 34 |
| 7.5.2 | System information | 34 |
| 7.5.3 | Tuning information | 38 |
| 7.6 | Multi-group messages | 40 |
| 7.6.1 | First group | 40 |
| 7.6.2 | Subsequent groups | 41 |
| 7.7 | Summary of X-bit usage in RDS-TMC type 8A groups | 43 |