

ISO 15118-2:2014-04 (E)

Road vehicles - Vehicle-to-Grid Communication Interface - Part 2: Network and application protocol requirements

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	3
4	Symbols and abbreviated terms	7
5	Conventions	8
5.1	Definition of OSI based services	8
5.2	Requirement structure	8
5.3	Usage of RFC references	8
5.4	Notation used for XML schema diagrams	9
6	Document overview	9
7	Basic requirements for V2G communication	11
7.1	General information	11
7.2	Service primitive concept of OSI layered architecture	11
7.3	Security concept	12
7.4	V2G communication states and data link handling	21
7.5	Data Link Layer	26
7.6	Network Layer	26
7.7	Transport Layer	28
7.8	V2G Transfer Protocol	32
7.9	Presentation Layer	36
7.10	Application Layer	46
8	Application Layer messages	55
8.1	General information and definitions	55
8.2	Protocol handshake definition	56
8.3	V2G Message Definition	60
8.4	V2G Communication Session and BodyElement Definitions	62
8.5	Complex data types	104
8.6	Identification Modes and Message Set definitions	137
8.7	V2G communication timing	170
8.8	Message sequencing and error handling	184
8.9	Request-Response Message Sequence examples	206
Annex A (informative)	Mapping of Part 1 use case elements	214
Annex C (normative)	Schema definition	254
Annex D (informative)	Message examples	278
Annex E (informative)	Application of certificates	299

Annex F (normative) Certificate profiles	313
Annex G (informative) Encryption for the Distribution of Secret Keys	321
Annex H (normative) Specification of Identifiers	323
Annex I (informative) Message sequencing for renegotiation	326
Annex J (informative) Overview on XML Signatures	330
Annex K (informative) Summary of requirements	334
Bibliography	341