

# ISO 16505:2015-05 (E)

## Road vehicles - Ergonomic and performance aspects of Camera Monitor Systems - Requirements and test procedures

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
3.1	Vehicle related terms and definitions .....	2
3.2	Mirror related terms and definitions .....	3
3.3	Camera related terms and definitions .....	12
3.4	Monitor related terms and definitions .....	15
3.5	Camera Monitor System based terms and definitions .....	23
4	Symbols and abbreviated terms .....	32
5	General information and use case definitions .....	36
6	Requirements .....	40
6.1	Intended use .....	40
6.1.1	Default view .....	40
6.1.2	Adjusted default view .....	40
6.1.3	Temporary modified view .....	40
6.1.4	Luminance and contrast adjustment .....	41
6.1.5	Overlays .....	41
6.2	Operating readiness (system availability) .....	41
6.3	Field of view .....	42
6.4	Magnification and resolution .....	42
6.4.1	Average magnification factor .....	42
6.4.2	Minimum magnification factor .....	42
6.4.3	Resolution (MTF) .....	43
6.5	Magnification aspect ratio .....	44
6.6	Monitor integration inside the vehicle .....	44
6.7	Image quality .....	45
6.7.1	Monitor isotropy .....	45
6.7.2	Luminance and contrast rendering .....	46
6.7.3	Colour rendering .....	46
6.7.4	Artefacts .....	47
6.7.5	Sharpness and depth of field .....	48
6.7.6	Geometric distortion .....	48
6.7.7	Further image quality requirements .....	48
6.8	Time behaviour .....	49
6.8.1	Frame rate .....	49
6.8.2	Image formation time .....	49
6.8.3	System latency .....	49
6.9	Failure behaviour .....	49
6.10	Quality and further ergonomic requirements .....	49
6.10.1	Needs of older persons .....	49
6.11	Influences from weather and environment .....	50

7	Test methods .....	50
7.1	System documentation .....	50
7.2	Intended use .....	50
7.2.1	Default view .....	50
7.2.2	Adjusted default view .....	50
7.2.3	Temporary modified view .....	50
7.2.4	Luminance and contrast adjustment .....	50
7.2.5	Overlays .....	51
7.3	Operating readiness (system availability) .....	51
7.4	Field of view .....	52
7.5	Magnification and resolution .....	52
7.5.1	Average magnification factor .....	52
7.5.2	Minimum magnification factor .....	53
7.5.3	Resolution (MTF) .....	55
7.6	Magnification aspect ratio .....	57
7.7	Monitor integration inside the vehicle .....	57
7.8	Image quality .....	58
7.8.1	Monitor isotropy .....	58
7.8.2	Luminance and contrast rendering .....	60
7.8.3	Colour rendering .....	69
7.8.4	Artefacts .....	72
7.8.5	Sharpness, resolution, and depth of field .....	73
7.8.6	Geometric distortion .....	75
7.8.7	Further Image quality requirements .....	75
7.9	Time behaviour .....	75
7.9.1	Frame rate .....	75
7.9.2	Image formation time .....	75
7.9.3	System latency .....	75
7.10	Failure behaviour .....	76
7.11	Quality and further ergonomic requirements .....	77
7.11.1	Needs of older persons .....	77
7.12	Influences from weather and environment .....	77
8	Functional safety .....	77
Annex A (normative) Standard application on class II and IV mirrors in commercial vehicles .....		78
Annex B (informative) Formula applications, explanations, and guidelines .....		83
Annex C (informative) Calculation of the dimensional magnification and of a correction factor to obtain the angular magnification .....		117
Annex D (informative) Complementary information for resolution measurement .....		122
Annex E (informative) Correlation between Resolution (MTF) and spatial frequency measured using SFR method for depth of field evaluation or sharpness evaluation .....		131
Annex F (informative) Complementary charts and method for long distance measurements .....		136
Annex G (informative) Distortion measurement .....		139
Bibliography .....		146