ISO 15031-5:2015-08 (E)

Road vehicles - Communication between vehicle and external equipment for emissions-related diagnostics - Part 5: Emissions-related diagnostic services

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms,definitions,andabbreviatedterms 2
3.1 Terms and definitions 2
3.2 Abbreviated terms 4

4 Conventions 6

5 Document overview 6

6 Technical requirements 6
6.1 General requirements 6
6.2 Diagnostic service requirements 6
6.2.1 Multiple responses to a single data request 6
6.2.2 Application timing parameter definition 7
6.2.3 Minimum time between requests from external test equipment 18
6.2.4 Data not available 26
6.2.5 Maximum values 36
6.2.6 Invalid signals 36
6.3 Diagnostic message format 36
6.3.1 Addressing method 36
6.3.2 Maximum message length 37
6.3.3 Request/Response message format 37
6.3.4 Response code parameter definition 38
6.3.5 Header byte definition of ISO 9141-2, ISO 14230-4, and SAE J1850 39
6.3.8 Non-data bytes included in diagnostic messages with SAE J1850 40
6.3.9 Non-data bytes included in diagnostic messages with ISO 9141-2 and ISO 14230-4 41
6.4 Byte order convention 41
6.5 Allowance for expansion and enhanced diagnostic services 41
6.6 Definition of PIDs for services 0116 and 0216 41
6.7 Format of data to be displayed 41

7 DiagnosticservicedefinitionforISO9141-2,ISO14230-4,andSAEJ1850 42
7.1 Service 0116 -- Request current powertrain diagnostic data 42
7.1.1 Functional description 42
7.1.2 Message data bytes 42
7.1.3 Parameter definition 43
7.1.4 Message example 44
7.2 Service 0216 -- Request powertrain freeze frame data 47
7.2.1 Functional description 47
7.2.2 Message data bytes 48
7.2.3 Parameter definition 49
7.2.4 Message example 49
7.3 Service 0316 -- Request emission-related diagnostic trouble codes 51
7.3.1 Functional description 51

7.3.2 Message data bytes 52
7.3.3 Parameter definition 53
7.3.4 Message example 53
7.4 Service 0416 -- Clear/reset emission-related diagnostic information 56
7.4.1 Functional description 56
7.4.2 Message data bytes 56

7.4.3 Parameter definition 57
7.4.4 Message example 57
7.5 Service 0516 -- Request oxygen sensor monitoring test results 58
7.5.1 Functional description 58
7.5.2 Message data bytes 58
7.5.3 Parameter definition 59
7.5.4 Message example 61
7.6 Service 0616 -- Request On-board monitoring test results for specific monitored systems 63
7.6.1 Functional description 63
7.6.2 Message data bytes 64
7.6.3 Parameter definition 65
7.6.4 Message example 66
7.7 Service 0716 -- Request emission-related diagnostic trouble codes detected during current or last completed driving cycle 68
7.7.1 Functional description 68
7.7.2 Message data bytes 68
7.7.3 Parameter definition 69
7.7.4 Message example 69
7.8 Service 0816 -- Request control of on-board system, test, or component 69
7.8.1 Functional description 69
7.8.2 Message data bytes 69
7.8.3 Parameter definition 71
7.8.4 Message example 71
7.9 Service 0916 -- Request vehicle information 72
7.9.1 Functional description 72
7.9.2 Message data bytes 72
7.9.3 Parameter definition 73
7.9.4 Message example 74

8 DiagnosticservicedefinitionforISO15765-4 91
8.1 Service 0116 -- Request current powertrain diagnostic data 91
8.1.1 Functional description 91
8.1.2 Message data bytes 92
8.1.3 Parameter definition 94
8.1.4 Message example 94
8.2 Service 0216 -- Request powertrain freeze frame data 97
8.2.1 Functional description 97
8.2.2 Message data bytes 98
8.2.3 Parameter definition 100
8.2.4 Message example 100
8.3 Service 0316 -- Request emission-related diagnostic trouble codes 103
8.3.1 Functional description 103
8.3.2 Message data bytes 104
8.3.3 Parameter definition 104
8.3.4 Message example 104
8.4 Service 0416 -- Clear/Reset emission-related diagnostic information 106
8.4.1 Functional description 106
8.4.2 Message data bytes 107
8.4.3 Parameter definition 107
8.4.4 Message example 107
8.5 Service 0516 -- Request oxygen sensor monitoring test results 108
8.6 Service 0616 -- Request on-board monitoring test results for specific monitored systems 108
8.6.1 Functional description 108

8.6.2 Message data bytes 109
8.6.3 Parameter definition 112
8.6.4 Message example 117
8.7 Service 0716 -- Request emission-related diagnostic trouble codes detected during current or last completed driving cycle 119
8.7.1 Functional description 119
8.7.2 Message data bytes 120
8.7.3 Parameter definition 120
8.7.4 Message example 120
8.8 Service 0816 -- Request control of on-board system, test, or component 120
8.8.1 Functional description 120
8.8.2 Message data bytes 121
8.8.3 Parameter definition 123
8.8.4 Message example 123
8.9 Service 0916 -- Request vehicle information 124
8.9.1 Functional description 124
8.9.2 Message data bytes 125
8.9.3 Parameter definition 126
8.9.4 Message example 127
8.10 Service 0A16 -- Request emission-related diagnostic trouble codes with permanent status 138
8.10.1 Functional description 138
8.10.2 Message data bytes 139
8.10.3 Parameter definition 139
8.10.4 Message example 139

Bibliography 140