

# DIN EN 16454:2015-12 (E)

## Intelligent transport systems - ESafety - ECall end to end conformance testing

---

<b>Contents</b>		<b>Page</b>
European foreword .....		9
Introduction .....		10
<b>1</b>	<b>Scope .....</b>	<b>11</b>
<b>2</b>	<b>Normative references .....</b>	<b>11</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>12</b>
<b>4</b>	<b>Symbols and abbreviations .....</b>	<b>17</b>
<b>5</b>	<b>Conformance .....</b>	<b>19</b>
<b>5.1</b>	<b>General .....</b>	<b>19</b>
<b>5.2</b>	<b>General conditions .....</b>	<b>19</b>
<b>6</b>	<b>General overview of the eCall transaction for pan-European eCall .....</b>	<b>20</b>
<b>7</b>	<b>How to use this Standard .....</b>	<b>24</b>
<b>7.1</b>	<b>Layout and procedures .....</b>	<b>24</b>
<b>7.2</b>	<b>System under test .....</b>	<b>25</b>
<b>7.3</b>	<b>Accelerated test procedures .....</b>	<b>26</b>
<b>7.4</b>	<b>Accelerated test procedures for IVSs .....</b>	<b>26</b>
<b>7.4.1</b>	<b>Accelerated test procedures for all types of PE eCall IVS .....</b>	<b>26</b>
<b>7.4.2</b>	<b>Additional accelerated test procedures for PE eCall only IVS .....</b>	<b>28</b>
<b>7.5</b>	<b>Accelerated test procedures for MNOs .....</b>	<b>28</b>
<b>7.6</b>	<b>Accelerated test procedures for PSAPs - PE eCall .....</b>	<b>29</b>
<b>7.7</b>	<b>Accelerated test procedures for PSAPs - TPS-eCall .....</b>	<b>30</b>
<b>7.8</b>	<b>Accelerated test procedures for TPSPs .....</b>	<b>30</b>
<b>8</b>	<b>Requirements .....</b>	<b>31</b>
<b>8.1</b>	<b>Requirements - General objectives .....</b>	<b>31</b>
<b>8.1.1</b>	<b>State transitions .....</b>	<b>31</b>
<b>8.1.2</b>	<b>Classification of testing .....</b>	<b>41</b>
<b>8.1.3</b>	<b>CTP naming conventions .....</b>	<b>43</b>
<b>8.1.4</b>	<b>CTP naming convention for IVS conformance tests .....</b>	<b>44</b>
<b>8.2</b>	<b>CTP structure .....</b>	<b>44</b>
<b>9</b>	<b>Conformance test requirements for in-vehicle user equipment and systems (IVS) .....</b>	<b>46</b>
<b>9.1</b>	<b>Conformance test requirements for in-vehicle user equipment and systems for Pan European eCall .....</b>	<b>46</b>
<b>9.2</b>	<b>Test objectives and purposes .....</b>	<b>46</b>
<b>9.3</b>	<b>Classification of testing and referenced tests for in-vehicle user equipment for Pan European eCall IVS .....</b>	<b>46</b>
<b>9.3.1</b>	<b>Taxonomy of testing .....</b>	<b>46</b>
<b>9.3.2</b>	<b>Referenced tests .....</b>	<b>46</b>
<b>9.4</b>	<b>State transition conformance tests for in-vehicle equipment and system to comply to Standards for pan European eCall .....</b>	<b>47</b>
<b>9.4.1</b>	<b>Conformance requirement .....</b>	<b>47</b>
<b>9.4.2</b>	<b>Use case test objectives by stage .....</b>	<b>47</b>
<b>9.4.3</b>	<b>CTP 1.1.0.1 Conformance to ETSI TS 102 936-1 and ETSI TS 102 936-2 - PE eCall IVS .....</b>	<b>50</b>
<b>9.4.4</b>	<b>CTP 1.1.0.2 Test for conformance to valid SIM/USIM - PE eCall .....</b>	<b>51</b>

9.4.5	CTP 1.1.0.3 Automatic eCall triggering does not occur when ignition OFF - PE eCall IVS	52
9.4.6	CTP 1.1.1.1 Power on and self test - PE eCall IVS	53
9.4.7	CTP 1.1.2.1 eCall automatically activated - PE eCall IVS	54
9.4.8	CTP 1.1.2.2 Automatically triggered eCall in progress was not disconnected upon a new eCall trigger - PE eCall IVS	55
9.4.9	CTP 1.1.2.3 Post-side-crash performance of automatic trigger - IVS	56
9.4.10	CTP 1.1.2.4 Post-frontal-crash performance of automatic trigger - IVS	57
9.4.11	CTP 1.1.2.5 Performance of automatic trigger - different crash types - IVS	58
9.4.12	CTP 1.1.3.1 eCall manually activated - PE eCall IVS	59
9.4.13	CTP 1.1.3.2 Manually triggered eCall in progress was not disconnected upon a new eCall trigger - PE eCall IVS	60
9.4.14	CTP 1.1.4.1 Test eCall activated - PE eCall IVS	61
9.4.15	CTP 1.1.5.1 Network registration - PE eCall IVS	62
9.4.16	CTP 1.1.5.2 Manual termination of eCall by vehicle occupants not allowed (automatically triggered eCall) - PE eCall IVS	63
9.4.17	CTP 1.1.5.3 Manual termination of eCall by vehicle occupants not allowed (manually triggered eCall) - PE eCall IVS	64
9.4.18	CTP 1.1.5.4 Automatically triggered eCall in progress was not disconnected when ignition is switched to OFF - PE eCall IVS	65
9.4.19	CTP 1.1.5.5 Manually triggered eCall in progress was not disconnected when ignition is switched to OFF - PE eCall IVS	66
9.4.20	CTP 1.1.5.6 Priority over conflicting communication - PE eCall IVS	67
9.4.21	CTP 1.1.5.7 Network registration is re-tried when network registration attempt was not successful - PE eCall IVS	68
9.4.22	CTP 1.1.6.1 Mute IVS and vehicle audio - PE eCall IVS	68
9.4.23	CTP 1.1.7.1 Set-up TS12 call with eCall identifier (flag) set to `automatic' - PE eCall IVS	69
9.4.24	CTP 1.1.8.1 Set-up TS12 call with eCall identifier (flag) set to `manual' - PE eCall IVS	70
9.4.25	CTP 1.1.9.1 Set-up TS11 call to test number - PE eCall IVS	71
9.4.26	CTP 1.1.10.1 eCall is attempted when no networks are available (limited service condition) - PE eCall IVS	72
9.4.27	CTP 1.1.10.2 Re-dial attempt completed within 2 minutes after eCall is dropped - PE eCall IVS	73
9.4.28	CTP 1.1.10.3 Duration of eCall Initiation signal - PE eCall IVS	74
9.4.29	CTP 1.1.11.1 Send MSD with indicator set to `Automatically Initiated eCall' (AleC) - PE eCall IVS	75
9.4.30	CTP 1.1.12.1 Send MSD with indicator set to `Manually Initiated eCall' (MleC) - PE eCall IVS	76
9.4.31	CTP 1.1.13.1 Send MSD with indicator set to `Test Call' - PE eCall IVS	77
9.4.32	CTP 1.1.14.1 Verify MSD transfer - PE eCall IVS	78
9.4.33	CTP 1.1.14.2 Un-mute IVS audio when AL-ACK received - PE eCall IVS	79
9.4.34	CTP 1.1.15.1 Establish voice link to PSAP - PE eCall IVS	80
9.4.35	CTP 1.1.15.2 MSD transfer request while eCall conversation in progress - PE eCall IVS	81
9.4.36	CTP 1.1.15.3 eCall continuation when SEND MSD request not received (T5 expired) - PE eCall IVS	83
9.4.37	CTP 1.1.15.4 Call continuation when AL-ACK not received (T6 expired) - PE eCall IVS	84
9.4.38	CTP 1.1.15.5 MSD is transferred continuously until T7 expires and IVS reconnects loudspeaker and microphone on its expiry - PE eCall IVS	85
9.4.39	CTP 1.1.16.1 Clear down call automatically - PE eCall IVS	86
9.4.40	CTP 1.1.16.2 IVS clears down the eCall upon T2 expiry - PE eCall IVS	88
9.4.41	CTP 1.1.16.3 IVS registers recent eCalls - PE eCall IVS	89
9.4.42	CTP 1.1.17.1 Call-back allowed and able to be answered by IVS - PE eCall IVS	90
9.4.43	CTP 1.1.17.2 Call-back answered by IVS in the event of abnormal termination - PE eCall IVS	91
9.4.44	CTP 1.1.17.3 MSD transfer occurs upon PSAP request during call-back - PE eCall IVS	92
9.4.45	CTP 1.1.17.4 Remain registered for 1 hr - PE eCall IVS	93
9.5	State transition test scripts for in-vehicle equipment and system to comply to Standards for pan European eCall - additional tests for eCall only systems	94
9.5.1	General	94
9.5.2	CTP 1.1.1.2 IVS does not perform registration after power-up - PE eCall only IVS	95
9.5.3	CTP 1.1.1.3 IVS periodically scans and maintains a list of available PLMNs - PE eCall only	95

9.5.4	CTP1.1.10.4 Verify that PLMN registration procedure is executed upon initiating an eCall - PE eCall only IVS .....	96
9.5.5	CTP 1.1.17.5 Remain registered for 1 hr 12 hr - PE eCall only IVS .....	97
9.6	State transition conformance test requirements for in-vehicle user equipment for eCall TPS-IVS via a third party service provider .....	98
9.6.1	General .....	98
9.6.2	Test objectives and purposes .....	98
9.6.3	Taxonomy of testing and referenced tests .....	98
9.6.4	Taxonomy of testing .....	98
9.7	Use case conformance tests for in-vehicle equipment and system to comply to Standards for third party service provider eCall .....	98
9.7.1	Conformance requirement .....	98
9.7.2	Use case test objectives by stage .....	99
9.8	State transition test scripts for TPS in-vehicle equipment and system to comply to Standards for third party services supported eCall .....	101
9.8.1	General .....	101
9.8.2	CTP 1.2.0 Pre operation - TPS-IVS .....	102
9.8.3	CTP 1.2.1 Power on self test - TPS-IVS .....	104
9.8.4	CTP 1.2.2 Automatically activate eCall - TPS-IVS .....	105
9.8.5	CTP 1.2.3 Manually activate eCall - TPS-IVS .....	113
9.8.6	CTP 1.2.4 Stop conflicting communication - TPS-IVS .....	117
9.8.7	CTP 1.2.5 Establish voice link to TPSP - TPS-IVS .....	118
9.8.8	CTP 1.2.6 Send IVS dataset to TPSP - TPS-IVS .....	123
9.8.9	CTP 1.2.7 Establish voice link between PSAP and occupants - TPS-IVS .....	129
9.8.10	CTP 1.2.8 Cleardown call - TPS-IVS .....	130
9.8.11	CTP 1.2.9 Allow call-cack into vehicle - TPS-IVS .....	131
10	Conformance tests for mobile network operators .....	136
10.1	Test objectives and purposes .....	136
10.1.1	General .....	136
10.1.2	Default assumptions .....	136
10.2	Taxonomy of testing and referenced tests .....	136
10.3	Use case conformance tests for mobile network operator systems to comply to Standards for pan European eCall .....	136
10.3.1	Conformance requirement .....	136
10.3.2	Use case test objectives by stage .....	136
10.4	State transition test scripts for mobile network operators to demonstrate compliance with Pan European eCall Standards .....	138
10.4.1	General .....	138
10.4.2	CTP 2.0.1 Keep SIMs/USIMs alive even though not in regular operation - MNO .....	139
10.4.3	CTP 2.0.2 MNO supports general eCall relevant requirements .....	140
10.4.4	CTP 2.0.3 Decommission SIM/USIM - MNO .....	141
10.4.5	CTP 2.0.4 Support eCall Flag - MNO .....	142
10.4.6	CTP 2.1.1 Accept registration - Home network - MNO .....	142
10.4.7	CTP 2.1.2 Accept registration - Roaming -MNO .....	143
10.4.8	CTP 2.2.1.1 Receive TS12 voice call (automatically initiated) - MNO .....	144
10.4.9	CTP 2.2.1.2 Route call to 'most appropriate' PSAP - MNO .....	145
10.4.10	CTP 2.2.1.3 Provide TS12 data/caller ID - MNO .....	146
10.4.11	CTP 2.2.2.1 Receive TS12 voice call (manual initiated) - MNO .....	147
10.4.12	CTP 2.2.3.1 Test for receiving test eCall (TS11) .....	147
10.4.13	CTP 2.2.3.2 Route call to non-emergency number - MNO .....	147
10.4.14	CTP 2.2.3.3 Provide TS11 data - MNO .....	148
10.4.15	CTP 2.3.1 Call in progress-MNO .....	148
10.4.16	CTP 2.4.1 Call cleardown - MNO .....	149
10.4.17	CTP 2.5.1 Support call-back - MNO .....	150
10.4.18	CTP 2.6.1 Maintain registration for 1-12 hours - MNO .....	150
10.4.19	CTP 2.7.1 Maintain call records - MNO .....	150
10.5	Use case conformance tests for mobile network operator systems to comply to Standards for TPS-eCall .....	151
10.5.1	Conformance requirement .....	151
10.5.2	Use case test objectives by stage .....	151

10.6	State transition test scripts for mobile network operators to demonstrate compliance with TPS-eCall Standards .....	151
10.6.1	CTP 2.11.1 MNO supports general TPS-eCall relevant requirements .....	151
10.6.2	CTP 2.11.2 Support call-back - MNO .....	151
11	Conformance tests for PSAP systems .....	152
11.1	Test objectives and purposes .....	152
11.2	Taxonomy of testing and referenced tests .....	152
11.2.1	Taxonomy of testing .....	152
11.2.2	Referenced tests .....	152
11.3	Use case conformance tests for PSAP systems to comply to Standards for pan European eCall .....	152
11.3.1	Conformance requirement .....	152
11.3.2	Use case test objectives by stage .....	152
11.4	State transition conformance tests for PSAPs - PE eCall .....	153
11.4.1	General .....	153
11.4.2	CTP 3.1.0.1 Provide MNOs with appropriate routing data - Member State/ PSAP PE eCall .....	155
11.4.3	CTP 3.1.0.2 Maintain map geo-information - PSAP PE eCall .....	156
11.4.4	CTP 3.1.1.1 Receive automatically initiated eCall - PSAP PE eCall .....	157
11.4.5	CTP 3.1.1.2 Receive manually initiated eCall - PSAP PE eCall .....	158
11.4.6	CTP 3.1.2 Receive TS12 data- Caller ID & location - PSAP PE eCall .....	159
11.4.7	CTP 3.1.3.1 Recognise eCall and route to in-band modem - PSAP PE eCall .....	160
11.4.8	CTP 3.1.3.2 PSAP equipment failure - PSAP PE eCall .....	161
11.4.9	CTP 3.1.3.3 PSAP modem failure before link layer ACK is sent - PSAP PE eCall .....	162
11.4.10	CTP 3.1.4 eCall received at in-band modem - PSAP PE eCall .....	163
11.4.11	CTP 3.1.5.1 Validate initiation signal - PSAP PE eCall .....	164
11.4.12	CTP 3.1.5.2 Route to operator after T4 expiration - PSAP PE eCall .....	165
11.4.13	CTP 3.1.6 Request MSD - PSAP PE eCall .....	166
11.4.14	CTP 3.1.7.1 Receive MSD - PSAP PE eCall .....	167
11.4.15	CTP 3.1.7.2 Verify status bit in AL-ACK upon positive ACK- PSAP PE eCall .....	168
11.4.16	CTP 3.1.7.3 Verify MSD transfer upon T8 expiration - PSAP PE eCall .....	169
11.4.17	CTP 3.1.7.4 Verify transfer of corrupted MSD - PSAP PE eCall .....	170
11.4.18	CTP 3.1.7.5 Verify PSAP behaviour when MSD format check fails- PSAP PE eCall .....	171
11.4.19	CTP 3.1.8 ACK - PSAP PE eCall .....	171
11.4.20	CTP 3.1.9 Route voice and MSD to operator - PSAP PE eCall .....	172
11.4.21	CTP 3.1.10 Display TS12 data and MSD to operator - PSAP PE eCall .....	173
11.4.22	CTP 3.1.11 Decode VIN - PSAP PE eCall .....	174
11.4.23	CTP 3.1.12 Talk to vehicle occupants - PSAP PE eCall .....	175
11.4.24	CTP 3.1.13 Request new MSD before call clear-down - PSAP PE eCall .....	176
11.4.25	CTP 3.1.14.1 Call clear-down - PSAP PE eCall .....	177
11.4.26	CTP 3.1.14.2 Verify status bit in AL-ACK upon clear-down - PSAP -PE eCall .....	178
11.4.27	CTP 3.1.15 Call-back to vehicle - PSAP PE eCall .....	179
11.4.28	CTP 3.1.16 Request new MSD after call clear-down - PSAP PE eCall .....	180
11.5	State transition conformance tests for PSAPs - TPS-eCall .....	181
11.5.1	General .....	181
11.5.2	CTP 3.2.0.1 TPSP - PSAP agreement - PSAP TPS eCall .....	182
11.5.3	CTP 3.2.0.2 Provide areas of responsibility and contact numbers to approved TPSPs -PSAP TPS-eCall .....	183
11.5.4	CTP 3.2.0.3 Agreement on necessary language support - PSAP TPS eCall .....	185
11.5.5	CTP 3.2.0.4 Agree electronic data connection and provide details to approved TPSPs - PSAP TPS eCall .....	186
11.5.6	186 11.5.7 CTP 3.2.0.5 Provide PSAP data addresses and security access to approved TPSPs - PSAP TPS eCall .....	188
11.5.8	CTP 3.2.1 Receive eCall notification from TPSP (not TS12) -PSAP TPS eCall .....	189
11.5.9	CTP 3.2.2 Route call to operator - PSAP TPS eCall .....	190
11.5.10	CTP 3.2.3 Connection, TSD transmission, display relevant information to PSAP operator -PSAP TPS-eCall .....	191
11.5.11	CTP 3.2.4 PSAP Operator: Talk with TPSP operator and receive relevant information - PSAP TPS eCall .....	193
11.5.12	CTP 3.2.5 Talk to vehicle occupants - PSAP TPS-eCall .....	194
11.5.13	CTP 3.2.6 Request new TSD before call clear-down -PSAP TPS-eCall .....	195
11.5.14	CTP 3.2.7 Inform TPSP that call can be ended - PSAP TPS eCall .....	196

11.5.15	CTP 3.2.8 Call cleardown with TPSP -PSAP TPS-eCall .....	197
11.5.16	CTP 3.2.9 Call-back to TPSP - PSAP TPS-eCall .....	198
11.5.17	CTP 3.2.10 Call-back to vehicle - PSAP TPS eCall .....	199
11.5.18	CTP 3.2.11 Call cleardown with vehicle - PSAP TPS eCall .....	200
12	State transition conformance tests for TPS-eCall .....	201
12.1	Related specifications and conformance requirements .....	201
12.2	TPSP general tests (applicable to both TPS-eCall responder and TPS-eCall notifier) .....	201
12.2.1	General .....	201
12.2.2	CTP 4.0.1 Agree service level agreement and/or Standard ways of working with PSAPs - TPSP .....	203
12.2.3	CTP 4.0.2 Receive PSAP areas of responsibility and contact numbers - TPSP .....	204
12.2.4	CTP 4.0.3 Agree necessary language support - TPSP .....	205
12.2.5	CTP 4.0.4 Agree electronic data connection details with PSAPs - TPSP .....	207
12.2.6	CTP 4.0.5 Evidence quality procedures - TPSP .....	208
12.2.7	CTP 4.0.6 Verify automatic call distribution (ACD) system - TPSP .....	210
12.2.8	CTP 4.0.7 Check link from MNO - TPSP .....	211
12.2.9	CTP 4.0.8 Deal with transmission failures - TPSP .....	211
12.2.10	CTP 4.0.9 Update GIS - TPSP .....	212
12.2.11	CTP 4.0.10 Protection of privacy - TPSP .....	213
12.3	TPS-eCall responder tests - TPS-R .....	214
12.3.1	General .....	214
12.3.2	CTP 4.1.1 Receive TPS-eCall from vehicle - TPS-R .....	215
12.3.3	CTP 4.1.2 Process incoming call - TPS-R .....	218
12.3.4	CTP 4.1.3 Talk with vehicle occupants and receive relevant information - TPS-R .....	220
12.3.5	CTP 4.1.4 Trigger PSAP notification - TPS-R .....	223
12.3.6	CTP 4.1.5 Make voice connection between vehicle and PSAP if required - TPS-R .....	223
12.3.7	CTP 4.1.6 Confirmation received from PSAP that call with vehicle can be ended - TPS-R .....	224
12.3.8	CTP 4.1.7 Call cleardown with vehicle - TPS-R .....	225
12.3.9	CTP 4.1.8 Call-back to vehicle - TPS-R .....	226
12.4	TPS-eCall notifier tests - TPS-N .....	227
12.4.1	General .....	227
12.4.2	CTP 4.2.1 Emergency situation likely to require assistance - TPS-N .....	228
12.4.3	CTP 4.2.2 Establish contact with PSAP - TPS-N .....	228
12.4.4	CTP 4.2.3 Talk with PSAP operator and notify relevant information - TPS-N .....	233
12.4.5	CTP 4.2.4 Establish voice link between PSAP and vehicle occupants if required by PSAP - TPS-N .....	235
12.4.6	CTP 4.2.5 Respond to electronic data update request - TPS-N .....	237
12.4.7	CTP 4.2.6 PSAP informs that call can be ended - TPS-N .....	237
12.4.8	CTP 4.2.7 Call cleardown to PSAP - TPS-N .....	237
12.4.9	CTP 4.2.9 Call-back from PSAP - TPS-N .....	238
13	Marking, labelling and packaging .....	238
14	Declaration of patents and intellectual property .....	238
Annex A (normative) Proforma conformance test report for Pan European eCall in-vehicle system (IVS) .....		239
A.1	A.1 Conformance test report .....	239
A.2	A.1.1 System under test: .....	239
A.2.1	A.1.2 System under test identification .....	239
A.2.2	A.1.3 Testing environment .....	240
A.2.3	A.1.4 Limits and reservation .....	240
A.2.4	A.1.5 Comments .....	240
A.3	A.2 SUT conformance status .....	241
A.4	A.3 Static conformance summary .....	241
A.5	A.4 Dynamic conformance summary .....	241
A.6	A.5 Static conformance review report .....	242
A.7	A.6 Test campaign report .....	243
A.7.1	A.7 Observations .....	244

<b>Annex B (normative) ProForma conformance test report for Third Party Service Provider In-Vehicle System (TPS-IVS)</b>	<b>245</b>
B.1	B.1 Conformance test report ..... 245
B.2	B.1.1 System under test: ..... 245
B.2.1	B.1.2 System under test identification ..... 245
B.2.2	B.1.3 Testing environment ..... 246
B.2.3	B.1.4 Limits and reservation ..... 246
B.2.4	B.1.5 Comments ..... 246
B.3	B.2 SUT conformance status ..... 247
B.4	B.3 Static conformance summary ..... 247
B.5	B.4 Dynamic conformance summary ..... 247
B.6	B.5 Static conformance review report ..... 248
B.7	B.6 Test campaign report ..... 249
B.7.1	B.7 Observations ..... 249
<b>Annex C (normative) ProForma conformance test report for mobile network operator (MNO)</b>	<b>250</b>
C.1	C.1 Conformance test report ..... 250
C.2	C.1.1 System under test: ..... 250
C.2.1	C.1.2 System under test identification ..... 250
C.2.2	C.1.3 Testing environment ..... 251
C.2.3	C.1.4 Limits and reservation ..... 251
C.2.4	C.1.5 Comments ..... 251
C.3	C.2 SUT conformance status ..... 252
C.4	C.3 Static conformance summary ..... 252
C.5	C.4 Dynamic conformance summary ..... 252
C.6	C.5 Static conformance review report ..... 253
C.7	C.6 Test campaign report ..... 254
C.7.1	C.7 Observations ..... 254
<b>Annex D (normative) ProForma conformance test report for public service answering point (PSAP)</b>	<b>255</b>
D.1	D.1 Conformance test report ..... 255
D.2	D.1.1 System under test: ..... 255
D.2.1	D.1.2 System under test identification ..... 255
D.2.2	D.1.3 Testing environment ..... 256
D.2.3	D.1.4 Limits and reservation ..... 256
D.2.4	D.1.5 Comments ..... 256
D.3	D.2 SUT conformance status ..... 257
D.4	D.3 Static conformance summary ..... 257
D.5	D.4 Dynamic conformance summary ..... 257
D.6	D.5 Static conformance review report ..... 258
D.7	D.6 Test campaign report ..... 259
D.7.1	D.7 Observations ..... 260
<b>Annex E (normative) ProForma conformance test report for third party service provider (TPS-eCall)</b>	<b>261</b>
E.1	E.1 Conformance test report ..... 261
E.2	E.1.1 System under test: ..... 261
E.2.1	E.1.2 System under test identification ..... 261
E.2.2	E.1.3 Testing environment ..... 262
E.2.3	E.1.4 Limits and reservation ..... 262
E.2.4	E.1.5 Comments ..... 262
E.3	E.2 SUT conformance status ..... 263
E.4	E.3 Static conformance summary ..... 263
E.5	E.4 Dynamic conformance summary ..... 263
E.6	E.5 Static conformance review report ..... 264
E.7	E.6 Test campaign report ..... 265
E.7.1	E.7 Observations ..... 265
<b>Bibliography</b>	<b>267</b>