

ISO 18541-4:2015-11 (E)

Road vehicles - Standardized access to automotive repair and maintenance information (RMI) - Part 4: Conformance test

Contents		Page
Foreword		xiii
Introduction		xiv
1	Scope	1
2	Normative references	1
3	Terms, definitions and abbreviated terms	1
3.1	Terms and definitions	1
3.2	Abbreviated terms	2
4	Conformance test basic principles and clustering	2
4.1	Basic principles for conformance test case definition	2
4.2	Conformance test clustering	3
4.2.1	General	3
4.2.2	Main conformance test case clusters	3
5	Test case structure	7
5.1	Conformance test case -- General structure	7
5.1.1	Overview	7
5.1.2	Test case reference number and title [RMI-CT_] [title]	8
5.1.3	Test purpose	8
5.1.4	Configuration	8
5.1.5	Preamble (setup state)	8
5.1.6	Test execution	8
5.1.7	Postamble	8
5.2	Result criteria	8
6	CT cluster 1 -- Test technical infrastructure	9
6.1	[RMI-CT_TREQ-13, 14, 15, 16, 18, Annex A] Test client configuration	9
6.1.1	Overview	9
6.1.2	Test purpose	9
6.1.3	Configuration	9
6.1.4	Preamble (setup state)	9
6.1.5	Test execution	9
6.1.6	Postamble	10
6.2	[RMI-CT_TREQ-17] Test presentation formats for information packages	10
6.2.1	Overview	10
6.2.2	Test purpose	10
6.2.3	Configuration	10
6.2.4	Preamble (setup state)	10
6.2.5	Test execution	10
6.2.6	Postamble	10
7	CT cluster 2 -- Test client's external interfaces	10
7.1	[RMI-CT_TREQ-9] Test vehicle communication interface (VCI)	10
7.1.1	Overview	10
7.1.2	Test purpose	10
7.1.3	Configuration	11
7.1.4	Preamble (setup state)	11

7.1.5	Test execution	11
7.1.6	Postamble	11
7.2	[RMI-CT_TREQ-11] Test parts ordering for security-related features	11
7.2.1	Overview	11
7.2.2	Test purpose	11
7.2.3	Configuration	12
7.2.4	Preamble (setup state)	12
7.2.5	Test execution	12
7.2.6	Postamble	12
7.3	[RMI-CT_TREQ-12] Test partnered accessory provider systems	12
7.3.1	Overview	12
7.3.2	Test purpose	12
7.3.3	Configuration	12
7.3.4	Preamble (setup state)	13
7.3.5	Test execution	13
7.3.6	Postamble	13
8	CT cluster 3 -- Test user authentication, authorization and administration	13
8.1	[RMI-CT_UC1.1] Test to register IO for use of the VM RMI system	13
8.1.1	Overview	13
8.1.2	Test purpose	13
8.1.3	Configuration	13
8.1.4	Preamble (setup state)	13
8.1.5	Test execution	14
8.1.6	Postamble	14
8.2	[RMI-CT_UC1.2_A] Test to register IO employee for use of the VM RMI system -- Scenario A	14
8.2.1	Overview	14
8.2.2	Test purpose	14
8.2.3	Configuration	14
8.2.4	Preamble (setup state)	15
8.2.5	Test execution	15
8.3	[RMI-CT_UC1.2_B] Test to register IO employee for use of the VM RMI system -- Scenario B	15
8.3.1	Overview	15
8.3.2	Test purpose	15
8.3.3	Configuration	15
8.3.4	Preamble (setup state)	15
8.3.5	Test execution	16
8.3.6	Postamble	16
8.4	[RMI-CT_UC1.3] Test to maintain IO status	16
8.4.1	Overview	16
8.4.2	Test purpose	16
8.4.3	Configuration	16
8.4.4	Preamble (setup state)	16
8.4.5	Test execution	17
8.4.6	Postamble	17
8.5	[RMI-CT_UC1.4] Test to maintain user status	17
8.5.1	Overview	17
8.5.2	Test purpose	17
8.5.3	Configuration	17
8.5.4	Preamble (setup state)	17
8.5.5	Test execution	17
8.5.6	Postamble	18
8.6	[RMI-CT_UC1.5] Test to de-register an IO employee	18
8.6.1	Overview	18
8.6.2	Test purpose	18
8.6.3	Configuration	18
8.6.4	Preamble (setup state)	18
8.6.5	Test execution	18
8.6.6	Postamble	19

8.7	[RMI-CT_UC1.6] Test login to VM RMI system	19
8.7.1	Overview	19
8.7.2	Test purpose	19
8.7.3	Configuration	19
8.7.4	Preamble (setup state)	19
8.7.5	Test execution	19
8.7.6	Postamble	20
8.8	[RMI-CT_UC1.7] Test for granting access to security-related RMI	20
8.8.1	Overview	20
8.8.2	Test purpose	20
8.8.3	Configuration	20
8.8.4	Preamble (setup state)	20
8.8.5	Test execution	20
8.8.6	Postamble	21
9	CT cluster 4 -- Test functional user interface implementation	21
9.1	[RMI-CT_FREQ-1] Test for RMI access mode	21
9.1.1	Overview	21
9.1.2	Test purpose	21
9.1.3	Configuration	21
9.1.4	Preamble (setup state)	21
9.1.5	Test execution	21
9.1.6	Postamble	21
9.2	[RMI-CT_FREQ-2] Test for registration and login support	21
9.2.1	Overview	21
9.2.2	Test purpose	21
9.2.3	Configuration	22
9.2.4	Preamble (setup state)	22
9.2.5	Test execution	22
9.2.6	Postamble	22
9.2.7	Result criteria	22
9.3	[RMI-CT_FREQ-3] Test for implemented use cases map	22
9.3.1	Overview	22
9.3.2	Test purpose	22
9.3.3	Configuration	22
9.3.4	Preamble (setup state)	22
9.3.5	Test execution	23
9.3.6	Postamble	23
9.4	[RMI-CT_FREQ-4] Test for download area	23
9.4.1	Overview	23
9.4.2	Test purpose	23
9.4.3	Configuration	23
9.4.4	Preamble (setup state)	23
9.4.5	Test execution	23
9.4.6	Postamble	24
9.5	[RMI-CT_FREQ-5] Test for navigational pathway	24
9.5.1	Overview	24
9.5.2	Test purpose	24
9.5.3	Configuration	24
9.5.4	Preamble (setup state)	24
9.5.5	Test execution	24
9.5.6	Postamble	25
10	CT cluster 5 -- Test payment for RMI	25
10.1	[RMI-CT_UC2] Test payment for RMI	25
10.1.1	Overview	25
10.1.2	Test purpose	25
10.1.3	Configuration	25
10.1.4	Preamble (setup state)	25
10.1.5	Test execution	26
10.1.6	Postamble	26

11	CTcluster6--Testforvehicleidentification	26
11.1	[RMI-CT_UC3.1] Test vehicle identification through use of VIN	26
11.1.1	Overview	26
11.1.2	Test purpose	26
11.1.3	Configuration	26
11.1.4	Preamble (setup state)	26
11.1.5	Test execution	27
11.1.6	Postamble	27
11.2	[RMI-CT_UC3.2] Test vehicle identification via product features	27
11.2.1	Overview	27
11.2.2	Test purpose	27
11.2.3	Configuration	27
11.2.4	Preamble (setup state)	27
11.2.5	Test execution	27
11.2.6	Postamble	28
12	CT cluster 7 -- Test selection methods for RMI	28
12.1	[RMI-CT_UC4.1] Test selection of information type	28
12.1.1	Overview	28
12.1.2	Test purpose	28
12.1.3	Configuration	28
12.1.4	Preamble (setup state)	28
12.1.5	Test execution	28
12.1.6	Postamble	29
12.2	[RMI-CT_UC4.2] Test search by standardized terms	29
12.2.1	Overview	29
12.2.2	Test purpose	29
12.2.3	Configuration	29
12.2.4	Preamble (setup state)	29
12.2.5	Test execution	29
12.2.6	Postamble	30
12.3	[RMI-CT_UC4.3] Test navigation using product structure	30
12.3.1	Overview	30
12.3.2	Test purpose	30
12.3.3	Configuration	30
12.3.4	Preamble (setup state)	30
12.3.5	Test execution	30
12.3.6	Postamble	31
12.4	[RMI-CT_UC4.4] Test selection by document identifier	31
12.4.1	Overview	31
12.4.2	Test purpose	31
12.4.3	Configuration	31
12.4.4	Preamble (setup state)	31
12.4.5	Test execution	31
12.4.6	Postamble	31
13	CTcluster8--Testretrievalofinformationpackages	32
13.1	[RMI-CT_UC5.1.1] Test retrieval of general workshop procedures	32
13.1.1	Overview	32
13.1.2	Test purpose	32
13.1.3	Configuration	32
13.1.4	Preamble (setup state)	32
13.1.5	Test execution	32
13.1.6	Postamble	32
13.2	[RMI-CT_UC5.1.2] Test retrieval of body repair procedures	32
13.2.1	Overview	32
13.2.2	Test purpose	33
13.2.3	Configuration	33
13.2.4	Preamble (setup state)	33
13.2.5	Test execution	33
13.2.6	Postamble	33
13.3	[RMI-CT_UC5.1.3] Test retrieval of temporary repair procedures	33

13.3.1	Overview	33
13.3.2	Test purpose	33
13.3.3	Configuration	34
13.3.4	Preamble (setup state)	34
13.3.5	Test execution	34
13.3.6	Postamble	34
13.4	[RMI-CT_UC5.1.4] Test retrieval of preparation for PTI	34
13.4.1	Overview	34
13.4.2	Test purpose	34
13.4.3	Configuration	34
13.4.4	Preamble (setup state)	35
13.4.5	Test execution	35
13.4.6	Postamble	35
13.5	[RMI-CT_UC5.2] Test retrieval of wiring diagrams	35
13.5.1	Overview	35
13.5.2	Test purpose	35
13.5.3	Configuration	35
13.5.4	Preamble (setup state)	35
13.5.5	Test execution	36
13.5.6	Postamble	36
13.6	[RMI-CT_UC5.3] Test retrieval of technical service bulletin	36
13.6.1	Overview	36
13.6.2	Test purpose	36
13.6.3	Configuration	36
13.6.4	Preamble (setup state)	36
13.6.5	Test execution	37
13.6.6	Postamble	37
13.7	[RMI-CT_UC5.4] Test retrieval of recall information	37
13.7.1	Overview	37
13.7.2	Test purpose	37
13.7.3	Configuration	37
13.7.4	Preamble (setup state)	37
13.7.5	Test execution	37
13.7.6	Postamble	38
13.8	[RMI-CT_UC5.5] Test retrieval of maintenance schedule	38
13.8.1	Overview	38
13.8.2	Test purpose	38
13.8.3	Configuration	38
13.8.4	Preamble (setup state)	38
13.8.5	Test execution	38
13.8.6	Postamble	39
13.9	[RMI-CT_UC5.6.1] Test retrieval of spare parts (identification)	39
13.9.1	Overview	39
13.9.2	Test purpose	39
13.9.3	Configuration	39
13.9.4	Preamble (setup state)	39
13.9.5	Test execution	39
13.9.6	Postamble	39
13.10	[RMI-CT_UC5.6.2] Test retrieval of spare parts (access)	40
13.10.1	Overview	40
13.10.2	Test purpose	40
13.10.3	Configuration	40
13.10.4	Preamble (setup state)	40
13.10.5	Test execution	40
13.10.6	Postamble	40
13.11	[RMI-CT_UC5.7.1] Test retrieval of accessory information factory fitted (included in general RMI)	40
13.11.1	Overview	40
13.11.2	Test purpose	40
13.11.3	Configuration	41
13.11.4	Preamble (setup state)	41
13.11.5	Test execution	41

13.11.6	Postamble	41
13.12	[RMI-CT_UC5.7.2] Test retrieval of accessory information partnered with a VM part number	41
13.12.1	Overview	41
13.12.2	Test purpose	41
13.12.3	Configuration	41
13.12.4	Preamble (setup state)	42
13.12.5	Test execution	42
13.12.6	Postamble	42
13.13	[RMI-CT_UC5.7.3] Test retrieval of fitting information for accessories with no VM part number	42
13.13.1	Overview	42
13.13.2	Test purpose	42
13.13.3	Configuration	42
13.13.4	Preamble (setup state)	42
13.13.5	Test execution	43
13.13.6	Postamble	43
13.14	[RMI-CT_UC5.8] Test retrieval of labour times	43
13.14.1	Overview	43
13.14.2	Test purpose	43
13.14.3	Configuration	43
13.14.4	Preamble (setup state)	43
13.14.5	Test execution	44
13.14.6	Postamble	44
13.15	[RMI-CT_UC5.9] Test retrieval of converted vehicle information	44
13.15.1	Overview	44
13.15.2	Test purpose	44
13.15.3	Configuration	44
13.15.4	Preamble (setup state)	44
13.15.5	Test execution	44
13.15.6	Postamble	45
13.16	[RMI-CT_UC5.10] Test retrieval of special tool information	45
13.16.1	Overview	45
13.16.2	Test purpose	45
13.16.3	Configuration	45
13.16.4	Preamble (setup state)	45
13.16.5	Test execution	45
13.16.6	Postamble	46
14	CTcluster9--Testvehiclediagnosics	46
14.1	[RMI-CT_UC6.1] Test DTC resolution	46
14.1.1	Overview	46
14.1.2	Test purpose	46
14.1.3	Configuration	46
14.1.4	Preamble (setup state)	46
14.1.5	Test execution	46
14.1.6	Postamble	46
14.2	[RMI-CT_UC6.2] Test VM symptom resolution	47
14.2.1	Overview	47
14.2.2	Test purpose	47
14.2.3	Configuration	47
14.2.4	Preamble (setup state)	47
14.2.5	Test execution	47
14.2.6	Postamble	47
14.3	[RMI-CT_UC6.3] Test integrated diagnostics	47
14.3.1	Overview	47
14.3.2	Test purpose	48
14.3.3	Configuration	48
14.3.4	Preamble (setup state)	48
14.3.5	Test execution	48
14.3.6	Postamble	48

15	CTcluster10--Testupdating,replacingandtuningofmodules(ECUs)	48
15.1	[RMI-CT_UC7.1] Test updating and replacing modules information	48
15.1.1	Overview	48
15.1.2	Test purpose	49
15.1.3	Configuration	49
15.1.4	Preamble (setup state)	49
15.1.5	Test execution	49
15.1.6	Postamble	49
15.2	[RMI-CT_UC7.2] Test tuning kit	49
15.2.1	Overview	49
15.2.2	Test purpose	50
15.2.3	Configuration	50
15.2.4	Preamble (setup state)	50
15.2.5	Test execution	50
15.2.6	Postamble	50
16	CT cluster 11 -- Test electronic maintenance history	50
16.1	[RMI-CT_UC8] Test electronic maintenance history	50
16.1.1	Overview	50
16.1.2	Test purpose	51
16.1.3	Configuration	51
16.1.4	Preamble (setup state)	51
16.1.5	Test execution	51
16.1.6	Postamble	51
17	CT cluster 12 -- Test repair assistance, technical support	51
17.1	[RMI-CT_UC9] Test repair assistance technical support	51
17.1.1	Overview	51
17.1.2	Test purpose	52
17.1.3	Configuration	52
17.1.4	Preamble (setup state)	52
17.1.5	Test execution	52
17.1.6	Postamble	52
18	CT cluster 13 -- Test request for contact information	52
18.1	[RMI-CT_UC10.1] Test for retrieval of electronic tool information (Diagnostic, Reprogramming, VCI)	52
18.1.1	Overview	52
18.1.2	Test purpose	52
18.1.3	Configuration	53
18.1.4	Preamble (setup state)	53
18.1.5	Test execution	53
18.1.6	Postamble	53
18.2	[RMI-CT_UC10.2] Test for retrieval of test equipment and diagnostic tool manufacturers information	53
18.2.1	Overview	53
18.2.2	Test purpose	53
18.2.3	Configuration	53
18.2.4	Preamble (setup state)	54
18.2.5	Test execution	54
18.2.6	Postamble	54
18.3	[RMI-CT_UC10.3] Test for retrieval of training material (delegate information)	54
18.3.1	Overview	54
18.3.2	Test purpose	54
18.3.3	Configuration	54
18.3.4	Preamble (setup state)	54
18.3.5	Test execution	55
18.3.6	Postamble	55
18.4	[RMI-CT_UC10.4] Test for retrieval of redistributor contact information	55
18.4.1	Overview	55
18.4.2	Test purpose	55
18.4.3	Configuration	55

18.4.4	Preamble (setup state)	55
18.4.5	Test execution	55
18.4.6	Postamble	56
18.5	[RMI-CT_UC10.5] Test for retrieval of republisher information	56
18.5.1	Overview	56
18.5.2	Test purpose	56
18.5.3	Configuration	56
18.5.4	Preamble (setup state)	56
18.5.5	Test execution	56
18.5.6	Postamble	56
18.6	[RMI-CT_UC10.6] Test for retrieval of inspection and testing services information	56
18.6.1	Overview	56
18.6.2	Test purpose	57
18.6.3	Configuration	57
18.6.4	Preamble (setup state)	57
18.6.5	Test execution	57
18.6.6	Postamble	57
18.7	[RMI-CT_UC10.7] Test for retrieval of alternative fuels retrofit system information	57
18.7.1	Overview	57
18.7.2	Test purpose	57
18.7.3	Configuration	57
18.7.4	Preamble (setup state)	58
18.7.5	Test execution	58
18.7.6	Postamble	58
18.8	[RMI-CT_UC10.8] Test for retrieval of engine and components remanufacturing information	58
18.8.1	Overview	58
18.8.2	Test purpose	58
18.8.3	Configuration	58
18.8.4	Preamble (setup state)	58
18.8.5	Test execution	59
18.8.6	Postamble	59
18.9	[RMI-CT_UC10.9] Test for retrieval of component and parts manufacturer information	59
18.9.1	Overview	59
18.9.2	Test purpose	59
18.9.3	Configuration	59
18.9.4	Preamble (setup state)	59
18.9.5	Test execution	59
18.9.6	Postamble	60
18.10	[RMI-CT_UC10.10] Test for retrieval of validation of independently developed non-proprietary VCI information	60
18.10.1	Overview	60
18.10.2	Test purpose	60
18.10.3	Configuration	60
18.10.4	Preamble (setup state)	60
18.10.5	Test execution	60
18.10.6	Postamble	61
19	CTcluster14--Testcoursesandtraininginformation	61
19.1	[RMI-CT_UC11] Test for courses and training information	61
19.1.1	Overview	61
19.1.2	Test purpose	61
19.1.3	Configuration	61
19.1.4	Preamble (setup state)	61
19.1.5	Test execution	61
19.1.6	Postamble	62
20	CT cluster 15 -- Test data administration requirements	62
20.1	[RMI-CT_TREQ-1] Test general access-related data administration	62
20.1.1	Overview	62
20.1.2	Test purpose	62
20.1.3	Configuration	62

20.1.4	Preamble (setup state)	62
20.1.5	Test execution	62
20.1.6	Postamble	62
20.2	[RMI-CT_TREQ-2] Test administration of IO data by the VM	63
20.2.1	Overview	63
20.2.2	Test purpose	63
20.2.3	Configuration	63
20.2.4	Preamble (setup state)	63
20.2.5	Test execution	63
20.2.6	Postamble	63
20.3	[RMI-CT_TREQ-3] Test administration of IO employee data by the VM	63
20.3.1	Overview	63
20.3.2	Test purpose	63
20.3.3	Configuration	63
20.3.4	Preamble (setup state)	63
20.3.5	Test execution	63
20.3.6	Postamble	64
20.4	[RMI-CT_TREQ-4] Test administration of payment data by VM	64
20.4.1	Overview	64
20.4.2	Test purpose	64
20.4.3	Configuration	64
20.4.4	Preamble (setup state)	64
20.4.5	Test execution	64
20.4.6	Postamble	64
20.5	[RMI-CT_TREQ-5] Test administration of access event data by VM	64
20.5.1	Overview	64
20.5.2	Test purpose	64
20.5.3	Configuration	64
20.5.4	Preamble (setup state)	65
20.5.5	Test execution	65
20.5.6	Postamble	65
20.6	[RMI-CT_TREQ-6] Test administration of access event data to security-related RMI by VM	65
20.6.1	Overview	65
20.6.2	Test purpose	65
20.6.3	Configuration	65
20.6.4	Preamble (setup state)	65
20.6.5	Test execution	65
20.6.6	Postamble	65
21	CT cluster 16 -- Test VM software installation on the IO client	66
21.1	[RMI-CT_TREQ-20] Test for requirements for installing VM-specific software on the IO client	66
21.1.1	Overview	66
21.1.2	Test purpose	66
21.1.3	Configuration	66
21.1.4	Preamble (setup state)	66
21.1.5	Test execution	66
21.1.6	Postamble	66
21.2	[RMI-CT_TREQ-21] Test for requirements for updating of installed VM data and applications on the IO client	67
21.2.1	Overview	67
21.2.2	Test purpose	67
21.2.3	Configuration	67
21.2.4	Preamble (setup state)	67
21.2.5	Test execution	67
21.2.6	Postamble	67
21.3	[RMI-CT_TREQ-22] Test for requirements for the operation of VM-specific software on the IO client	67
21.3.1	Overview	67
21.3.2	Test purpose	68
21.3.3	Configuration	68

21.3.4	Preamble (setup state)	68
21.3.5	Test execution	68
21.3.6	Postamble	68
21.4	[RMI-CT_TREQ-23] Test for requirements for the uninstalling of VM-specific software on the IO client	68
21.4.1	Overview	68
21.4.2	Test purpose	68
21.4.3	Configuration	68
21.4.4	Preamble (setup state)	69
21.4.5	Test execution	69
21.4.6	Postamble	69
21.5	[RMI-CT_TREQ-24] Test for requirements for restoring in case of an abnormal termination of the VM specific software on the IO client	69
21.5.1	Overview	69
21.5.2	Test purpose	69
21.5.3	Configuration	69
21.5.4	Preamble (setup state)	69
21.5.5	Test execution	70
21.5.6	Postamble	70
22	CT cluster 17 -- Test VM RMI operations	70
22.1	[RMI-CT_TREQ-25] Test for VM RMI system availability time	70
22.1.1	Overview	70
22.1.2	Test purpose	70
22.1.3	Configuration	70
22.1.4	Preamble (setup state)	70
22.1.5	Test execution	70
22.1.6	Postamble	71
22.2	[RMI-CT_TREQ-26] Test for support for the usage of the VM RMI system	71
22.2.1	Overview	71
22.2.2	Test purpose	71
22.2.3	Configuration	71
22.2.4	Preamble (setup state)	71
22.2.5	Test execution	71
22.2.6	Postamble	71
23	CTcluster18--Testtrustcentre(certificatemanagement)	72
23.1	[RMI-CT_TREQ-10] Test for trust centre (certificate management)	72
23.1.1	Overview	72
23.1.2	Test purpose	72
23.1.3	Configuration	72
23.1.4	Preamble (setup state)	72
23.1.5	Test execution	72
23.1.6	Postamble	72
	Bibliography	73