ISO 14230-2:2016-08 (E)

Road vehicles - Diagnostic communication over K-Line (DoK-Line) - Part 2: Data link layer

Contents

Page

Foreword ... **v**

Introduction ... **vi**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms, definitions, symbols and abbreviated terms ... **1**
3.1 Terms and definitions ... 1
3.2 Symbols and abbreviated terms ... 2

4 Conventions ... **3**

5 Document overview ... **4**

6 Physical bus topology ... **5**

7 Data link layer overview ... **7**
7.1 General ... 7
7.2 Format description of data link layer services ... 7
7.3 Services provided by the data link layer to higher layers ... 7
7.4 Specification of DoK-Line data link layer service primitives ... 8
7.4.1 DL_Data.request ... 8
7.4.2 DL_Data.confirm ... 8
7.4.3 DL_Data_FB.indication ... 9
7.4.4 DL_Data.indication ... 9
7.4.5 DoK-Line_Init.request ... 9
7.4.6 DoK-Line_Initialize.confirm ... 9
7.4.7 DoK-Line_ChangeParameter.request ... 10
7.4.8 DoK-Line_ChangeParameter.confirm ... 10
7.5 Service data unit specification ... 10
7.5.1 SA, Source Address ... 10
7.5.2 TA, Target Address ... 10
7.5.3 TAtype, target address type ... 11
7.5.4 <Length> ... 11
7.5.5 <MessageData> ... 11
7.5.6 <Result_DoK-Line> ... 11
7.5.7 <InitializationModeIdentifier> ... 12
7.5.8 <InitializationResultData> ... 12
7.5.9 <Result_Initialization> ... 12
7.5.10 <Parameter_Value> ... 13
7.5.11 <Result_ChangeParameter> ... 13

8 Protocol initialization ... **14**
8.1 General ... 14
8.2 Timing parameters for 5-BAUD_INIT ... 14
8.3 Protocol determination ... 14
8.3.1 5-BAUD_INIT according to ISO 9141 ... 14
8.3.2 5-BAUD_INIT according to this document ... 16
8.3.3 FAST_INIT according to this document ... 17
8.3.4 FAST_INIT according to ISO 14230–4 ... 19
8.3.5 Client protocol determination by server (ECU) key bytes ... 20
8.3.6 Initial data exchange after successful completion of initialization ... 22
8.4 Protocol specific key bytes ... 22
8.4.1 Format of key bytes ... 22
8.4.2 Key bytes for emissions-related OBD protocols of ISO 9141-2 ... 23
8.4.3 Key bytes for emissions-related OBD protocol ISO 14230-4 ... 23
8.4.4 Key bytes for enhanced diagnostics with support of ISO 14230-4 ... 24
8.4.5 Calculation of decimal value of key bytes ... 25

9 Message definition **25**
9.1 Message structure 25
9.2 Message header 26
9.2.1 Format byte (FMT) 26
9.2.2 Target address byte (TA) 26
9.2.3 Source address byte (SA) 27
9.2.4 Length byte (LEN) 27
9.2.5 Message header configurations 27
9.3 Protocol data unit (PDU) 28
9.4 Checksum byte (CS) 28

10 Protocol timing requirements **29**
10.1 General timing measurement requirements 29
10.2 Protocol timing parameter definition 29
10.2.1 Inter-byte and inter-message timing parameters 29
10.2.2 Inter-byte timing parameter set 29
10.3 Inter-byte message timing 30
10.4 Data link layer timing at T-Data interface 32

11 Communication services **34**
11.1 StartCommunication service 34
11.1.1 Service definition 34
11.1.2 Implementation 35
11.2 StopCommunication service 36
11.2.1 Service definition 36
11.2.2 Implementation 36
11.3 AccessTimingParameter service 37
11.3.1 Service definition 37
11.3.2 Implementation 38
11.4 SendData service 40
11.4.1 Service definition 40

12 Data collisions **41**

13 Error handling **41**
13.1 Error handling during physical/functional 5-BAUD initialization 41
13.1.1 Client (external test equipment) error handling during physical/functional 5-BAUD-INIT 41
13.1.2 Server (ECU) error handling during physical/functional 5-BAUD_INIT 42
13.2 Error handling during physical/functional FAST_INIT 42
13.2.1 Client (external test equipment) error handling during physical/functional FAST_INIT 42
13.2.2 Server (ECU) error handling during physical FAST_INIT 43
13.2.3 Server (ECU) error handling during functional FAST_INIT (normal timing only) 43
13.3 Error handling after physical/functional initialization 44
13.3.1 Client (external test equipment) communication error handling (after physical/functional initialization) 44
13.3.2 Server (ECU) communication error handling after physical initialization 44
13.3.3 Server (ECU) error handling after functional initialization 45

Annex A (normative) **Server and client addresses for 5-BAUD_INIT** **46**

Annex B (informative) **Recommended server and client addresses** **47**

Annex C (informative) **Protocol comparison of initialization sequence** **48**

Bibliography **49**