

ISO 15118-5:2018-02 (E)

Road vehicles - Vehicle to grid communication interface - Part 5: Physical layer and data link layer conformance test

Contents

Foreword.....	vii
Introduction.....	viii
1 Scope	1
2 Normative references	2
3 Terms and definitions.....	2
4 Symbols (and abbreviated terms)	7
5 Conventions	8
5.1 Requirement structure.....	8
5.2 Test system description	8
6 Test architecture reference model.....	8
6.1 General information	8
6.2 Platform adapter interface.....	9
6.3 SUT adapter interfaces	9
6.4 Codecs	10
7 Test suite conventions	10
7.1 General information	10
7.2 Test suite structure (TSS).....	10
7.3 Test profiles.....	12
7.3.1 Test configurations	12
7.3.2 Components and ports.....	13
7.3.3 Protocol implementation conformance statement (PICS) definition.....	14
7.3.4 Protocol implementation extra information for testing (PIXIT) definition.....	15
7.3.5 Test control.....	17
Table 12 — SECC AC PICS/PIXIT configuration.....	17
Table 13 — SECC DC PICS/PIXIT configuration.....	18
Table 14 — EVCC AC PICS/PIXIT configuration	19
Table 15 — EVCC DC PICS/PIXIT configuration	20
7.4 Test suite identifiers.....	22
7.4.1 Module identifiers	22
7.4.2 Test case identifiers.....	22
7.4.3 Template identifiers	24
7.4.4 Function identifiers	25
7.4.5 Timer identifiers.....	26
7.4.6 PICS/PIXIT identifiers.....	26
7.4.7 Verdict identifiers	27
7.5 Test suite coverage	27
Table 29 — ATS coverage of requirements in ISO 15118-3	28
Table 30 — Groups for a simplified TC Id representation (see Table 29)	46
7.6 Test case description.....	56
7.7 Test case specification	57
7.7.1 Data types.....	57
7.7.2 Templates.....	57
7.7.3 Timeouts and timers	58
7.7.4 Library functions	58

7.7.5	Test case modelling.....	58
7.7.6	SLAC Message handling for different SUT types.....	59
7.7.7	IEC 61851-1 PWM event handling and control.....	59
7.7.8	Data link status control functionality.....	61
7.7.9	EIM status control functionality.....	61
7.7.10	Transmission power limitation functionality.....	61
7.7.11	Attenuator injection functionality.....	61
8	Test case descriptions for ISO 15118-3 HPGP PLC signal measurement.....	62
8.1	General information.....	62
8.2	Test case for PLC signal measurement for ISO 15118-3.....	62
8.3	SECC + PLC bridge test cases.....	62
8.3.1	SECC test cases for CmSlacParm.....	62
8.3.2	SECC test cases for AttenuationCharacterization.....	69
8.3.3	SECC test cases for CmValidate.....	79
8.3.4	SECC test cases for CmSlacMatch.....	86
8.3.5	SECC test cases for PLCLinkStatus.....	98
8.3.6	SECC test cases for CmAmpMap.....	110
8.4	EVCC + PLC bridge test cases.....	114
8.4.1	EVCC test cases for CmSlacParm.....	114
8.4.2	EVCC test cases for AttenuationCharacterization.....	122
8.4.3	EVCC test cases for CmValidate.....	130
8.4.4	EVCC test cases for CmValidateOrCmSlacMatch.....	142
8.4.5	EVCC test cases for CmSlacMatch.....	142
8.4.6	EVCC test cases for PLCLinkStatus.....	148
8.4.7	EVCC test cases for CmAmpMap.....	159
Annex A	(normative) Configuration specifications.....	164
A.1	Timer configuration.....	164
A.2	PICS configuration.....	165
A.3	PIXIT configuration.....	165
Annex B	(normative) Control part specification.....	167
B.1	SECC control parts.....	167
B.1.1	AC specific control parts.....	167
B.1.2	DC specific control parts.....	172
B.2	EVCC control parts.....	177
B.2.1	AC specific control parts.....	177
B.2.2	DC specific control parts.....	181
Annex C	(normative) Test-case specifications for 15118-3.....	186
C.1	SECC + PLC bridge test cases.....	186
C.1.1	SECC test cases for CmSlacParm.....	186
C.1.2	SECC test cases for AttenuationCharacterization.....	190
C.1.3	SECC test cases for CmValidate.....	197
C.1.4	SECC test cases for CmSlacMatch.....	202
C.1.5	SECC test cases for PLCLinkStatus.....	209
C.1.6	SECC test cases for CmAmpMap.....	212
C.2	EVCC + PLC bridge test cases.....	214

C.2.1	EVCC test cases for CmSlacParm.....	214
C.2.2	EVCC test cases for AttenuationCharacterization	219
C.2.3	EVCC test cases for CmValidate.....	224
C.2.4	EVCC test cases for CmValidateOrCmSlacMatch	232
C.2.5	EVCC test cases for CmSlacMatch	232
C.2.6	EVCC test cases for PLCLinkStatus.....	236
C.2.7	EVCC test cases for CmAmpMap	244
Annex D (normative) Function specifications for supporting test execution.....		248
D.1	Configuration functions.....	248
D.2	Pre-condition functions.....	250
D.2.1	SECC + PLC bridge functions	250
D.2.2	EVCC + PLC bridge functions.....	253
D.3	Post-condition functions.....	256
D.3.1	SECC + PLC bridge functions	256
D.3.2	EVCC + PLC bridge functions.....	257
D.4	Library functions	257
Annex E (normative) Function specifications for 15118-3.....		259
E.1	SECC + PLC bridge functions	259
E.1.1	SECC functions for CmSlacParm	259
E.1.2	SECC functions for AttenuationCharacterization	266
E.1.3	SECC functions for CmValidate.....	281
E.1.4	SECC functions for CmSlacMatch	298
E.1.5	SECC functions for CmSetKey.....	303
E.1.6	SECC functions for PLCLinkStatus.....	304
E.1.7	SECC functions for CmAmpMap	313
E.2	EVCC + PLC bridge functions.....	318
E.2.1	EVCC functions for CmSlacParm	319
E.2.2	EVCC functions for AttenuationCharacterization.....	324
E.2.3	EVCC functions for CmValidate	346
E.2.4	EVCC functions for CmValidateOrCmSlacMatch	367
E.2.5	EVCC functions for CmSlacMatch.....	370
E.2.6	EVCC functions for CmSetKey	373
E.2.7	EVCC functions for PLCLinkStatus	373
E.2.8	EVCC functions for CmAmpMap.....	379
Annex F (normative) Template specifications for 15118-3		385
F.1	Common + PLC bridge templates	385
F.1.1	CMN templates for CmSlacParm	386
F.1.2	CMN templates for CmStartAttenCharInd.....	387

F.1.3	CMN templates for CmMnbcSoundInd	387
F.1.4	CMN templates for CmAttenCharRsp	387
F.1.5	CMN templates for CmValidate.....	388
F.1.6	CMN templates for CmSlacMatch	389
F.1.7	CMN templates for CmSetKey	390
F.1.8	CMN templates for CmAmpMap	391
F.1.9	CMN templates for CmNwStats	394
F.2	SECC + PLC bridge templates.....	394
F.2.1	SECC templates for CmAttenCharInd	395
F.3	EVCC + PLC bridge templates	395
F.3.1	EVCC templates for CmAttenProfileInd.....	395
F.3.2	EVCC templates for CmAttenCharInd.....	395
	Annex G (normative) Data type definitions	397
G.1	Data types for PICS.....	397
G.2	Data types for PIXIT	397
G.3	Data types for SLAC.....	398
	Bibliography.....	403