

# ISO 15118-5:2018-02 (E)

## Road vehicles - Vehicle to grid communication interface - Part 5: Physical layer and data link layer conformance test

---

### Contents

<b>Foreword.....</b>	<b>vii</b>
<b>Introduction.....</b>	<b>viii</b>
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>2</b>
<b>3 Terms and definitions.....</b>	<b>2</b>
<b>4 Symbols (and abbreviated terms) .....</b>	<b>7</b>
<b>5 Conventions .....</b>	<b>8</b>
<b>5.1 Requirement structure.....</b>	<b>8</b>
<b>5.2 Test system description .....</b>	<b>8</b>
<b>6 Test architecture reference model.....</b>	<b>8</b>
<b>6.1 General information .....</b>	<b>8</b>
<b>6.2 Platform adapter interface.....</b>	<b>9</b>
<b>6.3 SUT adapter interfaces .....</b>	<b>9</b>
<b>6.4 Codecs .....</b>	<b>10</b>
<b>7 Test suite conventions .....</b>	<b>10</b>
<b>7.1 General information .....</b>	<b>10</b>
<b>7.2 Test suite structure (TSS) .....</b>	<b>10</b>
<b>7.3 Test profiles.....</b>	<b>12</b>
<b>7.3.1 Test configurations .....</b>	<b>12</b>
<b>7.3.2 Components and ports.....</b>	<b>13</b>
<b>7.3.3 Protocol implementation conformance statement (PICS) definition .....</b>	<b>14</b>
<b>7.3.4 Protocol implementation extra information for testing (PIXIT) definition.....</b>	<b>15</b>
<b>7.3.5 Test control.....</b>	<b>17</b>
<b>Table 12 — SECC AC PICS/PIXIT configuration .....</b>	<b>17</b>
<b>Table 13 — SECC DC PICS/PIXIT configuration.....</b>	<b>18</b>
<b>Table 14 — EVCC AC PICS/PIXIT configuration .....</b>	<b>19</b>
<b>Table 15 — EVCC DC PICS/PIXIT configuration .....</b>	<b>20</b>
<b>7.4 Test suite identifiers.....</b>	<b>22</b>
<b>7.4.1 Module identifiers .....</b>	<b>22</b>
<b>7.4.2 Test case identifiers.....</b>	<b>22</b>
<b>7.4.3 Template identifiers .....</b>	<b>24</b>
<b>7.4.4 Function identifiers .....</b>	<b>25</b>
<b>7.4.5 Timer identifiers.....</b>	<b>26</b>
<b>7.4.6 PICS/PIXIT identifiers.....</b>	<b>26</b>
<b>7.4.7 Verdict identifiers .....</b>	<b>27</b>
<b>7.5 Test suite coverage .....</b>	<b>27</b>
<b>Table 29 — ATS coverage of requirements in ISO 15118-3 .....</b>	<b>28</b>
<b>Table 30 — Groups for a simplified TC Id representation (see Table 29) .....</b>	<b>46</b>
<b>7.6 Test case description.....</b>	<b>56</b>
<b>7.7 Test case specification .....</b>	<b>57</b>
<b>7.7.1 Data types .....</b>	<b>57</b>
<b>7.7.2 Templates .....</b>	<b>57</b>
<b>7.7.3 Timeouts and timers .....</b>	<b>58</b>
<b>7.7.4 Library functions .....</b>	<b>58</b>

7.7.5	Test case modelling .....	58
7.7.6	SLAC Message handling for different SUT types.....	59
7.7.7	IEC 61851-1 PWM event handling and control.....	59
7.7.8	Data link status control functionality .....	61
7.7.9	EIM status control functionality .....	61
7.7.10	Transmission power limitation functionality.....	61
7.7.11	Attenuator injection functionality .....	61
<b>8</b>	<b>Test case descriptions for ISO 15118-3 HPGP PLC signal measurement.....</b>	<b>62</b>
8.1	General information.....	62
8.2	Test case for PLC signal measurement for ISO 15118-3 .....	62
8.3	SECC + PLC bridge test cases .....	62
8.3.1	SECC test cases for CmSlacParm.....	62
8.3.2	SECC test cases for AttenuationCharacterization.....	69
8.3.3	SECC test cases for CmValidate.....	79
8.3.4	SECC test cases for CmSlacMatch .....	86
8.3.5	SECC test cases for PLCLinkStatus .....	98
8.3.6	SECC test cases for CmAmpMap.....	110
8.4	EVCC + PLC bridge test cases .....	114
8.4.1	EVCC test cases for CmSlacParm .....	114
8.4.2	EVCC test cases for AttenuationCharacterization.....	122
8.4.3	EVCC test cases for CmValidate .....	130
8.4.4	EVCC test cases for CmValidateOrCmSlacMatch.....	142
8.4.5	EVCC test cases for CmSlacMatch.....	142
8.4.6	EVCC test cases for PLCLinkStatus .....	148
8.4.7	EVCC test cases for CmAmpMap .....	159
<b>Annex A (normative) Configuration specifications.....</b>	<b>164</b>	
A.1	Timer configuration .....	164
A.2	PICS configuration .....	165
A.3	PIXIT configuration .....	165
<b>Annex B (normative) Control part specification.....</b>	<b>167</b>	
B.1	SECC control parts .....	167
B.1.1	AC specific control parts .....	167
B.1.2	DC specific control parts.....	172
B.2	EVCC control parts .....	177
B.2.1	AC specific control parts .....	177
B.2.2	DC specific control parts.....	181
<b>Annex C (normative) Test-case specifications for 15118-3 .....</b>	<b>186</b>	
C.1	SECC + PLC bridge test cases .....	186
C.1.1	SECC test cases for CmSlacParm.....	186
C.1.2	SECC test cases for AttenuationCharacterization .....	190
C.1.3	SECC test cases for CmValidate .....	197
C.1.4	SECC test cases for CmSlacMatch .....	202
C.1.5	SECC test cases for PLCLinkStatus .....	209
C.1.6	SECC test cases for CmAmpMap.....	212
C.2	EVCC + PLC bridge test cases .....	214

C.2.1	EVCC test cases for CmSlacParm.....	214
C.2.2	EVCC test cases for AttenuationCharacterization .....	219
C.2.3	EVCC test cases for CmValidate.....	224
C.2.4	EVCC test cases for CmValidateOrCmSlacMatch .....	232
C.2.5	EVCC test cases for CmSlacMatch .....	232
C.2.6	EVCC test cases for PLCLinkStatus.....	236
C.2.7	EVCC test cases for CmAmpMap .....	244
	<b>Annex D (normative) Function specifications for supporting test execution.....</b>	248
D.1	Configuration functions.....	248
D.2	Pre-condition functions.....	250
D.2.1	SECC + PLC bridge functions .....	250
D.2.2	EVCC + PLC bridge functions.....	253
D.3	Post-condition functions.....	256
D.3.1	SECC + PLC bridge functions .....	256
D.3.2	EVCC + PLC bridge functions.....	257
D.4	Library functions .....	257
	<b>Annex E (normative) Function specifications for 15118-3.....</b>	259
E.1	SECC + PLC bridge functions .....	259
E.1.1	SECC functions for CmSlacParm .....	259
E.1.2	SECC functions for AttenuationCharacterization .....	266
E.1.3	SECC functions for CmValidate.....	281
E.1.4	SECC functions for CmSlacMatch .....	298
E.1.5	SECC functions for CmSetKey.....	303
E.1.6	SECC functions for PLCLinkStatus.....	304
E.1.7	SECC functions for CmAmpMap .....	313
E.2	EVCC + PLC bridge functions.....	318
E.2.1	EVCC functions for CmSlacParm .....	319
E.2.2	EVCC functions for AttenuationCharacterization.....	324
E.2.3	EVCC functions for CmValidate .....	346
E.2.4	EVCC functions for CmValidateOrCmSlacMatch .....	367
E.2.5	EVCC functions for CmSlacMatch.....	370
E.2.6	EVCC functions for CmSetKey .....	373
E.2.7	EVCC functions for PLCLinkStatus .....	373
E.2.8	EVCC functions for CmAmpMap .....	379
	<b>Annex F (normative) Template specifications for 15118-3 .....</b>	385
F.1	Common + PLC bridge templates .....	385
F.1.1	CMN templates for CmSlacParm.....	386
F.1.2	CMN templates for CmStartAttenCharInd.....	387

<b>F.1.3</b>	<b>CMN templates for CmMnbcSoundInd .....</b>	<b>387</b>
<b>F.1.4</b>	<b>CMN templates for CmAttenCharRsp .....</b>	<b>387</b>
<b>F.1.5</b>	<b>CMN templates for CmValidate.....</b>	<b>388</b>
<b>F.1.6</b>	<b>CMN templates for CmSlacMatch.....</b>	<b>389</b>
<b>F.1.7</b>	<b>CMN templates for CmSetKey .....</b>	<b>390</b>
<b>F.1.8</b>	<b>CMN templates for CmAmpMap .....</b>	<b>391</b>
<b>F.1.9</b>	<b>CMN templates for CmNwStats .....</b>	<b>394</b>
<b>F.2</b>	<b>SECC + PLC bridge templates.....</b>	<b>394</b>
<b>F.2.1</b>	<b>SECC templates for CmAttenCharInd .....</b>	<b>395</b>
<b>F.3</b>	<b>EVCC + PLC bridge templates .....</b>	<b>395</b>
<b>F.3.1</b>	<b>EVCC templates for CmAttenProfileInd.....</b>	<b>395</b>
<b>F.3.2</b>	<b>EVCC templates for CmAttenCharInd .....</b>	<b>395</b>
<b>Annex G (normative)</b>	<b>Data type definitions .....</b>	<b>397</b>
<b>G.1</b>	<b>Data types for PICS.....</b>	<b>397</b>
<b>G.2</b>	<b>Data types for PIXIT .....</b>	<b>397</b>
<b>G.3</b>	<b>Data types for SLAC.....</b>	<b>398</b>
<b>Bibliography.....</b>		<b>403</b>