ISO 21215:2018 (E)

Intelligent transport systems — Localized communications — ITS-M5

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Symbols and abbreviated terms

5 General requirements

- 5.1 IEEE 802.11
- 5.2 Architecture
- 5.3 Hybrid communications support
- 5.4 Path and flow management support
- 5.5 MI-SAP support

6 Communication interface protocol stack

- 6.1 Physical layer
- 6.2 Medium access control sub-layer
- 6.3 Logical link control sub-layer
- 6.4 Communication adaptation sub-layer

7 Communication interface management

- 7.1 General management
- 7.2 Management adaptation entity
- 7.2.1 802.11 parameters and I-Parameters
- 7.2.2 802.11 commands and MI-SAP commands and requests
- 7.2.3 802.11 management frames

8 Procedures

- 8.1 Communication interface procedures
- 8.1.1 Transmit procedures
- 8.1.2 Receive procedures
- 8.2 Management procedures
- 8.2.1 MAC address conflict
- 8.2.2 Pseudonym MAC address change
- 8.2.3 Cross-CI prioritization
- 8.2.4 Communication range reference

9 Conformance

10 Test methods

Annex A (normative) Communication interface parameters

- A.1 General
- A.2 I-Parameters specific to ITS-M5
- A.3 Default values of I-Parameters

Annex B (normative) MI-COMMANDs

- B.1 General
- B.2 Required functionality

Annex C (normative) MI-REQUESTs

- **C.1 General**
- **C.2 Required functionality**

Annex D (normative) ASN.1 definitions

- **D.1 Overview**
- **D.2 Module ITSm5**
- **D.3 Definitions to be added in ISO 21218**

Annex E (normative) Path and flow management support

Annex F (informative) Frequency allocations

- **F.1 General**
- **F.2 Region 1**
- **F.2.1 Europe**
- **F.2.2 Middle East**
- **F.2.3 Africa**
- **F.2.4 The former Soviet Union, including Siberia; and Mongolia**
- **F.3 Region 2**
- **F.4 Region 3**

Annex G (normative) Implementation conformance statement proforma

- **G.1 Purpose of the ICS proforma**
- **G.2 Detailed conformance statements**
- **G.2.1 Design choices**
- **G.2.2 Basic protocol features**
- **G.2.3 MI-COMMANDs specific to ITS-M5**
- **G.2.4 MI-REQUEST**
- **G.2.5 I-Parameters**

Page count: 28