

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Abbreviated terms
5	Communication module adaptation
5.1	General
5.2	Communication adaptation layer
5.3	CI management adaptation entity
5.4	CI security adaptation entity
6	Communication interface
6.1	Architecture
6.2	Classification of CIs
6.2.1	CI Classes
6.2.2	CI access classes
6.3	Link identifier
6.4	CI procedures
6.4.1	General
6.4.2	Registration
6.4.3	Deregistration
6.4.4	Inactivation
6.4.5	Activation
6.4.6	Suspension
6.4.7	Resuming
6.4.8	Connection
6.4.9	Disconnection
6.4.10	CI state machine
6.4.11	Cross-CI prioritization
6.4.11.1	General
6.4.11.2	Registration of CI for prioritization REQUEST
6.4.11.3	Prioritization request
6.4.11.4	Prioritization release
6.4.11.5	Interferer procedures
6.4.12	Protection of CI
6.4.13	Regulatory information management
7	Virtual communication interface
7.1	Concept
7.2	VCI procedures
7.2.1	Creation of VCI
7.2.1.1	General
7.2.1.2	CIC-I1
7.2.1.3	CIC-I2
7.2.1.4	CIC-I3
7.2.1.5	CIC-I4

- 7.2.1.6 CIC-I5
- 7.2.1.7 CIC-I6
- 7.2.1.8 CIC-il1
- 7.2.1.9 CIC-il2
- 7.2.2 Reset of VCI
- 7.2.3 Deletion of VCI
- 7.2.4 Association of peer with Link-ID
- 7.2.5 Change of I-Parameter settings

## 8 Communication SAP

- 8.1 Addressing
  - 8.1.1 IN-SAP nt\_protocol\_id address
  - 8.1.2 IN-SAP source and destination addresses
- 8.2 Service primitives
  - 8.2.1 IN-SAP functions
  - 8.2.2 IN-UNITDATA.request
    - 8.2.2.1 Function
    - 8.2.2.2 Semantics of the service primitive
    - 8.2.2.3 When generated
    - 8.2.2.4 Effect on receipt
    - 8.2.2.5 Additional comments
  - 8.2.3 IN-UNITDATA.indication
    - 8.2.3.1 Function
    - 8.2.3.2 Semantics of the service primitive
    - 8.2.3.3 When generated
    - 8.2.3.4 Effect on receipt
    - 8.2.3.5 Additional comments
  - 8.2.4 IN-UNITDATA-STATUS.indication
    - 8.2.4.1 Function
    - 8.2.4.2 Semantics of the service primitive
    - 8.2.4.3 When generated
    - 8.2.4.4 Effect on receipt
  - 8.2.5 IN-UNITDATAACK.request
    - 8.2.5.1 Function
    - 8.2.5.2 Semantics of the service primitive
    - 8.2.5.3 When generated
    - 8.2.5.4 Effect on receipt
    - 8.2.5.5 Additional comments
- 8.3 Priority
- 8.4 Timeout
- 8.5 Queue management
- 8.6 Access parameters
- 8.7 Transmission status

## 9 Management SAP

- 9.1 MI-SAP services
- 9.2 MI-COMMAND service primitive functions
  - 9.2.1 Overview
  - 9.2.2 ChangePseudonymMACaddress
  - 9.2.3 ClstateChange
  - 9.2.4 CnConnect
  - 9.2.5 MacManagementFrameTX
  - 9.2.6 ManufacturerCommand
  - 9.2.7 MonitorIparameters
  - 9.2.8 PrioritizedRequestToSend
  - 9.2.9 PrioritizedRTSrelease
  - 9.2.10 RegulatoryInformation
  - 9.2.11 VCImanagement
  - 9.2.12 WakeUpSignal
- 9.3 MI-REQUEST service primitive functions
  - 9.3.1 Overview
  - 9.3.2 EventNotification
  - 9.3.3 MacManagementFrameRX
  - 9.3.4 PositionUpdate

9.3.5	PrioritizationRegistration
9.3.6	PrioritizationRequest
9.3.7	PrioritizationRelease
9.3.8	RegistrationCI
10	Events
11	Dynamic data
12	Conformance
13	Test methods
<b>Annex A (normative) I-Parameters</b>	
<b>Annex B (normative) ASN.1 definitions</b>	
B.1	Overview
B.2	Module ITSIIIsap
B.3	Definitions to be added in ISO 24102-3
<b>Annex C (normative) Extended universal 64 bit identifier</b>	
C.1	EUI-64 format
C.2	Encapsulation of 48-bit MAC addresses
C.3	Encapsulation of identifiers specific to ITS
<b>Annex D (normative) Path and flow management support</b>	
<b>Annex E (normative) Implementation conformance statement (ICS) proforma</b>	
E.1	Guidance for completing the ICS proforma
E.1.1	Purposes and structure
E.1.2	Abbreviations and conventions
E.1.3	Instructions for completing the ICS proforma
E.2	Identification of the Implementation
E.2.1	Date of the statement
E.2.2	Identification of IUT
E.2.3	Identification of SUT
E.2.4	Product supplier
E.2.5	Client
E.2.6	ICS contact person
E.3	Implementation specification
E.4	Global statement of conformance
E.5	Detailed conformance statements
E.5.1	Design choices
E.5.2	General
E.5.3	Format, encoding, values
E.5.4	Adaptation
E.5.5	CI classification
E.5.6	Address formats
E.5.7	Procedures
E.5.8	SAP services
E.5.9	MI-COMMANDs and MI-REQUESTs
E.5.10	Events
E.5.11	Error/return codes
E.5.12	I-Parameters