

ISO 17572-2:2018 (E)

Intelligent transport systems (ITS) — Location referencing for geographic databases — Part 2: Pre-coded location references (pre-coded profile)

Contents

| | |
|---------|---|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Abbreviated terms |
| 5 | Requirements for a location referencing standard |
| 6 | Conceptual data model for LRMs |
| 7 | Specification of pre-coded location references |
| 7.1 | General concept |
| 7.2 | LDB creation and updating |
| 7.3 | LDB provision |
| 7.4 | LDB usage |
| 8 | Implementations at present |
| 8.1 | General |
| 8.2 | VICS |
| 8.2.1 | LDB creation |
| 8.2.2 | LDB usage |
| 8.3 | TMC/ALERT-C Specification |
| 8.3.1 | General |
| 8.3.2 | LDB creation |
| 8.3.3 | LDB usage |
| 8.4 | Korean node link ID system |
| 8.4.1 | General |
| 8.4.2 | LDB creation |
| 8.4.3 | LDB usage |
| 8.5 | RSIDs |
| 8.5.1 | General |
| 8.5.2 | LDB creation |
| 8.5.3 | LDB usage |
| Annex A | (informative) Logical format for VICS link location |
| A.1 | Description of the logical structure |
| A.1.1 | General |
| A.1.2 | Data values |
| A.1.3 | Data elements |
| A.1.4 | Data frames |
| A.2 | Detailed diagram of logical structure |
| A.3 | Structure in ASN.1 |
| A.4 | Structure as XML schema |
| Annex B | (informative) ALERT-C location reference, TPEG2 logical structure |
| B.1 | Description of the logical structure |
| B.1.1 | General |

- B.1.2 Pre-coded ALERT-C location referencing
- B.2 TLR message components
- B.2.1 TMCLocationReference
- B.3 TLR datatypes
- B.3.1 PreciseTMCInformation

Annex C (normative) ALERT-C location reference, TPEG2 binary representation

- C.1 General
- C.2 TLR container components
- C.2.1 List of Generic Component Ids
- C.2.2 TMCLocationReference
- C.3 TLR datatypes
- C.3.1 PreciseTMCInformation

Annex D (normative) ALERT-C location reference, TPEG2 XML representation

- D.1 General
- D.2 TLR container components
- D.2.1 TMCLocationReference
- D.3 TLR datatypes
- D.3.1 PreciseTMCInformation
- D.4 Full TLR schema definition

Annex E (informative) Extended TMC Location reference, TPEG2 logical structure

- E.1 Description of the logical structure
- E.1.1 General
- E.1.2 ETL specific constraints
- E.1.2.1 ETL specification version number signalling
- E.1.2.2 Definition of TMC internal, TMC external and TMC direction
- E.2 ETL Structure
- E.2.1 General
- E.2.2 ETL container components
- E.2.2.1 ExtendedTMCLocationReference
- E.3 ETL Datatypes
- E.3.1 DirLocation
- E.3.2 PreciseTMCInformation
- E.3.3 SequenceNumberExitEntry
- E.3.4 TMCExitEntryLocationReference
- E.3.5 WGS84Coordinates
- E.3.6 TMCLocationReference
- E.3.7 ExitEntryInformation

Annex F (normative) Extended TMC Location reference, TPEG2 binary representation

- F.1 General
- F.2 ETL container components
- F.2.1 List of Generic Component Ids
- F.2.2 ExtendedTMCLocationReference
- F.3 ETL Datatypes
- F.3.1 DirLocation
- F.3.2 PreciseTMCInformation
- F.3.3 SequenceNumberExitEntry
- F.3.4 TMCExitEntryLocationReference
- F.3.5 WGS84Coordinates
- F.3.6 TMCLocationReference
- F.3.7 ExitEntryInformation

Annex G (normative) Extended TMC Location reference, TPEG2 XML representation

- G.1 General
- G.2 ETL container components
- G.2.1 ExtendedTMCLocationReference
- G.3 Datatypes
- G.3.1 DirLocation
- G.3.2 PreciseTMCInformation
- G.3.3 SequenceNumberExitEntry
- G.3.4 TMCExitEntryLocationReference

- G.3.5 WGS84Coordinates
- G.3.6 TMCLocationReference
- G.3.7 ExitEntryInformation
- G.4 Full ETL schema definition

Annex H (informative) Korean node-link location reference, TPEG2 logical structure

- H.1 Description of the logical structure
- H.2 KLR message components
 - H.2.1 KoreanNodeLinkLocationReference
- H.3 KLR datatypes
 - H.3.1 LinkId
 - H.3.2 NodeId

Annex I (normative) Korean node-link location reference, TPEG2 binary representation

- I.1 General
- I.2 KLR message components
 - I.2.1 List of Generic Component Ids
 - I.2.2 KoreanNodeLinkLocationReference
- I.3 KLR datatypes
 - I.3.1 LinkId
 - I.3.2 NodeId

Annex J (normative) Korean node-link location reference, TPEG2 XML representation

- J.1 General
- J.2 KLR message components
 - J.2.1 KoreanNodeLinkLocationReference
- J.3 KLR datatypes
 - J.3.1 LinkId
 - J.3.2 NodeId
- J.4 Full KLR schema definition

Annex K (informative) RSIDs

- K.1 General
- K.2 Description of the logical structure
 - K.2.1 Logical structure
 - K.2.2 Data elements
 - K.2.3 Data frames
 - K.2.4 Detailed diagram of the logical structure
- K.3 Structure in ASN.1
- K.4 Structure as XML schema

Page count: 66