ISO 21219-3:2019 (E)

Intelligent transport systems — Traffic and travel information (TTI) via transport protocol experts group, generation 2 (TPEG2) — Part 3: UML to binary conversion rules (TPEG2-UBCR)

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Abbreviated terms

5 Rules for UML to binary format description conversion

- 5.1 Definition of binary format description
- 5.2 Abstract data types
- 5.3 Binary format specific data types
- 5.4 TPEG tables
- 5.5 Compound data types
- 5.5.1 Rule 1: Classes
- 5.5.2 Rule 2: Datastructures
- 5.5.3 Rule 3: Selector
- 5.5.4 Rule 4: Attributes
- 5.5.5 Rule 4a: Datatypes
- 5.5.6 Rule 4b: Ordering
- 5.5.7 Rule 4c: Single multiplicity
- 5.5.8 Rule 4d: Multiplicity [0..maxOccurs>1], Multiplicity [1..maxOccurs>1] and Multiplicity [minOccurs>1..maxOccurs>1]
- 5.5.9 Rule 4e: Multiplicity [0..1]
- 5.5.10 Rule 6 — Specialisations/Abstract classes

Annex A (normative) Usage of the binary component structure to detect and skip unknown content

- A.1 Using the binary component structure to skip over unknown content
- A.2 Example for jumping over unknown content types

Page count: 19