

DIN EN 12896-4:2020-01 (E)

Public transport - Reference data model - Part 4: Operations monitoring and control;
English version EN 12896-4:2019, only on CD-ROM

| Contents | | Page |
|------------------------|--|-----------|
| European foreword..... | | 10 |
| Introduction | | 11 |
| 1 | Scope..... | 12 |
| 1.1 | General Scope of the Standard..... | 12 |
| 1.2 | Functional Domain Description..... | 13 |
| 1.3 | Particular Scope of this Document..... | 13 |
| 2 | Normative references..... | 14 |
| 3 | Terms and definitions | 14 |
| 4 | Symbols and Abbreviations..... | 16 |
| 5 | Operations monitoring and control | 17 |
| 5.1 | Introduction..... | 17 |
| 5.2 | Dated Operational Plans..... | 18 |
| 5.2.1 | Principles | 18 |
| 5.2.2 | Vehicle Work Production Components..... | 19 |
| 5.2.3 | Dated Vehicle Service | 23 |
| 5.2.4 | Dated Call | 24 |
| 5.2.5 | Implementation of Dated Plans | 25 |
| 5.2.6 | Production Plan | 25 |
| 5.3 | Resource Detection and Monitoring | 27 |
| 5.3.1 | Limits..... | 27 |
| 5.3.2 | Functions Related to the Monitoring Process..... | 27 |
| 5.3.3 | Resources to be monitored..... | 28 |
| 5.3.4 | Vehicle Detecting..... | 29 |
| 5.3.5 | Vehicle Monitoring | 30 |
| 5.4 | Vehicle Assignments | 31 |
| 5.4.1 | General..... | 31 |
| 5.4.2 | Assignments | 32 |
| 5.4.3 | Work Plan Assignment..... | 32 |
| 5.4.4 | Vehicle Assignment | 33 |
| 5.5 | Monitored Operations | 33 |
| 5.5.1 | Monitored Services..... | 33 |
| 5.5.2 | Monitored Passing Times..... | 35 |
| 5.5.3 | Other Monitored Situations..... | 36 |
| 5.5.4 | Expected and Registered Situation..... | 37 |
| 5.6 | Control Actions..... | 37 |
| 5.6.1 | General..... | 37 |
| 5.6.2 | Vehicle Control Actions..... | 39 |
| 5.6.3 | Elementary Journey Control Actions..... | 40 |
| 5.6.4 | Composite Journey Control Actions..... | 43 |
| 5.6.5 | Interchange Control Actions | 44 |
| 5.7 | Operational Events | 46 |
| 5.8 | Operational Messages..... | 48 |
| 5.9 | Situation Description..... | 49 |
| 5.10 | Monitored Facilities | 52 |

| | |
|--|-----------|
| Annex A (normative) Data Dictionary | 55 |
| A.1 Introduction | 55 |
| A.2 Data Dictionary — Operations Monitoring and Control | 55 |
| A.2.1 ALARM | 55 |
| A.2.2 ARRIVAL | 55 |
| A.2.3 CALL | 56 |
| A.2.4 CALL FOR MEANS | 56 |
| A.2.5 CALL FOR REPAIRS | 56 |
| A.2.6 CALL PART | 56 |
| A.2.7 CASUALTIES | 57 |
| A.2.8 CHANGE OF JOURNEY PATTERN | 57 |
| A.2.9 CHANGE OF JOURNEY TIMING | 57 |
| A.2.10 CHANGE OF VEHICLE | 58 |
| A.2.11 COMPOSITE JOURNEY CONTROL ACTION | 58 |
| A.2.12 CONTROL ACTION | 58 |
| A.2.13 DATED ARRIVAL | 59 |
| A.2.14 DATED CALL | 59 |
| A.2.15 DATED CALL PART | 59 |
| A.2.16 DATED DEPARTURE | 59 |
| A.2.17 DATED JOURNEY PART | 60 |
| A.2.18 DATED SPECIAL SERVICE | 60 |
| A.2.19 DATED VEHICLE JOURNEY INTERCHANGE | 61 |
| A.2.20 DATED VEHICLE SERVICE | 61 |
| A.2.21 DATED VEHICLE SERVICE PART | 61 |
| A.2.22 DELAY | 62 |
| A.2.23 DEPARTURE | 62 |
| A.2.24 DEPARTURE EXCHANGE | 62 |
| A.2.25 DEPARTURE LAG | 63 |
| A.2.26 DETECTED OPERATION | 63 |
| A.2.27 DRIVER INCIDENT | 63 |
| A.2.28 EASEMENT | 64 |
| A.2.29 ELEMENTARY JOURNEY CONTROL ACTION | 64 |
| A.2.30 ESTIMATED PASSING TIME | 64 |
| A.2.31 EXTRA DATED VEHICLE JOURNEY | 65 |
| A.2.32 FACILITY CONDITION | 65 |
| A.2.33 FACILITY MONITORING METHOD | 66 |

| | |
|--|-----------|
| A.2.34 FACILITY OPERATIONAL EVENT | 66 |
| A.2.35 FACILITY STATUS | 66 |
| A.2.36 FLEXIBLE JOURNEY ACTIVATION | 67 |
| A.2.37 IMPEDED TIME | 67 |
| A.2.38 INCIDENT | 67 |
| A.2.39 INTERCHANGE CANCELLATION | 68 |
| A.2.40 INTERCHANGE CONTROL ACTION | 68 |
| A.2.41 INTERCHANGE CREATION | 69 |
| A.2.42 INTERCHANGE MODIFICATION | 69 |
| A.2.43 JOURNEY CANCELLATION | 70 |
| A.2.44 JOURNEY CREATION | 70 |
| A.2.45 LOGICAL DRIVER | 70 |
| A.2.46 LOGICAL VEHICLE | 70 |
| A.2.47 LOGICAL VEHICLE CANCELLATION | 71 |
| A.2.48 LOGICAL VEHICLE CREATION | 71 |
| A.2.49 METHOD OF CAPTURE | 71 |
| A.2.50 MONITORED FACILITY | 71 |
| A.2.51 MONITORED JOURNEY PART FACILITY | 72 |
| A.2.52 MONITORED LOCAL SERVICE FACILITY | 72 |
| A.2.53 MONITORED OPERATION | 72 |
| A.2.54 MONITORED PLACE EQUIPMENT FACILITY | 73 |
| A.2.55 MONITORED SPECIAL SERVICE | 73 |
| A.2.56 MONITORED VEHICLE EQUIPMENT FACILITY | 73 |
| A.2.57 MONITORED VEHICLE JOURNEY | 74 |
| A.2.58 MONITORED VEHICLE JOURNEY FACILITY | 74 |
| A.2.59 OBSERVED PASSING TIME | 74 |
| A.2.60 OPERATIONAL EVENT | 75 |
| A.2.61 OPERATIONAL MESSAGE | 75 |
| A.2.62 PARTIAL JOURNEY CANCELLATION | 75 |
| A.2.63 PLANNED REMEDY | 76 |
| A.2.64 PRODUCTION PLAN | 76 |
| A.2.65 PT SITUATION | 76 |
| A.2.66 PT SITUATION AFFECTED SCOPE | 76 |
| A.2.67 PT SITUATION CONSEQUENCE | 77 |
| A.2.68 PT SITUATION CONSEQUENCE SCOPE | 77 |
| A.2.69 PT SITUATION GENERAL CONSEQUENCE | 78 |

| | |
|---|-----------|
| A.2.70 PT SITUATION MESSAGE | 78 |
| A.2.71 RELATED SITUATION | 78 |
| A.2.72 REMEDY | 79 |
| A.2.73 RESORPTION..... | 79 |
| A.2.74 RESPACING | 79 |
| A.2.75 SITE OPERATIONAL EVENT | 80 |
| A.2.76 SITUATION | 80 |
| A.2.77 SITUATION CAUSE | 80 |
| A.2.78 SITUATION REASON | 81 |
| A.2.79 SITUATION SOURCE | 81 |
| A.2.80 TYPE OF DELAY..... | 81 |
| A.2.81 TYPE OF SITUATION SOURCE | 82 |
| A.2.82 TYPE OF VEHICLE DETECTING | 82 |
| A.2.83 TYPE OF VEHICLE MONITORING..... | 82 |
| A.2.84 VEHICLE ASSIGNMENT | 83 |
| A.2.85 VEHICLE CONTROL ACTION..... | 83 |
| A.2.86 VEHICLE DETECTING | 83 |
| A.2.87 VEHICLE DETECTING LOG ENTRY | 84 |
| A.2.88 VEHICLE INCIDENT | 84 |
| A.2.89 VEHICLE MONITORING..... | 84 |
| A.2.90 VEHICLE MONITORING LOG ENTRY..... | 85 |
| A.2.91 VEHICLE WORK ASSIGNMENT | 85 |
| Annex B (normative) Additional Common Concepts — Extension to EN 12896-1:2016, Public Transport - Reference Data Model - Part 1: Common Concepts | 86 |
| B.1 Methodology and Conventions | 86 |
| B.1.1 Methodology for conceptual modelling..... | 86 |
| B.1.1.1 General | 86 |
| B.1.1.2 General | 86 |
| B.1.1.3 Packages..... | 86 |
| B.1.1.4 Package Prefixes and Package order..... | 87 |
| B.1.1.5 Part Prefixes and diagram names..... | 88 |
| B.1.1.6 Class diagrams | 88 |
| B.1.1.7 Class Diagram Presentations..... | 89 |
| B.1.1.8 Use of Colour..... | 89 |
| B.1.2 MODEL Class Diagrams..... | 90 |
| B.1.2.1 General | 90 |
| B.1.2.2 Classes and attributes | 91 |

| | | |
|------------|--|-----|
| B.1.2.2.1 | General | 91 |
| B.1.2.2.2 | Attribute visibility | 91 |
| B.1.2.2.3 | Attribute names..... | 92 |
| B.1.2.2.4 | Attribute types..... | 92 |
| B.1.2.2.5 | Multiplicity of Attributes..... | 92 |
| B.1.2.2.6 | Common attributes | 92 |
| B.1.2.2.7 | Simple Diagram Example | 92 |
| B.1.2.3 | Relationships | 94 |
| B.1.2.3.1 | General | 94 |
| B.1.2.3.2 | Association relationships | 94 |
| B.1.2.3.3 | Reflexive associations | 94 |
| B.1.2.3.4 | Aggregation relationship | 95 |
| B.1.2.3.5 | Generalization relationship | 96 |
| B.1.2.3.6 | Multiplicity (Cardinality) of Relationships..... | 97 |
| B.1.2.3.7 | Presence of Relationships on a given diagram..... | 97 |
| B.1.2.3.8 | Relationships and navigability | 98 |
| B.1.2.3.9 | Positional semantics for laying out classes and relationships..... | 100 |
| B.1.2.3.10 | Explicit Frames | 100 |
| B.1.3 | Summary of Rules for Transmodel Presentation | 100 |
| B.1.3.1 | Presentation of Class Structure diagrams..... | 100 |
| B.1.3.2 | Rules for naming and presenting classes | 101 |
| B.1.3.3 | Rules for use of role names..... | 101 |
| B.1.3.4 | Rules for use of multiplicity | 102 |
| B.1.3.5 | Rules for relationship qualifiers..... | 103 |
| B.1.3.6 | Rules for presenting relationships | 104 |
| B.1.3.7 | Rules for Placing Role names..... | 104 |
| B.2 | Extensions to the Common Concept MODEL..... | 104 |
| B.2.1 | General..... | 104 |
| B.2.2 | Additional Common Concepts — Additional Generalizations | 104 |
| B.2.2.1 | Generic Type of Value – Conceptual MODEL..... | 104 |
| B.2.2.2 | Generic Assignment – Conceptual MODEL | 106 |
| B.2.2.3 | Generic Section – Conceptual MODEL | 106 |
| B.2.3 | Extensions to the Generic Framework | 107 |
| B.2.3.1 | General..... | 107 |
| B.2.3.2 | Alternative Text – Conceptual MODEL..... | 107 |
| B.2.3.3 | Generic View – Conceptual MODEL..... | 108 |

| | |
|--|------------|
| B.2.3.4 Generic Loggable Object – Conceptual MODEL..... | 109 |
| B.2.3.5 Event Model – Conceptual MODEL..... | 109 |
| B.2.4 Extensions to the Reusable Components..... | 110 |
| B.2.4.1 Employee Model – Conceptual MODEL..... | 110 |
| B.2.4.2 Message Model – Conceptual MODEL..... | 111 |
| B.2.4.2.1 Messages..... | 111 |
| B.2.4.2.2 Publication Scope..... | 112 |
| B.2.4.3 Role Model – Conceptual MODEL..... | 113 |
| B.2.4.3.1 Generic Roles..... | 113 |
| B.2.4.3.2 Service Organization Roles..... | 114 |
| B.2.4.3.3 Employee Roles..... | 114 |
| B.2.4.3.4 Administrative Organization Roles..... | 115 |
| B.2.4.3.5 Technology Organization Roles..... | 116 |
| B.2.4.3.6 Messaging Roles..... | 117 |
| B.2.4.3.7 Transport Customer Roles..... | 118 |
| B.2.4.4 Security List – Conceptual MODEL..... | 118 |
| B.2.4.5 Transfer Time – Conceptual MODEL..... | 119 |
| B.2.5 Data Dictionary..... | 119 |
| B.2.5.1 General..... | 119 |
| B.2.5.2 ADMINISTRATIVE ORGANIZATION ROLE..... | 120 |
| B.2.5.3 ALTERNATIVE TEXT..... | 120 |
| B.2.5.4 ASSIGNMENT..... | 120 |
| B.2.5.5 BLACKLIST..... | 120 |
| B.2.5.6 CLASS ATTRIBUTE..... | 121 |
| B.2.5.7 CONDUCTOR ROLE..... | 121 |
| B.2.5.8 CUSTOMER SERVICE PROVIDER ROLE..... | 121 |
| B.2.5.9 CUSTOMER SERVICE ROLE..... | 121 |
| B.2.5.10 DATA COLLECTOR ROLE..... | 122 |
| B.2.5.11 DRIVER ROLE..... | 122 |
| B.2.5.12 EMPLOYEE..... | 122 |
| B.2.5.13 EMPLOYEE ROLE..... | 122 |
| B.2.5.14 EVENT..... | 123 |
| B.2.5.15 GENERAL EVENT..... | 123 |
| B.2.5.16 GENERAL OBSERVER ROLE..... | 123 |
| B.2.5.17 GENERAL SECTION..... | 124 |
| B.2.5.18 LOG..... | 124 |

| | | |
|-----------------|---|------------|
| B.2.5.19 | LOG ENTRY | 124 |
| B.2.5.20 | LOGGABLE OBJECT | 124 |
| B.2.5.21 | MESSAGE | 125 |
| B.2.5.22 | MESSAGE PART | 125 |
| B.2.5.23 | MESSAGE PRIORITY | 125 |
| B.2.5.24 | ORGANIZATION ROLE..... | 125 |
| B.2.5.25 | PT SCOPE..... | 126 |
| B.2.5.26 | PUBLICATION APPROVER ROLE | 126 |
| B.2.5.27 | PUBLICATION DECISION | 126 |
| B.2.5.28 | PUBLICATION SCOPE | 126 |
| B.2.5.29 | PUBLICATION WINDOW | 127 |
| B.2.5.30 | PUBLISHING ACTION..... | 127 |
| B.2.5.31 | PUBLISHING CHANNEL..... | 127 |
| B.2.5.32 | QUALIFICATION..... | 127 |
| B.2.5.33 | REGISTRAR ROLE | 128 |
| B.2.5.34 | SECTION..... | 128 |
| B.2.5.35 | SECTION IN LINK SEQUENCE | 128 |
| B.2.5.36 | SECURITY LIST | 128 |
| B.2.5.37 | SECURITY LISTABLE..... | 129 |
| B.2.5.38 | SECURITY LISTING..... | 129 |
| B.2.5.39 | SECURITY MANAGER ROLE..... | 129 |
| B.2.5.40 | SERVICE OPERATOR ROLE..... | 129 |
| B.2.5.41 | SITUATION AUTHOR ROLE | 130 |
| B.2.5.42 | SPECIFIC OBSERVER ROLE..... | 130 |
| B.2.5.43 | STATION EMPLOYEE ROLE | 130 |
| B.2.5.44 | TECHNOLOGY ORGANIZATION ROLE..... | 130 |
| B.2.5.45 | TRAFFIC INFORMATION OFFICER ROLE | 131 |
| B.2.5.46 | TRANSFER TIME | 131 |
| B.2.5.47 | TRANSPORT USER ROLE..... | 131 |
| B.2.5.48 | TRAVEL DOCUMENT CONTROLLER ROLE | 131 |
| B.2.5.49 | TRAVEL DOCUMENT CONTROLLING ORGANIZATION ROLE..... | 132 |
| B.2.5.50 | TRAVEL ORGANIZATION ROLE..... | 132 |
| B.2.5.51 | TYPE OF AUDIENCE | 132 |
| B.2.5.52 | TYPE OF EVENT..... | 132 |
| B.2.5.53 | TYPE OF MESSAGE | 133 |
| B.2.5.54 | TYPE OF MESSAGE PART CONTENT | 133 |

| | | |
|---|---|------------|
| B.2.5.55 | TYPE OF QUALIFICATION | 133 |
| B.2.5.56 | TYPE OF SECURITY LIST | 133 |
| B.2.5.57 | TYPE OF VALUE | 134 |
| B.2.5.58 | View | 134 |
| B.2.5.59 | WHITELIST | 134 |
| Annex C (informative) Data Model Evolution | | 135 |
| C.1 | Change Requests | 135 |
| C.2 | Source of Text | 163 |
| C.3 | Diagram Status | 163 |
| Annex D (informative) Mapping to DATEX II and SIRI (SX and FM) | | 165 |
| D.1 | Related standards | 165 |
| D.2 | Mapping with DATEX II | 165 |
| D.2.1 | DATEX II | 165 |
| D.2.2 | DATEX II and Transmodel | 166 |
| D.2.3 | Overview of correspondence of Situation elements | 166 |
| D.2.4 | Outline Mapping between DATEX II and Transmodel | 169 |
| D.3 | Mapping with SIRI SX and SIRI FM | 170 |
| D.3.1 | SIRI — Service Interface for Real-time Information | 170 |
| D.3.2 | Outline Mapping between SIRI— SX — and Transmodel | 171 |
| D.3.3 | Outline Mapping between SIRI— FM— and Transmodel | 172 |
| Bibliography | | 174 |