ISO 21111-4:2020-03 (E)

Road vehicles - In-vehicle Ethernet - Part 4: General requirements and test methods of optical gigabit Ethernet components

Contents

Page

Foreword v

Introduction vii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 2

4 Abbreviated terms 3

5 1000BASE-RHC components 4

6 Header connector 5
6.1 Dimension criteria 5
6.2 Mechanical coding 8
6.3 Requirements of header connector 9
6.4 Evaluation 10
6.4.1 High storage temperature exposure 10
6.4.2 Low storage temperature exposure 10
6.4.3 Operating temperature range 11

7 Cable connector 11
7.1 Cable plug 11
7.1.1 Dimension criteria 11
7.1.2 Mechanical coding 13
7.2 Cable socket 13
7.2.1 Dimension criteria 13
7.2.2 Mechanical coding 16
7.3 Requirements of cable connector 16
7.4 Evaluation 16
7.4.1 High storage temperature exposure 16
7.4.2 Low storage temperature exposure 17
7.4.3 Operation temperature range (informative) 17

8 POF and POF cable 17
8.1 POF 17
8.2 Requirements of POF 17
8.3 Outline of POF 18
8.3.1 Cladding diameter 18
8.3.2 Numerical aperture 18
8.3.3 Attenuation 19
8.4 POF cable 20
8.5 Requirements of POF cable 21
8.6 Evaluation 22
8.6.1 High storage temperature exposure 22
8.6.2 Low storage temperature exposure 22
8.6.3 Operation temperature range 23
8.6.4 Minimum bending radius 23
8.6.5 Maximum bending attenuation 24

8.6.6 Tensile strength 25
8.6.7 Crush 26
8.6.8 Edge impact 27
8.6.9 Static torsion 28
8.6.10 Resistance to flame propagation 29

9 Optical channel 30
9.1 General 30
9.2 Optical harness (informative) 30
9.3 Positions of test points 31
9.4 Requirements 31
9.4.1 Electrical characteristics 31
9.4.2 Optical characteristics 32
9.4.3 Physical characteristics 32
9.4.4 Temperature environmental characteristics 33
9.4.5 Combined environment examination 33
9.4.6 Specific environmental examination 33
9.5 Methodology (informative) 34
9.5.1 Light source setup 34
9.5.2 Excitation, test setup and measurement equipment 34
9.5.3 Harness setup 35
9.6 Evaluation (characteristics of photoelectric conversion) 36
9.6.1 Optical PMD transmitter input electrical interface 36
9.6.2 Optical PMD receiver output electrical interface 38
9.7 Evaluation (optical characteristics) 40
9.7.1 Minimum average output power at TP2 40
9.7.2 Extinction ratio at TP2 40
9.7.3 EAF profile at TP2 41
9.7.4 Minimum average output power at TP2' 41
9.7.5 Minimum average output power at TP3 43
9.7.6 Range of optical input power at TP3' 43
9.7.7 Maximum coupling attenuation at optical in-line 45
9.8 Evaluation (physical characteristics) 46
9.8.1 Minimum retention force 46
9.8.2 Maximum insertion force 47
9.8.3 Maximum unlock and release force 48
9.8.4 Durability of repeated mating and unmating 48
9.8.5 Maximum cable holding force 49
9.9 Evaluation (temperature environmental characteristics) 49
9.9.1 High storage temperature exposure 49
9.9.2 Low storage temperature exposure 50
9.9.3 High operation temperature exposure 50
9.9.4 Low operation temperature exposure 51
9.10 Evaluation (combined environmental examination) 51
9.10.1 General 51
9.10.2 Flow chart of environmental load tests for optical PMD transmitter 51
9.10.3 Operation test after durability of mate and un-mate 52
9.10.4 Operation test after high temperature exposure 52
9.10.5 Operation test after temperature and vibration 53
9.10.6 Operation test after heat shock 53
9.10.7 Operation test after humidity/temperature cycle procedure 54
9.10.8 Operation test after specific vibration profile 54
9.10.9 Requirement of combined environmental examination 54
9.11 Evaluation (specific environmental examination) 55
9.11.1 General 55
9.11.2 Individual environmental load tests for optical harness 55
9.11.3 Operation test after specific physical impact 55
9.11.4 Operation test after chemical durability procedure 55
9.11.5 Operation test after Noxious gas exposure 56
9.11.6 Operation test after specific dust condition exposure 56
9.11.7 Operation test after specific drop procedure 56

9.11.8 Requirements of specific environmental examination 57

Annex A (informative) System power budget 58

Annex B (informative)Modefilter 60

Bibliography 62