

DIN EN ISO 18541-4:2021-10 (E)

Road vehicles - Standardized access to automotive repair and maintenance information (RMI) - Part 4: Conformance test (ISO 18541-4:2021)

Contents		Page
European foreword		13
Foreword		14
Introduction		15
1	Scope	16
2	Normative references	16
3	Terms and definitions	16
4	Abbreviated terms	17
5	Conformance test basic principles and clustering	17
5.1	Basic principles for conformance test case definition.....	17
5.2	Conformance test clustering.....	18
5.2.1	General.....	18
5.2.2	Main conformance test case clusters.....	18
6	Test case structure	22
6.1	Conformance test case — General structure.....	22
6.1.1	Overview.....	22
6.1.2	Test case reference number and title [RMI-CT_...] [title].....	23
6.1.3	Test purpose.....	23
6.1.4	Configuration.....	23
6.1.5	Preamble (setup state).....	23
6.1.6	Test execution.....	23
6.1.7	Post-amble.....	23
6.2	Result criteria.....	23
7	CT cluster 1 — Test technical infrastructure	24
7.1	[RMI-CT_TREQ-13, 14, 15, 16, 18, Annex A] Test client configuration.....	24
7.1.1	Overview.....	24
7.1.2	Test purpose.....	24
7.1.3	Configuration.....	24
7.1.4	Preamble (setup state).....	24
7.1.5	Test execution.....	24
7.1.6	Post-amble.....	25
7.2	[RMI-CT_TREQ-17] Test presentation formats for information packages.....	25
7.2.1	Overview.....	25
7.2.2	Test purpose.....	25
7.2.3	Configuration.....	25
7.2.4	Preamble (setup state).....	25
7.2.5	Test execution.....	25
7.2.6	Post-amble.....	25
8	CT cluster 2 — Test client's external interfaces	25
8.1	[RMI-CT_TREQ-9] Test vehicle communication interface (VCI).....	25
8.1.1	Overview.....	25
8.1.2	Test purpose.....	25
8.1.3	Configuration.....	26
8.1.4	Preamble (setup state).....	26
8.1.5	Test execution.....	26
8.1.6	Post-amble.....	26

8.2	[RMI-CT_TREQ-11] Test parts ordering for security-related features.....	26
8.2.1	Overview.....	26
8.2.2	Test purpose.....	26
8.2.3	Configuration.....	27
8.2.4	Preamble (setup state).....	27
8.2.5	Test execution.....	27
8.2.6	Post-amble.....	27
8.3	[RMI-CT_TREQ-12] Test partnered accessory provider systems.....	27
8.3.1	Overview.....	27
8.3.2	Test purpose.....	27
8.3.3	Configuration.....	27
8.3.4	Preamble (setup state).....	27
8.3.5	Test execution.....	28
8.3.6	Post-amble.....	28
9	CT cluster 3 — Test user authentication, authorization and administration.....	28
9.1	[RMI-CT_UC1.1] Test to register IO for use of the VM RMI system.....	28
9.1.1	Overview.....	28
9.1.2	Test purpose.....	28
9.1.3	Configuration.....	28
9.1.4	Preamble (setup state).....	28
9.1.5	Test execution.....	29
9.1.6	Post-amble.....	29
9.2	[RMI-CT_UC1.2_A] Test to register IO employee for use of the VM RMI system — Scenario A.....	29
9.2.1	Overview.....	29
9.2.2	Test purpose.....	29
9.2.3	Configuration.....	29
9.2.4	Preamble (setup state).....	29
9.2.5	Test execution.....	30
9.3	[RMI-CT_UC1.2_B] Test to register IO employee for use of the VM RMI system — Scenario B.....	30
9.3.1	Overview.....	30
9.3.2	Test purpose.....	30
9.3.3	Configuration.....	30
9.3.4	Preamble (setup state).....	30
9.3.5	Test execution.....	30
9.3.6	Post-amble.....	31
9.4	[RMI-CT_UC1.3] Test to maintain IO status.....	31
9.4.1	Overview.....	31
9.4.2	Test purpose.....	31
9.4.3	Configuration.....	31
9.4.4	Preamble (setup state).....	31
9.4.5	Test execution.....	31
9.4.6	Post-amble.....	32
9.5	[RMI-CT_UC1.4] Test to maintain user status.....	32
9.5.1	Overview.....	32
9.5.2	Test purpose.....	32
9.5.3	Configuration.....	32
9.5.4	Preamble (setup state).....	32
9.5.5	Test execution.....	32
9.5.6	Post-amble.....	33
9.6	[RMI-CT_UC1.5] Test to the deletion of the registration of an IO employee.....	33
9.6.1	Overview.....	33
9.6.2	Test purpose.....	33
9.6.3	Configuration.....	33

	9.6.4	Preamble (setup state)	33
	9.6.5	Test execution.....	33
	9.6.6	Post-amble.....	34
9.7	[RMI-CT_UC1.6]	Test login to VM RMI system.....	34
	9.7.1	Overview.....	34
	9.7.2	Test purpose.....	34
	9.7.3	Configuration.....	34
	9.7.4	Preamble (setup state).....	34
	9.7.5	Test execution.....	34
	9.7.6	Post-amble.....	34
9.8	[RMI-CT_UC1.7]	Test for granting access to security-related RMI.....	34
	9.8.1	Overview.....	34
	9.8.2	Test purpose.....	34
	9.8.3	Configuration.....	35
	9.8.4	Preamble (setup state).....	35
	9.8.5	Test execution.....	35
	9.8.6	Post-amble.....	35
10	CT cluster 4 — Test functional user interface implementation.....		35
10.1	[RMI-CT_FREQ-1]	Test for RMI access mode.....	35
	10.1.1	Overview.....	35
	10.1.2	Test purpose.....	35
	10.1.3	Configuration.....	35
	10.1.4	Preamble (setup state).....	36
	10.1.5	Test execution.....	36
	10.1.6	Post-amble.....	36
10.2	[RMI-CT_FREQ-2]	Test for registration and login support.....	36
	10.2.1	Overview.....	36
	10.2.2	Test purpose.....	36
	10.2.3	Configuration.....	36
	10.2.4	Preamble (setup state).....	36
	10.2.5	Test execution.....	36
	10.2.6	Post-amble.....	37
	10.2.7	Result criteria.....	37
10.3	[RMI-CT_FREQ-3]	Test for implemented use cases map.....	37
	10.3.1	Overview.....	37
	10.3.2	Test purpose.....	37
	10.3.3	Configuration.....	37
	10.3.4	Preamble (setup state).....	37
	10.3.5	Test execution.....	37
	10.3.6	Post-amble.....	37
10.4	[RMI-CT_FREQ-4]	Test for download area.....	38
	10.4.1	Overview.....	38
	10.4.2	Test purpose.....	38
	10.4.3	Configuration.....	38
	10.4.4	Preamble (setup state).....	38
	10.4.5	Test execution.....	38
	10.4.6	Post-amble.....	38
10.5	[RMI-CT_FREQ-5]	Test for navigational pathway.....	38
	10.5.1	Overview.....	38
	10.5.2	Test purpose.....	39
	10.5.3	Configuration.....	39
	10.5.4	Preamble (setup state).....	39
	10.5.5	Test execution.....	39
	10.5.6	Post-amble.....	39

11	CT cluster 5 — Test payment for RMI	39
11.1	[RMI-CT_UC2] Test payment for RMI	39
11.1.1	Overview	39
11.1.2	Test purpose	40
11.1.3	Configuration	40
11.1.4	Preamble (setup state)	40
11.1.5	Test execution	40
11.1.6	Post-amble	40
12	CT cluster 6 —Test for vehicle identification	41
12.1	[RMI-CT_UC3.1] Test vehicle identification through use of VIN	41
12.1.1	Overview	41
12.1.2	Test purpose	41
12.1.3	Configuration	41
12.1.4	Preamble (setup state)	41
12.1.5	Test execution	41
12.1.6	Post-amble	41
12.2	[RMI-CT_UC3.2] Test vehicle identification via product features	42
12.2.1	Overview	42
12.2.2	Test purpose	42
12.2.3	Configuration	42
12.2.4	Preamble (setup state)	42
12.2.5	Test execution	42
12.2.6	Post-amble	42
13	CT cluster 7 — Test selection methods for RMI	43
13.1	[RMI-CT_UC4.1] Test selection of information type	43
13.1.1	Overview	43
13.1.2	Test purpose	43
13.1.3	Configuration	43
13.1.4	Preamble (setup state)	43
13.1.5	Test execution	43
13.1.6	Post-amble	43
13.2	[RMI-CT_UC4.2] Test search by standardized terms	43
13.2.1	Overview	43
13.2.2	Test purpose	44
13.2.3	Configuration	44
13.2.4	Preamble (setup state)	44
13.2.5	Test execution	44
13.2.6	Post-amble	44
13.3	[RMI-CT_UC4.3] Test navigation using product structure	44
13.3.1	Overview	44
13.3.2	Test purpose	44
13.3.3	Configuration	45
13.3.4	Preamble (setup state)	45
13.3.5	Test execution	45
13.3.6	Post-amble	45
13.4	[RMI-CT_UC4.4] Test selection by document identifier	45
13.4.1	Overview	45
13.4.2	Test purpose	45
13.4.3	Configuration	45
13.4.4	Preamble (setup state)	45
13.4.5	Test execution	46
13.4.6	Post-amble	46
14	CT cluster 8 — Test retrieval of information packages	46
14.1	[RMI-CT_UC5.1.1] Test retrieval of general workshop procedures	46
14.1.1	Overview	46

14.1.2	Test purpose	46
14.1.3	Configuration	46
14.1.4	Preamble (setup state)	46
14.1.5	Test execution	47
14.1.6	Post-amble	47
14.2	[RMI-CT_UC5.1.2] Test retrieval of body repair procedures	47
14.2.1	Overview	47
14.2.2	Test purpose	47
14.2.3	Configuration	47
14.2.4	Preamble (setup state)	47
14.2.5	Test execution	47
14.2.6	Post-amble	48
14.3	[RMI-CT_UC5.1.3] Test retrieval of temporary repair procedures	48
14.3.1	Overview	48
14.3.2	Test purpose	48
14.3.3	Configuration	48
14.3.4	Preamble (setup state)	48
14.3.5	Test execution	48
14.3.6	Post-amble	49
14.4	[RMI-CT_UC5.1.4] Test retrieval of preparation for PTI	49
14.4.1	Overview	49
14.4.2	Test purpose	49
14.4.3	Configuration	49
14.4.4	Preamble (setup state)	49
14.4.5	Test execution	49
14.4.6	Post-amble	50
14.5	[RMI-CT_UC5.2] Test retrieval of wiring diagrams	50
14.5.1	Overview	50
14.5.2	Test purpose	50
14.5.3	Configuration	50
14.5.4	Preamble (setup state)	50
14.5.5	Test execution	50
14.5.6	Post-amble	50
14.6	[RMI-CT_UC5.3] Test retrieval of technical service bulletin	50
14.6.1	Overview	50
14.6.2	Test purpose	51
14.6.3	Configuration	51
14.6.4	Preamble (setup state)	51
14.6.5	Test execution	51
14.6.6	Post-amble	51
14.7	[RMI-CT_UC5.4] Test retrieval of recall information	51
14.7.1	Overview	51
14.7.2	Test purpose	51
14.7.3	Configuration	51
14.7.4	Preamble (setup state)	52
14.7.5	Test execution	52
14.7.6	Post-amble	52
14.8	[RMI-CT_UC5.5] Test retrieval of maintenance schedule	52
14.8.1	Overview	52
14.8.2	Test purpose	52
14.8.3	Configuration	52
14.8.4	Preamble (setup state)	52
14.8.5	Test execution	53
14.8.6	Post-amble	53
14.9	[RMI-CT_UC5.6.1] Test retrieval of spare parts (identification)	53
14.9.1	Overview	53
14.9.2	Test purpose	53

14.9.3	Configuration	53
14.9.4	Preamble (setup state)	53
14.9.5	Test execution	53
14.9.6	Post-amble	54
14.10	[RMI-CT_UC5.6.2] Test retrieval of spare parts (access)	54
14.10.1	Overview	54
14.10.2	Test purpose	54
14.10.3	Configuration	54
14.10.4	Preamble (setup state)	54
14.10.5	Test execution	54
14.10.6	Post-amble	55
14.11	[RMI-CT_UC5.7.1] Test retrieval of accessory information factory fitted (included in general RMI)	55
14.11.1	Overview	55
14.11.2	Test purpose	55
14.11.3	Configuration	55
14.11.4	Preamble (setup state)	55
14.11.5	Test execution	55
14.11.6	Post-amble	55
14.12	[RMI-CT_UC5.7.2] Test retrieval of accessory information partnered with a VM part number	56
14.12.1	Overview	56
14.12.2	Test purpose	56
14.12.3	Configuration	56
14.12.4	Preamble (setup state)	56
14.12.5	Test execution	56
14.12.6	Post-amble	56
14.13	[RMI-CT_UC5.7.3] Test retrieval of fitting information for accessories with no VM part number	56
14.13.1	Overview	56
14.13.2	Test purpose	57
14.13.3	Configuration	57
14.13.4	Preamble (setup state)	57
14.13.5	Test execution	57
14.13.6	Post-amble	57
14.14	[RMI-CT_UC5.8] Test retrieval of labour times	57
14.14.1	Overview	57
14.14.2	Test purpose	57
14.14.3	Configuration	58
14.14.4	Preamble (setup state)	58
14.14.5	Test execution	58
14.14.6	Post-amble	58
14.15	[RMI-CT_UC5.9] Test retrieval of converted vehicle information	58
14.15.1	Overview	58
14.15.2	Test purpose	58
14.15.3	Configuration	58
14.15.4	Preamble (setup state)	58
14.15.5	Test execution	59
14.15.6	Post-amble	59
14.16	[RMI-CT_UC5.10] Test retrieval of special tool information	59
14.16.1	Overview	59
14.16.2	Test purpose	59
14.16.3	Configuration	59
14.16.4	Preamble (setup state)	59
14.16.5	Test execution	60
14.16.6	Post-amble	60

15	CT cluster 9 — Test vehicle diagnostics	60
15.1	[RMI-CT_UC6.1] Test DTC resolution.....	60
15.1.1	Overview.....	60
15.1.2	Test purpose.....	60
15.1.3	Configuration.....	60
15.1.4	Preamble (setup state).....	60
15.1.5	Test execution.....	60
15.1.6	Post-amble.....	61
15.2	[RMI-CT_UC6.2] Test VM symptom resolution.....	61
15.2.1	Overview.....	61
15.2.2	Test purpose.....	61
15.2.3	Configuration.....	61
15.2.4	Preamble (setup state).....	61
15.2.5	Test execution.....	61
15.2.6	Post-amble.....	62
15.3	[RMI-CT_UC6.3] Test integrated diagnostics.....	62
15.3.1	Overview.....	62
15.3.2	Test purpose.....	62
15.3.3	Configuration.....	62
15.3.4	Preamble (setup state).....	62
15.3.5	Test execution.....	62
15.3.6	Post-amble.....	63
16	CT cluster 10 — Test updating, replacing and tuning of modules (ECUs)	63
16.1	[RMI-CT_UC7.1] Test updating and replacing modules information.....	63
16.1.1	Overview.....	63
16.1.2	Test purpose.....	63
16.1.3	Configuration.....	63
16.1.4	Preamble (setup state).....	63
16.1.5	Test execution.....	63
16.1.6	Post-amble.....	64
16.2	[RMI-CT_UC7.2] Test tuning kit.....	64
16.2.1	Overview.....	64
16.2.2	Test purpose.....	64
16.2.3	Configuration.....	64
16.2.4	Preamble (setup state).....	64
16.2.5	Test execution.....	64
16.2.6	Post-amble.....	65
17	CT cluster 11 — Test electronic maintenance history	65
17.1	[RMI-CT_UC8] Test electronic maintenance history.....	65
17.1.1	Overview.....	65
17.1.2	Test purpose.....	65
17.1.3	Configuration.....	65
17.1.4	Preamble (setup state).....	65
17.1.5	Test execution.....	65
17.1.6	Post-amble.....	66
18	CT cluster 12 — Test repair assistance, technical support	66
18.1	[RMI-CT_UC9] Test repair assistance technical support.....	66
18.1.1	Overview.....	66
18.1.2	Test purpose.....	66
18.1.3	Configuration.....	66
18.1.4	Preamble (setup state).....	66
18.1.5	Test execution.....	66
18.1.6	Post-amble.....	67

19	CT cluster 13 — Test request for contact information	67
19.1	[RMI-CT_UC10.1] Test for retrieval of electronic tool information (diagnostic, reprogramming, VCI)	67
19.1.1	Overview	67
19.1.2	Test purpose	67
19.1.3	Configuration	67
19.1.4	Preamble (setup state)	67
19.1.5	Test execution	67
19.1.6	Post-amble	68
19.2	[RMI-CT_UC10.2] Test for retrieval of test equipment and diagnostic tool manufacturers information	68
19.2.1	Overview	68
19.2.2	Test purpose	68
19.2.3	Configuration	68
19.2.4	Preamble (setup state)	68
19.2.5	Test execution	68
19.2.6	Post-amble	69
19.3	[RMI-CT_UC10.3] Test for retrieval of training material (delegate information)	69
19.3.1	Overview	69
19.3.2	Test purpose	69
19.3.3	Configuration	69
19.3.4	Preamble (setup state)	69
19.3.5	Test execution	69
19.3.6	Post-amble	69
19.4	[RMI-CT_UC10.4] Test for retrieval of redistributor contact information	69
19.4.1	Overview	69
19.4.2	Test purpose	70
19.4.3	Configuration	70
19.4.4	Preamble (setup state)	70
19.4.5	Test execution	70
19.4.6	Post-amble	70
19.5	[RMI-CT_UC10.5] Test for retrieval of republisher information	70
19.5.1	Overview	70
19.5.2	Test purpose	70
19.5.3	Configuration	70
19.5.4	Preamble (setup state)	71
19.5.5	Test execution	71
19.5.6	Post-amble	71
19.6	[RMI-CT_UC10.6] Test for retrieval of inspection and testing services information	71
19.6.1	Overview	71
19.6.2	Test purpose	71
19.6.3	Configuration	71
19.6.4	Preamble (setup state)	71
19.6.5	Test execution	72
19.6.6	Post-amble	72
19.7	[RMI-CT_UC10.7] Test for retrieval of alternative fuels retrofit system information	72
19.7.1	Overview	72
19.7.2	Test purpose	72
19.7.3	Configuration	72
19.7.4	Preamble (setup state)	72
19.7.5	Test execution	72
19.7.6	Post-amble	73
19.8	[RMI-CT_UC10.8] Test for retrieval of engine and components remanufacturing information	73
19.8.1	Overview	73
19.8.2	Test purpose	73

	19.8.3	Configuration	73
	19.8.4	Preamble (setup state)	73
	19.8.5	Test execution	73
	19.8.6	Post-amble	74
19.9	[RMI-CT_UC10.9]	Test for retrieval of component and parts manufacturer information ..	74
	19.9.1	Overview	74
	19.9.2	Test purpose	74
	19.9.3	Configuration	74
	19.9.4	Preamble (setup state)	74
	19.9.5	Test execution	74
	19.9.6	Post-amble	74
19.10	[RMI-CT_UC10.10]	Test for retrieval of validation of independently developed non-proprietary VCI information	75
	19.10.1	Overview	75
	19.10.2	Test purpose	75
	19.10.3	Configuration	75
	19.10.4	Preamble (setup state)	75
	19.10.5	Test execution	75
	19.10.6	Post-amble	75
20	CT cluster 14 — Test courses and training information		75
	20.1	[RMI-CT_UC11] Test for courses and training information	75
	20.1.1	Overview	75
	20.1.2	Test purpose	76
	20.1.3	Configuration	76
	20.1.4	Preamble (setup state)	76
	20.1.5	Test execution	76
	20.1.6	Post-amble	76
21	CT cluster 15 — Test data administration requirements		76
	21.1	[RMI-CT_TREQ-1] Test general access-related data administration	76
	21.1.1	Overview	76
	21.1.2	Test purpose	76
	21.1.3	Configuration	76
	21.1.4	Preamble (setup state)	77
	21.1.5	Test execution	77
	21.1.6	Post-amble	77
	21.2	[RMI-CT_TREQ-2] Test administration of IO data by the VM	77
	21.2.1	Overview	77
	21.2.2	Test purpose	77
	21.2.3	Configuration	77
	21.2.4	Preamble (setup state)	77
	21.2.5	Test execution	77
	21.2.6	Post-amble	77
	21.3	[RMI-CT_TREQ-3] Test administration of IO employee data by the VM	78
	21.3.1	Overview	78
	21.3.2	Test purpose	78
	21.3.3	Configuration	78
	21.3.4	Preamble (setup state)	78
	21.3.5	Test execution	78
	21.3.6	Post-amble	78
	21.4	[RMI-CT_TREQ-4] Test administration of invoicing data by VM	78
	21.4.1	Overview	78
	21.4.2	Test purpose	78
	21.4.3	Configuration	78
	21.4.4	Preamble (setup state)	78
	21.4.5	Test execution	78
	21.4.6	Post-amble	79

21.5	[RMI-CT_TREQ-5] Test administration of access event data by VM	79
21.5.1	Overview	79
21.5.2	Test purpose	79
21.5.3	Configuration	79
21.5.4	Preamble (setup state)	79
21.5.5	Test execution	79
21.5.6	Post-amble	79
21.6	[RMI-CT_TREQ-6] Test administration of access event data to security-related RMI by VM	79
21.6.1	Overview	79
21.6.2	Test purpose	79
21.6.3	Configuration	80
21.6.4	Preamble (setup state)	80
21.6.5	Test execution	80
21.6.6	Post-amble	80
22	CT cluster 16 — Test VM software installation on the IO client	80
22.1	[RMI-CT_TREQ-20] Test for requirements for installing VM-specific software on the IO client	80
22.1.1	Overview	80
22.1.2	Test purpose	80
22.1.3	Configuration	80
22.1.4	Preamble (setup state)	80
22.1.5	Test execution	81
22.1.6	Post-amble	81
22.2	[RMI-CT_TREQ-21] Test for requirements for updating of installed VM data and applications on the IO client	81
22.2.1	Overview	81
22.2.2	Test purpose	81
22.2.3	Configuration	81
22.2.4	Preamble (setup state)	81
22.2.5	Test execution	81
22.2.6	Post-amble	82
22.3	[RMI-CT_TREQ-22] Test for requirements for the operation of VM-specific software on the IO client	82
22.3.1	Overview	82
22.3.2	Test purpose	82
22.3.3	Configuration	82
22.3.4	Preamble (setup state)	82
22.3.5	Test execution	82
22.3.6	Post-amble	83
22.4	[RMI-CT_TREQ-23] Test for requirements for the uninstalling of VM-specific software on the IO client	83
22.4.1	Overview	83
22.4.2	Test purpose	83
22.4.3	Configuration	83
22.4.4	Preamble (setup state)	83
22.4.5	Test execution	83
22.4.6	Post-amble	83
22.5	[RMI-CT_TREQ-24] Test for requirements for restoring in case of an abnormal termination of the VM specific software on the IO client	83
22.5.1	Overview	83
22.5.2	Test purpose	84
22.5.3	Configuration	84
22.5.4	Preamble (setup state)	84

	22.5.5	Test execution.....	84
	22.5.6	Post-amble.....	84
23		CT cluster 17 — Test VM RMI operations.....	84
	23.1	[RMI-CT_TREQ-25] Test for VM RMI system availability time	84
	23.1.1	Overview.....	84
	23.1.2	Test purpose.....	84
	23.1.3	Configuration.....	84
	23.1.4	Preamble (setup state).....	85
	23.1.5	Test execution.....	85
	23.1.6	Post-amble.....	85
	23.2	[RMI-CT_TREQ-26] Test for support for the usage of the VM RMI system.....	85
	23.2.1	Overview.....	85
	23.2.2	Test purpose.....	85
	23.2.3	Configuration.....	85
	23.2.4	Preamble (setup state).....	85
	23.2.5	Test execution.....	85
	23.2.6	Post-amble.....	86
24		CT cluster 18 — Test trust centre (certificate management).....	86
	24.1	[RMI-CT_TREQ-10] Test for trust centre (certificate management).....	86
		Annex A (normative) Access to security-related RMI according to SERMI scheme.....	87
		Bibliography.....	91