ISO 16460:2021 (E)

Intelligent transport systems — Localized communications — Communication protocol messages for global usage

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Symbols and abbreviated terms

5 Localized communications messages

5.1 Purpose
5.2 Localized message protocol
5.3 Message formats
5.4 Networking features
5.4.1 Subtype values
5.4.2 Networking feature 0
5.4.3 Networking feature 1
5.4.4 Networking feature 2
5.4.5 N-Extensions
5.4.6 TPID values
5.5 Transport features
5.5.1 Transport feature 0
5.5.2 Transport feature 1
5.5.3 Transport feature 2
5.5.4 T-Extensions
5.5.5 ITS port numbers
5.6 Procedures

6 Service advertisement messages

6.1 Purpose
6.2 Unique identifiers
6.2.1 ITS-AID/PSID
6.2.2 ITS port numbers (ITS-PNs)
6.3 Service advertisement protocol
6.4 Service advertisement message (SAM)
6.4.1 Messages
6.4.2 Message structure
6.4.3 Message header
6.4.3.1 Protocol version
6.4.3.2 SAM-ID and SAM-Count
6.4.3.3 SAM Extensions
6.4.4 Message body
6.4.4.1 General
6.4.4.2 Service info segment
6.4.4.3 Channel info segment
6.4.4.4 IPv6 routing advertisement
6.5 Service Response Message (SRM)
6.5.1 Message structure
6.5.2 Message header
6.5.2.1 Protocol version

6.5.2.2 Selection of options in the message body
6.5.3 Message body
6.5.3.1 Usage of optional fields
6.5.3.2 SRM Extensions field
6.5.3.3 Private Channel Allocation Request field
6.5.3.4 Context Information field
6.5.3.4.1 Structure
6.5.3.4.2 Context information set
6.5.3.5 Private Channel Allocation Confirm field
6.6 Count N
6.7 Procedures
6.7.1 General
6.7.2 Privately allocated channels
6.8 Secured messages

7 Structure of extension elements

Annex A (normative) ASN.1 modules

A.1 General
A.2 ISO modules
A.2.1 ITSIm
A.2.2 ITSsa
A.2.3 ITSee

Page count: 46