

# ISO 22140:2021 (E)

## Passenger cars — Validation of vehicle dynamics simulation — Lateral transient response test methods

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Principle
5	Variables
6	Simulation tool requirements
6.1	General
6.2	Mass and inertia
6.3	Tires
6.4	Suspensions
6.5	Steering system
6.6	Aerodynamics
6.7	Brake system
6.8	Powertrain
6.9	Active control system (ESC system, active roll control, etc.)
6.10	Data acquisition
6.11	Driver controls
7	Physical testing
7.1	General
7.2	Measuring equipment
7.3	Test conditions
7.4	Filtering of measured data
7.5	Test methods
7.5.1	Step input
7.5.1.1	Test procedure
7.5.1.2	Data analysis
7.5.1.3	Data presentation
7.5.2	Sinusoidal input — One period
7.5.2.1	Test procedure
7.5.2.2	Data analysis
7.5.2.3	Data presentation
7.5.3	Random input
7.5.3.1	Test procedure
7.5.3.2	Data analysis
7.5.3.3	Data presentation
7.5.4	Pulse input
7.5.4.1	Test procedure
7.5.4.2	Data analysis
7.5.4.3	Data presentation
7.5.5	Continuous sinusoidal input
7.5.5.1	Test procedure
7.5.5.2	Data analysis
7.5.5.3	Data presentation

<b>8</b>	<b>Simulation</b>
8.1	General
8.2	Data recording and processing
8.3	Simulation method
8.3.1	Step input
8.3.1.1	Driver controls
8.3.1.2	Data analysis
8.3.1.3	Data presentation
8.3.2	Sinusoidal input — One period
8.3.2.1	Driver controls
8.3.2.2	Data analysis
8.3.2.3	Data presentation
8.3.3	Random input
8.3.3.1	Driver controls
8.3.3.2	Data analysis
8.3.3.3	Data presentation
8.3.4	Pulse input
8.3.4.1	Driver controls
8.3.4.2	Data analysis
8.3.4.3	Data presentation
8.3.5	Continuous sinusoidal input
8.3.5.1	Driver controls
8.3.5.2	Data analysis
8.3.5.3	Data presentation
<b>9</b>	<b>Comparison between simulation and physical test results</b>
9.1	Step input
9.2	Sinusoidal input — One period
9.3	Random input, pulse, and continuous sinusoidal input
9.3.1	General
9.3.2	Calculation of boundary point
9.3.3	Tolerance for frequency function
9.3.4	Validation criteria
<b>10</b>	<b>Documentation</b>

Page count: 21