

ISO 18541-4:2021 (E)

Road vehicles — Standardized access to automotive repair and maintenance information (RMI) — Part 4: Conformance test

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Abbreviated terms
5	Conformance test basic principles and clustering
5.1	Basic principles for conformance test case definition
5.2	Conformance test clustering
5.2.1	General
5.2.2	Main conformance test case clusters
6	Test case structure
6.1	Conformance test case — General structure
6.1.1	Overview
6.1.2	Test case reference number and title [RMI-CT_...] [title]
6.1.3	Test purpose
6.1.4	Configuration
6.1.5	Preamble (setup state)
6.1.6	Test execution
6.1.7	Post-amble
6.2	Result criteria
7	CT cluster 1 — Test technical infrastructure
7.1	[RMI-CT_TREQ-13, 14, 15, 16, 18, Annex A] Test client configuration
7.1.1	Overview
7.1.2	Test purpose
7.1.3	Configuration
7.1.4	Preamble (setup state)
7.1.5	Test execution
7.1.6	Post-amble
7.2	[RMI-CT_TREQ-17] Test presentation formats for information packages
7.2.1	Overview
7.2.2	Test purpose
7.2.3	Configuration
7.2.4	Preamble (setup state)
7.2.5	Test execution
7.2.6	Post-amble
8	CT cluster 2 — Test client's external interfaces
8.1	[RMI-CT_TREQ-9] Test vehicle communication interface (VCI)
8.1.1	Overview
8.1.2	Test purpose
8.1.3	Configuration
8.1.4	Preamble (setup state)
8.1.5	Test execution
8.1.6	Post-amble

- 8.2 [RMI-CT_TREQ-11] Test parts ordering for security-related features
 - 8.2.1 Overview
 - 8.2.2 Test purpose
 - 8.2.3 Configuration
 - 8.2.4 Preamble (setup state)
 - 8.2.5 Test execution
 - 8.2.6 Post-amble
- 8.3 [RMI-CT_TREQ-12] Test partnered accessory provider systems
 - 8.3.1 Overview
 - 8.3.2 Test purpose
 - 8.3.3 Configuration
 - 8.3.4 Preamble (setup state)
 - 8.3.5 Test execution
 - 8.3.6 Post-amble
- 9 CT cluster 3 — Test user authentication, authorization and administration
 - 9.1 [RMI-CT_UC1.1] Test to register IO for use of the VM RMI system
 - 9.1.1 Overview
 - 9.1.2 Test purpose
 - 9.1.3 Configuration
 - 9.1.4 Preamble (setup state)
 - 9.1.5 Test execution
 - 9.1.6 Post-amble
 - 9.2 [RMI-CT_UC1.2_A] Test to register IO employee for use of the VM RMI system — Scenario A
 - 9.2.1 Overview
 - 9.2.2 Test purpose
 - 9.2.3 Configuration
 - 9.2.4 Preamble (setup state)
 - 9.2.5 Test execution
 - 9.3 [RMI-CT_UC1.2_B] Test to register IO employee for use of the VM RMI system — Scenario B
 - 9.3.1 Overview
 - 9.3.2 Test purpose
 - 9.3.3 Configuration
 - 9.3.4 Preamble (setup state)
 - 9.3.5 Test execution
 - 9.3.6 Post-amble
 - 9.4 [RMI-CT_UC1.3] Test to maintain IO status
 - 9.4.1 Overview
 - 9.4.2 Test purpose
 - 9.4.3 Configuration
 - 9.4.4 Preamble (setup state)
 - 9.4.5 Test execution
 - 9.4.6 Post-amble
 - 9.5 [RMI-CT_UC1.4] Test to maintain user status
 - 9.5.1 Overview
 - 9.5.2 Test purpose
 - 9.5.3 Configuration
 - 9.5.4 Preamble (setup state)
 - 9.5.5 Test execution
 - 9.5.6 Post-amble
 - 9.6 [RMI-CT_UC1.5] Test to the deletion of the registration of an IO employee
 - 9.6.1 Overview
 - 9.6.2 Test purpose
 - 9.6.3 Configuration
 - 9.6.4 Preamble (setup state)
 - 9.6.5 Test execution
 - 9.6.6 Post-amble
 - 9.7 [RMI-CT_UC1.6] Test login to VM RMI system
 - 9.7.1 Overview
 - 9.7.2 Test purpose
 - 9.7.3 Configuration
 - 9.7.4 Preamble (setup state)

- 9.7.5 Test execution
- 9.7.6 Post-amble
- 9.8 [RMI-CT_UC1.7] Test for granting access to security-related RMI
- 9.8.1 Overview
- 9.8.2 Test purpose
- 9.8.3 Configuration
- 9.8.4 Preamble (setup state)
- 9.8.5 Test execution
- 9.8.6 Post-amble
- 10 CT cluster 4 — Test functional user interface implementation
 - 10.1 [RMI-CT_FREQ-1] Test for RMI access mode
 - 10.1.1 Overview
 - 10.1.2 Test purpose
 - 10.1.3 Configuration
 - 10.1.4 Preamble (setup state)
 - 10.1.5 Test execution
 - 10.1.6 Post-amble
 - 10.2 [RMI-CT_FREQ-2] Test for registration and login support
 - 10.2.1 Overview
 - 10.2.2 Test purpose
 - 10.2.3 Configuration
 - 10.2.4 Preamble (setup state)
 - 10.2.5 Test execution
 - 10.2.6 Post-amble
 - 10.2.7 Result criteria
 - 10.3 [RMI-CT_FREQ-3] Test for implemented use cases map
 - 10.3.1 Overview
 - 10.3.2 Test purpose
 - 10.3.3 Configuration
 - 10.3.4 Preamble (setup state)
 - 10.3.5 Test execution
 - 10.3.6 Post-amble
 - 10.4 [RMI-CT_FREQ-4] Test for download area
 - 10.4.1 Overview
 - 10.4.2 Test purpose
 - 10.4.3 Configuration
 - 10.4.4 Preamble (setup state)
 - 10.4.5 Test execution
 - 10.4.6 Post-amble
 - 10.5 [RMI-CT_FREQ-5] Test for navigational pathway
 - 10.5.1 Overview
 - 10.5.2 Test purpose
 - 10.5.3 Configuration
 - 10.5.4 Preamble (setup state)
 - 10.5.5 Test execution
 - 10.5.6 Post-amble
- 11 CT cluster 5 — Test payment for RMI
 - 11.1 [RMI-CT_UC2] Test payment for RMI
 - 11.1.1 Overview
 - 11.1.2 Test purpose
 - 11.1.3 Configuration
 - 11.1.4 Preamble (setup state)
 - 11.1.5 Test execution
 - 11.1.6 Post-amble
- 12 CT cluster 6 —Test for vehicle identification
 - 12.1 [RMI-CT_UC3.1] Test vehicle identification through use of VIN
 - 12.1.1 Overview
 - 12.1.2 Test purpose
 - 12.1.3 Configuration
 - 12.1.4 Preamble (setup state)
 - 12.1.5 Test execution

- 12.1.6 Post-amble
- 12.2 [RMI-CT_UC3.2] Test vehicle identification via product features
 - 12.2.1 Overview
 - 12.2.2 Test purpose
 - 12.2.3 Configuration
 - 12.2.4 Preamble (setup state)
 - 12.2.5 Test execution
 - 12.2.6 Post-amble
- 13 CT cluster 7 — Test selection methods for RMI
 - 13.1 [RMI-CT_UC4.1] Test selection of information type
 - 13.1.1 Overview
 - 13.1.2 Test purpose
 - 13.1.3 Configuration
 - 13.1.4 Preamble (setup state)
 - 13.1.5 Test execution
 - 13.1.6 Post-amble
 - 13.2 [RMI-CT_UC4.2] Test search by standardized terms
 - 13.2.1 Overview
 - 13.2.2 Test purpose
 - 13.2.3 Configuration
 - 13.2.4 Preamble (setup state)
 - 13.2.5 Test execution
 - 13.2.6 Post-amble
 - 13.3 [RMI-CT_UC4.3] Test navigation using product structure
 - 13.3.1 Overview
 - 13.3.2 Test purpose
 - 13.3.3 Configuration
 - 13.3.4 Preamble (setup state)
 - 13.3.5 Test execution
 - 13.3.6 Post-amble
 - 13.4 [RMI-CT_UC4.4] Test selection by document identifier
 - 13.4.1 Overview
 - 13.4.2 Test purpose
 - 13.4.3 Configuration
 - 13.4.4 Preamble (setup state)
 - 13.4.5 Test execution
 - 13.4.6 Post-amble
- 14 CT cluster 8 — Test retrieval of information packages
 - 14.1 [RMI-CT_UC5.1.1] Test retrieval of general workshop procedures
 - 14.1.1 Overview
 - 14.1.2 Test purpose
 - 14.1.3 Configuration
 - 14.1.4 Preamble (setup state)
 - 14.1.5 Test execution
 - 14.1.6 Post-amble
 - 14.2 [RMI-CT_UC5.1.2] Test retrieval of body repair procedures
 - 14.2.1 Overview
 - 14.2.2 Test purpose
 - 14.2.3 Configuration
 - 14.2.4 Preamble (setup state)
 - 14.2.5 Test execution
 - 14.2.6 Post-amble
 - 14.3 [RMI-CT_UC5.1.3] Test retrieval of temporary repair procedures
 - 14.3.1 Overview
 - 14.3.2 Test purpose
 - 14.3.3 Configuration
 - 14.3.4 Preamble (setup state)
 - 14.3.5 Test execution
 - 14.3.6 Post-amble
 - 14.4 [RMI-CT_UC5.1.4] Test retrieval of preparation for PTI
 - 14.4.1 Overview
 - 14.4.2 Test purpose

14.4.3	Configuration
14.4.4	Preamble (setup state)
14.4.5	Test execution
14.4.6	Post-amble
14.5	[RMI-CT_UC5.2] Test retrieval of wiring diagrams
14.5.1	Overview
14.5.2	Test purpose
14.5.3	Configuration
14.5.4	Preamble (setup state)
14.5.5	Test execution
14.5.6	Post-amble
14.6	[RMI-CT_UC5.3] Test retrieval of technical service bulletin
14.6.1	Overview
14.6.2	Test purpose
14.6.3	Configuration
14.6.4	Preamble (setup state)
14.6.5	Test execution
14.6.6	Post-amble
14.7	[RMI-CT_UC5.4] Test retrieval of recall information
14.7.1	Overview
14.7.2	Test purpose
14.7.3	Configuration
14.7.4	Preamble (setup state)
14.7.5	Test execution
14.7.6	Post-amble
14.8	[RMI-CT_UC5.5] Test retrieval of maintenance schedule
14.8.1	Overview
14.8.2	Test purpose
14.8.3	Configuration
14.8.4	Preamble (setup state)
14.8.5	Test execution
14.8.6	Post-amble
14.9	[RMI-CT_UC5.6.1] Test retrieval of spare parts (identification)
14.9.1	Overview
14.9.2	Test purpose
14.9.3	Configuration
14.9.4	Preamble (setup state)
14.9.5	Test execution
14.9.6	Post-amble
14.10	[RMI-CT_UC5.6.2] Test retrieval of spare parts (access)
14.10.1	Overview
14.10.2	Test purpose
14.10.3	Configuration
14.10.4	Preamble (setup state)
14.10.5	Test execution
14.10.6	Post-amble
14.11	[RMI-CT_UC5.7.1] Test retrieval of accessory information factory fitted (included in general RMI)
14.11.1	Overview
14.11.2	Test purpose
14.11.3	Configuration
14.11.4	Preamble (setup state)
14.11.5	Test execution
14.11.6	Post-amble
14.12	[RMI-CT_UC5.7.2] Test retrieval of accessory information partnered with a VM part number
14.12.1	Overview
14.12.2	Test purpose
14.12.3	Configuration
14.12.4	Preamble (setup state)
14.12.5	Test execution
14.12.6	Post-amble
14.13	[RMI-CT_UC5.7.3] Test retrieval of fitting information for accessories with no VM part number

- 14.13.1 Overview
- 14.13.2 Test purpose
- 14.13.3 Configuration
- 14.13.4 Preamble (setup state)
- 14.13.5 Test execution
- 14.13.6 Post-amble
- 14.14 [RMI-CT_UC5.8] Test retrieval of labour times
- 14.14.1 Overview
- 14.14.2 Test purpose
- 14.14.3 Configuration
- 14.14.4 Preamble (setup state)
- 14.14.5 Test execution
- 14.14.6 Post-amble
- 14.15 [RMI-CT_UC5.9] Test retrieval of converted vehicle information
- 14.15.1 Overview
- 14.15.2 Test purpose
- 14.15.3 Configuration
- 14.15.4 Preamble (setup state)
- 14.15.5 Test execution
- 14.15.6 Post-amble
- 14.16 [RMI-CT_UC5.10] Test retrieval of special tool information
- 14.16.1 Overview
- 14.16.2 Test purpose
- 14.16.3 Configuration
- 14.16.4 Preamble (setup state)
- 14.16.5 Test execution
- 14.16.6 Post-amble
- 15 CT cluster 9 — Test vehicle diagnostics
- 15.1 [RMI-CT_UC6.1] Test DTC resolution
- 15.1.1 Overview
- 15.1.2 Test purpose
- 15.1.3 Configuration
- 15.1.4 Preamble (setup state)
- 15.1.5 Test execution
- 15.1.6 Post-amble
- 15.2 [RMI-CT_UC6.2] Test VM symptom resolution
- 15.2.1 Overview
- 15.2.2 Test purpose
- 15.2.3 Configuration
- 15.2.4 Preamble (setup state)
- 15.2.5 Test execution
- 15.2.6 Post-amble
- 15.3 [RMI-CT_UC6.3] Test integrated diagnostics
- 15.3.1 Overview
- 15.3.2 Test purpose
- 15.3.3 Configuration
- 15.3.4 Preamble (setup state)
- 15.3.5 Test execution
- 15.3.6 Post-amble
- 16 CT cluster 10 — Test updating, replacing and tuning of modules (ECUs)
- 16.1 [RMI-CT_UC7.1] Test updating and replacing modules information
- 16.1.1 Overview
- 16.1.2 Test purpose
- 16.1.3 Configuration
- 16.1.4 Preamble (setup state)
- 16.1.5 Test execution
- 16.1.6 Post-amble
- 16.2 [RMI-CT_UC7.2] Test tuning kit
- 16.2.1 Overview
- 16.2.2 Test purpose
- 16.2.3 Configuration
- 16.2.4 Preamble (setup state)

- 16.2.5 Test execution
- 16.2.6 Post-amble
- 17 CT cluster 11 — Test electronic maintenance history
 - 17.1 [RMI-CT_UC8] Test electronic maintenance history
 - 17.1.1 Overview
 - 17.1.2 Test purpose
 - 17.1.3 Configuration
 - 17.1.4 Preamble (setup state)
 - 17.1.5 Test execution
 - 17.1.6 Post-amble
- 18 CT cluster 12 — Test repair assistance, technical support
 - 18.1 [RMI-CT_UC9] Test repair assistance technical support
 - 18.1.1 Overview
 - 18.1.2 Test purpose
 - 18.1.3 Configuration
 - 18.1.4 Preamble (setup state)
 - 18.1.5 Test execution
 - 18.1.6 Post-amble
- 19 CT cluster 13 — Test request for contact information
 - 19.1 [RMI-CT_UC10.1] Test for retrieval of electronic tool information (diagnostic, reprogramming, VCI)
 - 19.1.1 Overview
 - 19.1.2 Test purpose
 - 19.1.3 Configuration
 - 19.1.4 Preamble (setup state)
 - 19.1.5 Test execution
 - 19.1.6 Post-amble
 - 19.2 [RMI-CT_UC10.2] Test for retrieval of test equipment and diagnostic tool manufacturers information
 - 19.2.1 Overview
 - 19.2.2 Test purpose
 - 19.2.3 Configuration
 - 19.2.4 Preamble (setup state)
 - 19.2.5 Test execution
 - 19.2.6 Post-amble
 - 19.3 [RMI-CT_UC10.3] Test for retrieval of training material (delegate information)
 - 19.3.1 Overview
 - 19.3.2 Test purpose
 - 19.3.3 Configuration
 - 19.3.4 Preamble (setup state)
 - 19.3.5 Test execution
 - 19.3.6 Post-amble
 - 19.4 [RMI-CT_UC10.4] Test for retrieval of redistributor contact information
 - 19.4.1 Overview
 - 19.4.2 Test purpose
 - 19.4.3 Configuration
 - 19.4.4 Preamble (setup state)
 - 19.4.5 Test execution
 - 19.4.6 Post-amble
 - 19.5 [RMI-CT_UC10.5] Test for retrieval of republisher information
 - 19.5.1 Overview
 - 19.5.2 Test purpose
 - 19.5.3 Configuration
 - 19.5.4 Preamble (setup state)
 - 19.5.5 Test execution
 - 19.5.6 Post-amble
 - 19.6 [RMI-CT_UC10.6] Test for retrieval of inspection and testing services information
 - 19.6.1 Overview
 - 19.6.2 Test purpose
 - 19.6.3 Configuration
 - 19.6.4 Preamble (setup state)

- 19.6.5 Test execution
- 19.6.6 Post-amble
- 19.7 [RMI-CT_UC10.7] Test for retrieval of alternative fuels retrofit system information
- 19.7.1 Overview
- 19.7.2 Test purpose
- 19.7.3 Configuration
- 19.7.4 Preamble (setup state)
- 19.7.5 Test execution
- 19.7.6 Post-amble
- 19.8 [RMI-CT_UC10.8] Test for retrieval of engine and components remanufacturing information
- 19.8.1 Overview
- 19.8.2 Test purpose
- 19.8.3 Configuration
- 19.8.4 Preamble (setup state)
- 19.8.5 Test execution
- 19.8.6 Post-amble
- 19.9 [RMI-CT_UC10.9] Test for retrieval of component and parts manufacturer information
- 19.9.1 Overview
- 19.9.2 Test purpose
- 19.9.3 Configuration
- 19.9.4 Preamble (setup state)
- 19.9.5 Test execution
- 19.9.6 Post-amble
- 19.10 [RMI-CT_UC10.10] Test for retrieval of validation of independently developed non-proprietary VCI information
- 19.10.1 Overview
- 19.10.2 Test purpose
- 19.10.3 Configuration
- 19.10.4 Preamble (setup state)
- 19.10.5 Test execution
- 19.10.6 Post-amble
- 20 CT cluster 14 — Test courses and training information
- 20.1 [RMI-CT_UC11] Test for courses and training information
- 20.1.1 Overview
- 20.1.2 Test purpose
- 20.1.3 Configuration
- 20.1.4 Preamble (setup state)
- 20.1.5 Test execution
- 20.1.6 Post-amble
- 21 CT cluster 15 — Test data administration requirements
- 21.1 [RMI-CT_TREQ-1] Test general access-related data administration
- 21.1.1 Overview
- 21.1.2 Test purpose
- 21.1.3 Configuration
- 21.1.4 Preamble (setup state)
- 21.1.5 Test execution
- 21.1.6 Post-amble
- 21.2 [RMI-CT_TREQ-2] Test administration of IO data by the VM
- 21.2.1 Overview
- 21.2.2 Test purpose
- 21.2.3 Configuration
- 21.2.4 Preamble (setup state)
- 21.2.5 Test execution
- 21.2.6 Post-amble
- 21.3 [RMI-CT_TREQ-3] Test administration of IO employee data by the VM
- 21.3.1 Overview
- 21.3.2 Test purpose
- 21.3.3 Configuration
- 21.3.4 Preamble (setup state)
- 21.3.5 Test execution
- 21.3.6 Post-amble

21.4	[RMI-CT_TREQ-4] Test administration of invoicing data by VM
21.4.1	Overview
21.4.2	Test purpose
21.4.3	Configuration
21.4.4	Preamble (setup state)
21.4.5	Test execution
21.4.6	Post-amble
21.5	[RMI-CT_TREQ-5] Test administration of access event data by VM
21.5.1	Overview
21.5.2	Test purpose
21.5.3	Configuration
21.5.4	Preamble (setup state)
21.5.5	Test execution
21.5.6	Post-amble
21.6	[RMI-CT_TREQ-6] Test administration of access event data to security-related RMI by VM
21.6.1	Overview
21.6.2	Test purpose
21.6.3	Configuration
21.6.4	Preamble (setup state)
21.6.5	Test execution
21.6.6	Post-amble
22	CT cluster 16 — Test VM software installation on the IO client
22.1	[RMI-CT_TREQ-20] Test for requirements for installing VM-specific software on the IO client
22.1.1	Overview
22.1.2	Test purpose
22.1.3	Configuration
22.1.4	Preamble (setup state)
22.1.5	Test execution
22.1.6	Post-amble
22.2	[RMI-CT_TREQ-21] Test for requirements for updating of installed VM data and applications on the IO client
22.2.1	Overview
22.2.2	Test purpose
22.2.3	Configuration
22.2.4	Preamble (setup state)
22.2.5	Test execution
22.2.6	Post-amble
22.3	[RMI-CT_TREQ-22] Test for requirements for the operation of VM-specific software on the IO client
22.3.1	Overview
22.3.2	Test purpose
22.3.3	Configuration
22.3.4	Preamble (setup state)
22.3.5	Test execution
22.3.6	Post-amble
22.4	[RMI-CT_TREQ-23] Test for requirements for the uninstalling of VM-specific software on the IO client
22.4.1	Overview
22.4.2	Test purpose
22.4.3	Configuration
22.4.4	Preamble (setup state)
22.4.5	Test execution
22.4.6	Post-amble
22.5	[RMI-CT_TREQ-24] Test for requirements for restoring in case of an abnormal termination of the VM specific software on the IO client
22.5.1	Overview
22.5.2	Test purpose
22.5.3	Configuration
22.5.4	Preamble (setup state)
22.5.5	Test execution
22.5.6	Post-amble

- 23 CT cluster 17 — Test VM RMI operations
 - 23.1 [RMI-CT_TREQ-25] Test for VM RMI system availability time
 - 23.1.1 Overview
 - 23.1.2 Test purpose
 - 23.1.3 Configuration
 - 23.1.4 Preamble (setup state)
 - 23.1.5 Test execution
 - 23.1.6 Post-amble
 - 23.2 [RMI-CT_TREQ-26] Test for support for the usage of the VM RMI system
 - 23.2.1 Overview
 - 23.2.2 Test purpose
 - 23.2.3 Configuration
 - 23.2.4 Preamble (setup state)
 - 23.2.5 Test execution
 - 23.2.6 Post-amble
- 24 CT cluster 18 — Test trust centre (certificate management)
 - 24.1 [RMI-CT_TREQ-10] Test for trust centre (certificate management)
- Annex A (normative) Access to security-related RMI according to SERMI scheme
 - A.1 General
 - A.2 [RMI-CT_UC1.7] Test for granting access to security-related RMI
 - A.2.1 Overview
 - A.2.2 Test purpose
 - A.2.3 Configuration
 - A.2.4 Preamble (setup state)
 - A.2.5 Test execution
 - A.2.6 Post-amble
 - A.3 [RMI-CT_TREQ-10] Test for trust centre (certificate management)
 - A.3.1 Overview
 - A.3.2 Test purpose
 - A.3.3 Configuration
 - A.3.4 Preamble (setup state)
 - A.3.5 Test execution
 - A.3.6 Post-amble
 - A.4 [RMI-CT_TREQ-11] Test parts ordering for security-related features
 - A.4.1 Overview
 - A.4.2 Test purpose
 - A.4.3 Configuration
 - A.4.4 Preamble (setup state)
 - A.4.5 Test execution
 - A.4.6 Post-amble